

Eating Disorder Activity

Case Study:

Abby, age 29, was married and the mother of a 5-year-old girl. Her husband, Tom, was a rising young executive in a prominent business firm. Abby did not work outside the home, and Tom had expectations about how Abby should care for their daughter and their home. Abby had grown up as the only child of a professional couple who had high expectations of her. Feeling unable to measure up to their expectations, Abby had developed anorexia nervosa during her sophomore year in high school, and the family had spent several years in family therapy. Abby went to college in a distant city. During these years, she did not go home often. She joined a sorority but often felt as though she did not quite fit in with these young women. She felt very flattered when Tom began to pay attention to her during her junior year in college. But she continued to feel anxious and insecure, and during these periods of anxiety, Abby would resort to maladaptive eating patterns to cope. During this time, however, the eating behavior more often took the form of bingeing—she would eat whole boxes of cookies, cakes, or candy—followed by periods of intense depression. In order to keep from gaining weight, she would self-induce vomiting or take massive doses of laxatives. She exercised excessively. She managed to keep her weight within normal limits while hiding her behavior from her boyfriend and classmates. Once she and Tom were married, some of the anxiety subsided, and she relied less on the maladaptive eating behaviors. However, lately she has been called on by her husband to entertain business associates, which has created a great deal of anxiety for Abby. Tom tells her exactly how he expects things to be and also tells her how much her appearance and behavior affect how these business associates will view them. She feels a great deal of pressure from Tom to be “the perfect wife” and just doesn’t feel she can measure up. She has begun to binge and purge daily. Last night, she was bingeing after Tom and their daughter had gone to bed. Tom heard her vomiting in their bathroom. He got up to investigate and found her leaning over the toilet, in which he noted a large amount of blood. He took her to the emergency department, where she was treated for a bleeding esophageal varicosity. She was stabilized and admitted to the psychiatric unit. Diagnosis: Bulimia Nervosa.

Symptoms of Eating Disorders

Check the eating disorder to which the symptoms in the left-hand column most commonly apply. Some may apply to more than one disorder. Number 1 has been completed as an example.

Symptoms	Anorexia Nervosa	Bulimia Nervosa	Obesity
1. Depression	X	X	
2. Amenorrhea	X		
3. Risk of diabetes mellitus			X
4. Erosion of tooth enamel		X	
5. Preoccupation with food	X	X	
6. Self-induced vomiting		X	
7. Fixed in oral stage of development			X
8. Is markedly underweight	X		
9. Weight is close to normal		X	
10. Is markedly overweight			X
11. Abuse of substances is not uncommon	X	X	
12. May be related to hypothyroidism			X
13. May be related to issues of control	X	X	
14. Genetics may play a role in the cause	X	X	X
15. Takes in enormous amounts of food without gaining weight		X	

Homework Assignment Questions and Answers

Please read the chapter and answer the following questions:

1. There is speculation that anorexia nervosa may be associated with a primary dysfunction of which brain structure?

This would be the Hypothalamus.

2. What is the level of body mass index (BMI) that is associated with the definition of obesity?

A BMI of 30 or greater.

3. Individuals with anorexia nervosa have a “distorted body image.” What does this mean?

Distorted body image means that they perceive their body image a certain way even if it is not.

4. What physiological signs may be associated with the excessive vomiting of the purging syndrome?

One major sign would be seeing the erosion of tooth enamel due to the high amounts of acid. They would most likely also experience signs of dehydration, electrolyte imbalances and metabolic issues.

5. What are TWO priority problems for this patient? What are THREE nursing interventions for each of those priority problems?

Priority Problem 1: Imbalanced Nutrition	Priority Problem 2: Risk for electrolyte imbalance
Nursing intervention: <ul style="list-style-type: none">• Monitor daily weights and I/Os• Provide small frequent meals• Work with dietitian and mental health specialists	Nursing intervention: <ul style="list-style-type: none">• Monitor electrolyte levels• Education patient on risks of purging• Encourage support while showing alternate coping strategies