
- diagnostics
- Med dx
- Nursing dx
- Symptoms
- Assessment data
- Medications
- treatments
TKA
Impaired Physical mobility
A+O x3
BP 121/87
Assess LOC BP, pulse
HR 99
Morphine
Assess pain level Q1h
Pain 7 of 10 in LT knee
Oxycodin
Percocet
Monitor BP Pulse, RR
BP 121/87
HR 99
R14
Assess BP Pulse, Bowel function
Bowel sounds present
Constipated
Colace
Assess for bowel sounds
Not present
MOM 30mL daily
Anxiety
Vistaril
Assess for mental status, sedation, N/V
Zofran
A+O x3
Limited ROM LT knee
PT
Turn & reposition Q2h
Unsteady gait
Weakness in LT LOWER EXTREMITY
Fall precautions
Fall score 40
walker
unable to bear full weight
Edema
HOB 30° AAT
TED HOSE
Intake 600mL
skin is moist + elastic
Assess hydration + nutritional status
Eating 100% meals
Dextrose
Diabetes Mellitus
Apidra
Finger stick AC + HS
Glutose-45
Abnormal T-wave value
ECG
URINE TEST
Kidney stones
Rt TKA
Lt TKA
Xarelto
Assess for hemorrhage BP, hematocrit
No bleeding
BP 121/87
Hct 38.9
Tylenol
Assess Temp Give for fever
T-99.0