



Content Focus: **Interactions** Correct: 4 / 12 Incorrect: 8 / 12 Time Spent: 00:32:07

**Incorrect Answers:**

Q: What are potential interactions for clopidogrel?

A:

Anticoagulants, NSAIDs, glucocorticoids, and alcohol increase bleeding risk.

Proton pump inhibitors reduce antiplatelet effects.

Herbal supplements

33%

**Final Score**

Congratulations on completing your Flash Cards.

How would you like to continue?



START OVER



RESHUFFLE



REPLAY  
INCORRECT



PRINT RESULTS



Content Focus: **Contraindications** Correct: 5 / 12 Incorrect: 7 / 12 Time Spent: 00:59:46

**Incorrect Answers:**

Q: What contraindications are there for the use of desmopressin?

A:

**Renal failure**

**Nephrogenic diabetes insipidus**

**Type IIB von Willebrand disease**

Q: What contraindications are there for the use of factor VIII concentrate, factor IX

42%

**Final Score**

Congratulations on completing your Flash Cards.

How would you like to continue?



START OVER



RESHUFFLE



REPLAY  
INCORRECT



PRINT RESULTS



Content Focus: **Interventions** Correct: 5 / 12 Incorrect: 7 / 12 Time Spent: 01:21:08

**Incorrect Answers:**

Q: What interventions should be planned for a client taking desmopressin?

A:

**Monitor fluid intake and output.**

**Monitor serum sodium levels.**

**Restrict fluids and sodium intake when appropriate.**

**Recommend diuretic therapy for moderate and**

42%

**Final Score**

Congratulations on completing your Flash Cards.

How would you like to continue?



START OVER



RESHUFFLE



REPLAY  
INCORRECT



PRINT RESULTS