



**Module:** Virtual Interaction: Adult clients at risk for medication misuse and suicide  
**Simulation:** The Communicator 2.0

## Individual Performance Profile

**Individual Name:** Ben Geisler

**Student Number:** 6925072

**Institution:** Lakeview CON

**Program Type:** BSN

Please note that time spent on your Individual Performance Profile reflects only conversations fully completed.

### Time Use and Score

Virtual Interaction: Adult clients at risk for medication misuse and suicide	Date	Time Spent	Score(Points)
— Practice: Antoine	01/29/2022	12:14	Complete

#### Scenario

Speak with Antoine, a military veteran requesting opioid pain relievers. Discuss alternative treatment methods and gather enough information to determine if Antoine is at risk for a mental health disorder.

#### Overall Engagement

##### Overall Engagement

0 of 0 points | Selected option:  
Good job.

##### Rationale:

You were able to uncover some stressors in Antoine's life that might be contributing to his physical concerns, or at least diminishing his quality of life. It took you more than five minutes, not counting the time you spent making menu selections. You may have taken time to explore different pathways in the conversation, but in real life, you should be able to gather enough information to determine if a client is at risk for a mental health disorder in approximately three to five minutes.

#### Communication Technique Feedback:

Points on technique separate from overall points

0 of 0 pts

##### Rationale:

No additional feedback available for this conversation.

**Scenario**

Judith has osteoarthritis. Recently she's had little energy and trouble sleeping. Her screening form indicated moderately severe depression. Gather information about Judith's presenting concern, depression manifestations, and suicidal thoughts. Then collaborate on a treatment plan.

**Overall Engagement**

**Overall Engagement**

0 of 0 points

**Selected option:**

Good job.

**Rationale:**

You were able to talk to Judith about her depression and, as a team, collaboratively decide on treatment options with her. It took you more than seven minutes, not counting time you spent making menu selections. You may have taken time to explore different pathways in the conversation, but in real life, you should be able to have this conversation in approximately seven minutes, depending on the client's readiness to accept a mental health referral. The more often you address these types of issues, the easier and faster these conversations will become.

**Communication Technique Feedback:**

Points on technique separate from overall points

0 of 0 pts

**Rationale:**

No additional feedback available for this conversation.