

N321 Teaching Plan and Grading Rubric

Student Name:

Criteria	0 points	2.5 points	5 points	Comments
<p><u>Assessment of Client/Family</u></p> <ul style="list-style-type: none"> • Determines motivation for learning • Identifies barriers to learning • Discuss health beliefs/values • Discuss psychosocial and cognitive development 	<p>Missing 2 or more of the following:</p> <ul style="list-style-type: none"> • Determines motivation for learning • Identifies barriers to learning • Discuss health beliefs/values • Discuss psychosocial and cognitive development 	<p>Missing 1 of the following:</p> <ul style="list-style-type: none"> • Determines motivation for learning • Identifies barriers to learning • Discuss health beliefs/values • Discuss psychosocial and cognitive development 	<p>Includes complete information of all criteria:</p> <ul style="list-style-type: none"> • Determines motivation for learning • Identifies barriers to learning • Discuss health beliefs/values • Discuss psychosocial and cognitive development 	
Criteria	0 points	2.5 points	5 points	Comments
<p><u>Nursing Diagnosis and Goal of Teaching</u></p> <ul style="list-style-type: none"> • 1 nursing diagnosis identified in proper formatting • 1 goal of teaching identified 	<p>Missing 2 of the following:</p> <ul style="list-style-type: none"> • 1 nursing diagnosis identified in proper formatting • 1 goal of teaching identified 	<p>Missing 1 of the following:</p> <ul style="list-style-type: none"> • 1 nursing diagnosis identified in proper formatting • 1 goal of teaching identified 	<p>Includes complete information of all criteria:</p> <ul style="list-style-type: none"> • 1 nursing diagnosis identified in proper formatting • 1 goal of teaching identified 	
Criteria	0 points	2.5 points	5 points	Comments
<p><u>Interventions</u></p> <ul style="list-style-type: none"> • Discuss 3 interventions to be included in teaching • Relate interventions to meeting the teaching goal 	<p>Missing 2 of the following:</p> <ul style="list-style-type: none"> • Interventions to be included in teaching • Relate interventions to meeting the teaching goal 	<p>Missing 1 of the following:</p> <ul style="list-style-type: none"> • Interventions to be included in teaching • Relate interventions to meeting the teaching goal 	<p>Includes complete information of all criteria:</p> <ul style="list-style-type: none"> • Interventions to be included in teaching • Relate interventions to meeting the teaching goal 	

Criteria	0 points	1 point	2 points	Comments
Methods/Teaching Tools <ul style="list-style-type: none"> • Use 2 appropriate teaching methods to deliver teaching • Consider the following teaching methods: <ul style="list-style-type: none"> • Discussion • Q&A • Teach-Back • Interactive 	Missing 2 of the following: <ul style="list-style-type: none"> • Use 2 appropriate teaching methods to deliver teaching • Consider the following teaching methods: <ul style="list-style-type: none"> • Discussion • Q&A • Teach-Back • Interactive 	Missing 1 of the following: <ul style="list-style-type: none"> • Use 2 appropriate teaching methods to deliver teaching • Consider the following teaching methods: <ul style="list-style-type: none"> • Discussion • Q&A • Teach-Back • Interactive 	Includes complete information of all criteria: <ul style="list-style-type: none"> • Use 2 appropriate teaching methods to deliver teaching • Consider the following teaching methods: <ul style="list-style-type: none"> • Discussion • Q&A • Teach-Back • Interactive 	
Criteria	0 points	1.5 points	3 points	Comments
Evaluation <ul style="list-style-type: none"> • Discuss how the client/family received the teaching • Identify strengths/weaknesses of the client or family in receiving teaching • Suggest modifications to improve teaching plan (What would have improved the plan?) 	Missing 2 or more of the following: <ul style="list-style-type: none"> • Discuss how the client/family received the teaching • Identify strengths/weaknesses of the client or family in receiving teaching • Suggest modifications to improve teaching plan (What would have improved the plan?) 	Missing 1 of the following: <ul style="list-style-type: none"> • Discuss how the client/family received the teaching • Identify strengths/weaknesses of the client or family in receiving teaching • Suggest modifications to improve teaching plan (What would have improved the plan?) 	Includes complete information of all criteria: <ul style="list-style-type: none"> • Discuss how the client/family received the teaching • Identify strengths/weaknesses of the client or family in receiving teaching • Suggest modifications to improve teaching plan (What would have improved the plan?) 	

Criteria	0 points	2.5 points	5 points	Comments
<p>APA Format</p> <ul style="list-style-type: none"> • Appropriate APA in-text citations and listed all appropriate references in APA format • At least 2 scholarly source(s) are utilized and should be 5 or less years old • Source(s) greater than 5 years old will not be accepted • Reference page complete 	<p>No in-text citations present</p> <p>2 or more references are greater than 5 years old</p> <p>3 or more APA errors</p> <p>No reference page present</p>	<p>1-2 APA errors</p> <p>1 reference is greater than 5 years old</p> <p>In-text citations appropriately cited</p> <p>Reference page present</p>	<p>No APA errors present</p> <p>In-text citations appropriately cited</p> <p>Reference page present and formatted properly</p>	
Criteria	0 points	2.5 points	5 points	
<p>Evaluation of Teaching Presentation</p> <p>Introduction of content</p> <p>Patient put at ease</p> <p>Eye contact</p> <p>Clear speech and organized presentation</p> <p>Environment conducive to learning</p> <p>Family included (if applicable)</p> <p>Accuracy of information</p> <p>Validation of learning status</p> <p>Use of teaching aids</p> <p>Appropriate non-verbal body language</p>	<p>Missing 2 or more of the following criteria:</p> <ul style="list-style-type: none"> • Introduction of content • Patient put at ease • Eye contact • Clear speech and organized presentation • Environment conducive to learning • Family included (if applicable) • Accuracy of information • Validation of learning status • Use of teaching aids • Appropriate non-verbal body language 	<p>Missing 1 of the following criteria:</p> <ul style="list-style-type: none"> • Introduction of content • Patient put at ease • Eye contact • Clear speech and organized presentation • Environment conducive to learning • Family included (if applicable) • Accuracy of information • Validation of learning status • Use of teaching aids • Appropriate non-verbal body language 	<p>Includes all criteria:</p> <ul style="list-style-type: none"> • Introduction of content • Patient put at ease • Eye contact • Clear speech and organized presentation • Environment conducive to learning • Family included (if applicable) • Accuracy of information • Validation of learning status • Use of teaching aids • Appropriate non-verbal body language 	
TOTAL				/30

Assessment of Client/Family (5 points)	Nursing Diagnosis & Goal of Teaching (5 points)	Interventions (5 points)	Methods/Teaching Tools (2 points)	Evaluation (3 points)
<p>Level of motivation for learning: The patient was not completely motivated to learn due to the business of the hospital. The patient kept saying “they haven’t left me alone.”</p> <p>Barriers to effective learning: Tv distraction, hard of hearing, tired from not sleeping well, lack of motivation.</p> <p>Health beliefs/values: The patient views her health as poor but wants to get better. She currently is battling cancer and got help as soon as she felt something was wrong.</p> <p>Psychosocial development: The patient is at the integrity vs. despair stage in her life. At this stage, the key conflict centers on questioning whether the individual has led a meaningful, satisfying life. This</p>	<p>Nursing Diagnosis: Ineffective airway clearance due to excessive mucus as evidence dyspnea.</p> <p>Goal of Teaching: The patient’s airway remains clear and allows for adequate ventilation.</p>	<p>Intervention 1: Assess respiratory status at least every 4 hours or according to established standards. Obstruction in the airway leads to atelectasis, pneumonia, or respiratory failure.</p> <p>Intervention 2: Turn patient every 2 hours. Always position for maximal aeration of lung fields and mobilization of secretions. This prevents pooling and stasis of respiratory secretions.</p> <p>Intervention 3: Encourage adequate water intake (3 to 4 L/day) to ensure optimal hydration and loosening of secretions, unless contraindicated.</p>	<p>Method 1: Printed patient education instructions.</p> <p>Method 2: Verbal instructions for patient education.</p>	<p>Discuss how the client/family received the teaching: The patient was not completely focused on the teaching because of barriers to learn. The patient’s family was engaged and maintained eye contact during the teaching.</p> <p>Identify strengths/weaknesses of the client or family in receiving teaching: The patient was not motivated to learn but knows she wants to get better. The patient showed interest in learning about getting better but not at that exact moment. The patient’s mother was engaged and showed that she understood the content being taught.</p> <p>Suggest modifications to improve teaching plan (what would have improved the plan?): To improve the teaching</p>

<p>stage is age 65 years old and lasts until their death.</p> <p>Cognitive development: The patient is at the formal operational stage in her life. She can think abstractly and reason about hypothetical problems</p>				<p>plan, I would get rid of all distractions from the environment. I would also do it after the patient is well rested, so she is more eager to learn. Without the distractions and barriers then the teaching plan would have been greatly improved.</p>
--	--	--	--	---

References (2) (APA):

Phelps, L. L. (2020). *Sparks & Taylor's nursing diagnosis reference manual*. Wolters Kluwer.

Other: Patient education handout from Sarah Bush