

N433 Infant, Child, and Adolescent Health  
Proctored ATI Remediation Template

Student Name:  
Assessment Name:  
Semester:

Instructions:

1. Download the report from your ATI product for the assessment you are completing this remediation template for
2. The report will be broken down into three (3) aspects:
  - a. Categories
    - i. These categories mimic the NCLEX-RN categories and include the following:
      1. Management of Care
      2. Safety and Infection Control
      3. Health Promotion and Maintenance
      4. Psychosocial Integrity
      5. Basic Care and Comfort
      6. Pharmacological and Parenteral Therapies
      7. Reduction of Risk Potential
      8. Physiological Adaptation
  - b. Subcategories
  - c. Topics
3. Complete the template on the following page by doing the following:
  - a. Main Category
    - i. Subcategories for each main category
      1. Topics for each subcategory → these will be the content areas you will be remediating on
        - a. Provide three (3) critical points to remember for each topic → these will come from the Focused Review module(s) within your ATI product
  - b. **NOTE: You must remediate on all subcategories AND topics within the main categories listed under the “Topics to Review” section of the ATI report for this assessment.**
4. In the event you need additional space within the table, please add rows into the table to accommodate this
  - a. In the event, you need less space within the table than what is provided, you may delete those rows from the table to accommodate this OR put “N/A” → There may be main categories that you don’t have to remediate on and that is OK – you can either delete the table OR put “N/A”
5. An example is provided below:

<b>SAMPLE Main Category: Management of Care</b>
<b>SAMPLE Subcategory: Case Management</b>
<b>SAMPLE Topic: Anemias: Discharge Teaching for a Client Who is Recovering from Sick Cell Crisis</b> <ul style="list-style-type: none"><li>• SAMPLE Critical Point #1: Anemia is the abnormally low amount of circulation RB, Hgb concentration, or both.</li><li>• SAMPLE Critical Point #2: When a patient is going through sickle crisis, the nurse should monitor oxygen saturation to determine a need for oxygen therapy.</li><li>• SAMPLE Critical Point #3: A patient should have their hemoglobin checking in 4 to 6 weeks to determine efficacy.</li></ul>

6. Once the template is completed **and** at least the minimum remediation time has been completed within the Focused Review module(s) in ATI, upload the template to the corresponding dropbox in E360.

**Main Category: Management of Care**

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Main Category: Safety and Infection Control**

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Main Category: Health Promotion and Maintenance**

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
-

**Main Category: Psychosocial Integrity**

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
-

**Main Category: Basic Care and Comfort**

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
-

**Main Category: Pharmacological and Parenteral Therapies**

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
-

**Main Category: Reduction of Risk Potential**

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
-

**Main Category: Physiological Adaptation**

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Subcategory:**

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
- 

**Topic:**

- 
- 
-