

N442 Population and Global Health
Proctored ATI Remediation Template

Student Name: Shivani Patel
Assessment Name: N442 Remediation
Semester: 4th

Instructions:

1. Download the report from your ATI product for the assessment you are completing this remediation template for
2. The report will be broken down into three (3) aspects:
 - a. Categories
 - i. These categories mimic the NCLEX-RN categories and include the following:
 1. Management of Care
 2. Safety and Infection Control
 3. Health Promotion and Maintenance
 4. Psychosocial Integrity
 5. Basic Care and Comfort
 6. Pharmacological and Parenteral Therapies
 7. Reduction of Risk Potential
 8. Physiological Adaptation
 - b. Subcategories
 - c. Topics
3. Complete the template on the following page by doing the following:
 - a. Main Category
 - i. Subcategories for each main category
 1. Topics for each subcategory → these will be the content areas you will be remediating on
 - a. Provide three (3) critical points to remember for each topic → these will come from the Focused Review module(s) within your ATI product
 - b. NOTE: You must remediate on all subcategories AND topics within the main categories listed under the “Topics to Review” section of the ATI report for this assessment.**
4. In the event you need additional space within the table, please add rows into the table to accommodate this
 - a. In the event, you need less space within the table than what is provided, you may delete those rows from the table to accommodate this OR put “N/A” → There may be main categories that you don’t have to remediate on and that is OK – you can either delete the table OR put “N/A”
5. An example is provided below:

SAMPLE Main Category: Management of Care
SAMPLE Subcategory: Case Management
SAMPLE Topic: Anemias: Discharge Teaching for a Client Who is Recovering from Sickle Cell Crisis <ul style="list-style-type: none">• SAMPLE Critical Point #1: Anemia is the abnormally low amount of circulation RB, Hgb concentration, or both.• SAMPLE Critical Point #2: When a patient is going through sickle crisis, the nurse should monitor oxygen saturation to determine a need for oxygen therapy.• SAMPLE Critical Point #3: A patient should have their hemoglobin checking in 4 to 6 weeks to determine efficacy.

6. Once the template is completed **and** at least the minimum remediation time has been completed within the Focused Review module(s) in ATI, upload the template to the corresponding dropbox in E360.

Main Category: Management of Care

Subcategory: Case Management

Topic: Continuity of Care: Role of the Case Manager

- The case manager must be proactive to all the patients.
- They must know how to use community agencies to help contain costs.
- Case managers should also balance the effect of illness against the cost of care.

Topic:

-
-
-

Topic:

-
-
-

Subcategory: Client Rights

Topic: Overview of Community Health Nursing: Applying Ethical Principles

- The Public Health Code of Ethics identifies the ethical practice of public health.
- Ethical considerations include preventing harm, doing no harm, and promoting good.
- Community health nurses address the challenged of autonomy and providing ethical care.

Topic:

-

Topic:

-
-
-

Subcategory: Establishing Priorities

Topic: Security and Disaster Plans: Triage and Priority Care Following a Tornado

- Place blankets over all clients who are confined to the bed.
- Do not use the elevators.
- Lower beds to the lowest position and move away from the windows.

Topic:

-
-
-

Topic:

-
-
-

Subcategory: Legal Rights and Responsibilities

Topic: Infections: Regulations for STI Reporting

- Obtain informed consent prior to testing.
- It is the responsibility of the provider to report cases of these diseases to their local health department.
- The state should contact individuals who have transmitted the disease.

Subcategory: Referrals

Topic: Practice Settings and Nursing Roles in the Community: Caring for a client at home following a stroke

- Encourage daily movement and exercise to the patient.
- Make sure they eat a healthy diet.
- Attend regular visits with their healthcare provider.

Main Category: Safety and Infection Control

Subcategory: Accident/Error/Injury Prevention

Topic: Home Safety: Home Oxygen Use

- The patient should not smoke near oxygen.
- The oxygen canister should be kept away from open flames.
- The client should use petroleum-based lotions or creams.

Topic: Home Safety: Preventing an Electrical Hazard

- The patient should limit the use of extension cords.
- The patient should be educated on using safe practice when using electrical equipment.
- Do not leave objects near the stove.

Topic:

-
-
-

Subcategory: Emergency Response Plan

Topic: Emergency Preparedness: Caring for a client who has a suspected bioterrorism-related illness

- Anthrax vaccine can be used for those at high risk for anthrax exposure.
- Contact and airborne precautions should be following for patients with smallpox.
- For clients with Ebola, they should prevent contact with semen of a previously infected client for up to 3 months following recovery.

Topic: Emergency Preparedness: Response Phase of a Disaster

- Setting up a communication protocol is an important part of the community disaster planning.
- Different levels of agencies are responsible for different levels of disaster response.
- Disaster response should include asking how many people are infected.

Topic:

-
-
-

Subcategory: Home Safety

Topic: Practice Setting and Nursing Roles in the Community: Home Safety Evaluation

- Extension cords should not be placed on the floors.
- The nurse should always take measures to ensure their own safety.
- The nurse should pay close attention to non-secure rugs and low lighting.

Topic:

-
-
-

Topic:

-
-
-

Subcategory: Standard Precautions/Transmission-Based Precautions/Surgical Asepsis

Topic: Communicable Diseases: Providing Education for a Client Who Has Pertussis

- They should stay at home and avoid contact with others.
- Educate about coughing and deep breathing.
- Encourage an increase in oral fluid intake.

Topic: Identifying Reportable Disease

- Routine laboratory testing is in the early prenatal period including HIV testing.
- The nurse should provide counseling prior and after testing.
- It is important to discuss HIV and safe sex practices to the patients.

Main Category: Health Promotion and Maintenance

Subcategory: Health Promotion/Disease Prevention

Topic: Client Education: Identifying Educator-Related Barriers to Learning

- Physical and emotional barriers can interfere with learning.
- Sensory and perceptual deficits are also barriers.
- Psychomotor deficits can be educator-related barriers.

Topic: Female Physiologic Processes: Women's Health After Menopause

- The median age of onset of menopause is 51 years of age.
- They can be at risk for cardiovascular disease, UTIs, or osteoporosis.
- They should go for regular cancer screenings.

Topic:

-
-
-

Subcategory: Health Screening

Topic: HIV/AIDS: Teaching About Diagnostic Testing

- Home test kits are available using a drop of blood.
- Clients who have a positive result from a confirmatory test should be tested for a viral load.

- Two tests are also available using mucosal fluid or urine.

Topic: Overview of Community Health Nursing: Priority Finding During School Health Screenings

- Hearing and vision problems is a priority finding.
- Hearing and vision problems can affect the learning of students.
- Dental checks are also important during school health screenings.

Topic:

-
-
-

Subcategory: Techniques of Physical Assessment

Topic: Substance Use and Addictive Disorders: Expected Findings of Heroin Intoxication

- The symptoms include altered mental status and confusion.
- The patient may experience extreme sleepiness.
- Respiratory depression is an expected finding important to assess.

Topic:

-
-
-

Topic:

-
-
-

Main Category: Psychosocial Integrity

Subcategory: Coping Mechanisms

Topic: Continuity of Care: Priority Assessment for a Client Following a Traumatic Amputation

- The patient's skin and pulses should be assessed frequently.
- A respiratory assessment is also needed on the patient.
- The patient should be encouraged to report signs of infection.

Topic: Suicide: Identifying Risk

- The client constantly talks about killing themselves.
- The client may seem depressed most of the time and may not want to express their feelings.
- SAD PERSONS scale should be utilized to identify suicide risk.

Topic:

-
-
-

Subcategory: Cultural Awareness/Cultural Influences on Health

Topic: Complementary and Alternative Therapies: Incorporating Client Preferences into Care

- Alternative therapies are treatment approaches that become the primary treatment and replace allopathic medical care.
- Complementary therapies are treatment approaches used in addition to or to enhance conventional medical care.
- Many health care entities are developing programs of integrative therapies to provide clients with more options for health care interventions.

Topic:

-
-
-

Topic:

-
-
-

Subcategory: Religious and Spiritual Influences on Health

Topic: Stress and Defense Mechanisms: Identifying Rationalization as a Coping Mechanism

- Rationalization is creating reasonable and acceptable explanations for unacceptable behavior.
- For example, a young adult explains they had to drive home from a party after drinking alcohol because they had to feed the dog.
- Another example is a adolescent states they must have a boyfriend when rejected by another adolescent.

Topic:

-
-
-

Topic:

-
-
-

Subcategory: Stress Management

Topic: Factors Influencing Community Health: Implementation Measures to Reduce Environmental Hazards

- It is important to gather resources to help identify problems and prevent environmental hazards.
- It is important to use clean, renewable energy systems.
- It is important to perform individual and population risk assessments.

Subcategory: Substance Use and Other Disorders and Dependencies

Topic: Care of Specific Populations: Teaching About Treatment for Alcohol Use Disorder

- Cognitive behavioral therapy is a treatment option for alcohol use disorder.
- A medication option for alcohol use disorder includes chlordiazepoxide.
- Support groups can also help treat the condition.

Main Category: Basic Care and Comfort

Subcategory: Non-Pharmacological Comfort Interventions

Topic: Barriers to Adequate Nutrition: Nonpharmacological interventions to manage nausea

- The patient should avoid eating foods high in fat.
- Eating cold and room temperature foods can reduce nausea.
- Foods that are less aromatic are less likely to precipitate nausea.

Topic:

-
-
-

Topic:

-
-
-

Subcategory:

Topic:

-
-
-

Topic:

-
-
-

Topic:

-
-
-

Subcategory:

Topic:

-
-
-

Topic:

-
-
-

Topic:

-

•

•

Main Category: Pharmacological and Parenteral Therapies

Subcategory:

Topic:

-
-
-

Topic:

-
-
-

Topic:

-
-
-

Subcategory:

Topic:

-
-
-

Topic:

-
-
-

Topic:

-
-
-

Subcategory:

Topic:

-
-
-

Topic:

-
-
-

Topic:

-
-
-

Main Category: Reduction of Risk Potential

Subcategory:

Topic:

-
-
-

Topic:

-
-
-

Topic:

-
-
-

Subcategory:

Topic:

-
-
-

Topic:

-
-
-

Topic:

-
-
-

Subcategory:

Topic:

-
-
-

Topic:

-
-
-

Topic:

-
-
-

Main Category: Physiological Adaptation

Subcategory: Alterations in Body Systems

Topic: Epidemiology and Communicable Diseases: School Nurse Response to Koplik Spots

- It is important to discuss the role of school nurses during the outbreak of Koplik spots.
- It is important to understand that the first appearance of the disease is 2-3 days.
- The student should stay home to prevent the spread of the disease.

Topic:

-
-
-

Topic:

-
-
-

Subcategory:

Topic:

-
-
-

Topic:

-
-
-

Topic:

-
-
-

Subcategory:

Topic:

-
-
-

Topic:

-
-
-

Topic:

-
-
-



Individual Performance Profile

[Download Report](#)

[Score Explanation](#)

<p>ADJUSTED INDIVIDUAL TOTAL SCORE</p> <p>50.0%</p> <p>TIME SPENT</p> <p>43:39</p>	<p>Individual Name: Shivani Patel</p> <p>Student Number: 7064688</p> <p>Institution: Lakeview CON</p> <p>Program Type: BSN</p> <p>Test Completed Date: 4/11/2023</p> <p># of Points: 50 Attempt: 1</p>	<p>Focused Review Progress</p> <p>View missed topics and launch study materials below.</p> <p>Last accessed: 4/18/2023 Time spent: 04:04:53</p>
--	--	---