

Kaitlyn Loewenstein

ATI remediation

4/25/2023

### Safety and infection control 2

- Accident/error/injury prevention
  - Seizure pads need to be present with a patient who has a history of seizures
  - An incident report must be completed any time an incident or accident occurs in the hospital
  - You can not use latex gloves on a patient who has a latex allergy
- Standard precautions/ transmission-based precautions/ surgical asepsis
  - TB is an airborne disease
  - Contact precautions are PPE and mask and eye protection
  - Airborne precautions require an N95

### Management of care 5

- Client rights
  - Clients have the right to refuse treatment
  - Clients have the right to treatment
  - Clients have the right to privacy
- Informed consent
  - Informed consent must be signed by the patient
  - There must be a witness when signing the informed consent
  - Informed consent has the procedure and all the possible risks associated with the surgery
- Legal rights and responsibilities
  - Nurses have the right to advocate for themselves/ patients
  - Nurses are legally mandated to report abuse
  - Negligence is the failure to take proper care in doing something

### Psychosocial integrity 1

- End of life care
  - Hospice care is providing care for the sick or terminally ill
  - A persons body naturally shuts down and prepares for death
  - Denial refers to the difficulty comprehending the reality of a loss

### Basic care and comfort 6

- Rest and sleep
  - Recommend sleep is 8- 10 hours a day
  - Avoid napping throughout the day
  - Create a consistent sleeping pattern
- Mobility/ immobility
  - Passive ROM- outside force causes movement of a joint

- Active ROM- moving your body with your muscles/ on your own
- Bed bound patients should be turned at least every hour
- Nutrition and oral hydration
  - To give oral care to an unconscious patient you must elevate the head of bed or turn them on the side
  - 2-3 liters of water a day
  - Fluid volume deficit occurs because of loss of total body sodium

#### Pharmacological and parenteral therapies 2

- Medication administration
  - Do not use regular insulin if it is cloudy
  - NPH insulin is the only insulin that can be cloudy
  - Roll the insulin, do not shake

#### Reduction of risk potential 1

- Laboratory values
  - Collect a sputum specimen in the morning
  - Get a least 5 ml of sputum
  - Offer a drink after the collecting the sputum

#### Physiological adaptation 1

- Alterations in body systems
  - Suction a trach for as long as you can hold your breath
  - Do not lay down an oxygen tank
  - Keep oxygen tanks away from heaters for at least 8 feet away