

N442 Population and Global Health  
Proctored ATI Remediation Template

Student Name: **Dakota Clayton**  
Assessment Name: **RN Community Health 2019**  
Semester: **Fall 2023**

Instructions:

1. Download the report from your ATI product for the assessment you are completing this remediation template for
2. The report will be broken down into three (3) aspects:
  - a. Categories
    - i. These categories mimic the NCLEX-RN categories and include the following:
      1. **Management of Care (1)**
      2. **Safety and Infection Control (3)**
      3. **Health Promotion and Maintenance (2)**
      4. **Psychosocial Integrity (1)**
      5. Basic Care and Comfort
      6. Pharmacological and Parenteral Therapies
      7. Reduction of Risk Potential
      8. Physiological Adaptation
  - b. Subcategories
  - c. Topics
3. Complete the template on the following page by doing the following:
  - a. Main Category
    - i. Subcategories for each main category
      1. Topics for each subcategory → these will be the content areas you will be remediating on
        - a. Provide three (3) critical points to remember for each topic → these will come from the Focused Review module(s) within your ATI product
    - b. NOTE: You must remediate on all subcategories AND topics within the main categories listed under the “Topics to Review” section of the ATI report for this assessment.**
4. In the event you need additional space within the table, please add rows into the table to accommodate this
  - a. In the event, you need less space within the table than what is provided, you may delete those rows from the table to accommodate this OR put “N/A” → There may be main categories that you don’t have to remediate on and that is OK – you can either delete the table OR put “N/A”
5. An example is provided below:

|   |
|---|
| <b>SAMPLE Main Category: Management of Care</b>   |
| <b>SAMPLE Subcategory: Case Management</b>  |
| <b>SAMPLE Topic: Anemias: Discharge Teaching for a Client Who is Recovering from Sick Cell Crisis</b> <ul style="list-style-type: none"><li>• SAMPLE Critical Point #1: Anemia is the abnormally low amount of circulation RB, Hgb concentration, or both.</li><li>• SAMPLE Critical Point #2: When a patient is going through sickle crisis, the nurse should monitor oxygen saturation to determine a need for oxygen therapy.</li><li>• SAMPLE Critical Point #3: A patient should have their hemoglobin checking in 4 to 6 weeks to determine efficacy.</li></ul> |

6. Once the template is completed **and** at least the minimum remediation time has been completed within the Focused Review module(s) in ATI, upload the template to the corresponding dropbox in E360.

## Main Category: Management of Care (1)

### Subcategory: Legal Rights and Responsibilities - (1)

#### Topic: Infections: Regulations for STI Reporting

- Individual states have different regulations for sexually transmitted infection (STI) reporting.
- HIV/AIDS is a commonly required STI that needs to be reported to health officials.
- Chlamydia and gonorrhea are other STIs that are commonly required to be reported.

## Main Category: Safety and Infection Control (3)

### Subcategory: Emergency Response Plan - (1)

#### Topic: Emergency Preparedness: Response Phase of a Disaster

- Disaster response is one phase of the disaster management cycle which includes mitigation, preparedness, response, and recovery.
- Various agencies are included in the response phase of a disaster, including FEMA, the CDC, and Red Cross, among others.
- An important part of the response phase is the initial assessment of a disaster, which includes assessing how many people were affected, how many people were injured, resources available, etc.

### Subcategory: Standard Precautions/Transmission-Based Precautions/Surgical Asepsis - (2)

#### Topic: Communicable Diseases: Providing Education for a Client Who Has Pertussis

- Pertussis is a respiratory disease also known as whooping cough.
- Pertussis is characterized by symptoms including common cold symptoms, severe coughing fits, and a “whooping” sound when the client inspirates.
- Individuals with pertussis should be put under droplet precautions and started on antibiotics.

#### Topic: Infections: Identifying a Reportable Disease

- Reportable diseases vary state by state and include conditions like STIs and communicable diseases.
- Some reportable STIs include HIV, chlamydia, and gonorrhea.
- Other reportable conditions include salmonella, tuberculosis, and hepatitis.

## Main Category: Health Promotion and Maintenance (2)

### Subcategory: Health Promotion/Disease Prevention - (1)

#### Topic: Epidemiology and Communicable Diseases: Planning Health Promotion Strategies for Older Adults at an Assisted Living Facility

- Providing immunizations to older adults in assisted living facilities provides primary prevention for diseases.
- Another health promotion strategy for older adults is providing education on hand hygiene and disease transmission prevention.
- Older adults in assisted living facilities should also be provided with ample opportunities to exercise and be physically active.

### Subcategory: Techniques of Physical Assessment - (1)

#### Topic: Substance Use and Addictive Disorders: Expected Findings of Heroin Intoxication

- Heroin is an opioid substance and can be consumed in various ways.
- Expected findings of heroin intoxication include slurred speech, impaired memory, and pupil changes.
- Heroin intoxication can also cause decreased respirations and may need to be reversed with naloxone.

## Main Category: Psychosocial Integrity (1)

**Subcategory: Abuse/Neglect - (1)**

**Topic: Overview of Community Health Nursing: Secondary Prevention Strategies Related to Abuse**

- Secondary prevention strategies are concerned with early detection and treatment of disease to minimize disease severity.
- A secondary prevention strategy related to abuse would be screening client's for signs of suspected abuse.
- An additional secondary prevention strategy related to abuse would be providing resource information to suspected victims of abuse.