

ati Tutorial: Dosage Calculation and Safe Medication Administration 3.0
Module: Medication Administration

Time Spent: 0010:26

Case studies

(Review the MAR and medication label. Move the number of capsules the nurse should administer into the medication cup. Then click "Submit.")



1

ati Tutorial: Dosage Calculation and Safe Medication Administration 3.0
Module: Medication Administration

Time Spent: 0010:34

Case studies

A nurse is calculating the dosage of ritonavir. How many milliliters should the nurse administer?
(Review the MAR and medication label. Round the answer to the nearest tenth.)



1.3

Step 1
What is the unit of measurement the nurse should calculate? (Place the unit of measure being calculated on the left side of the equation.)
 $X \text{ mL} =$

Calculator

Time Spent: 00:10:46

Case studies

A nurse is calculating the dosage of emtricitabine. How many milliliters should the nurse administer?

Emtricitabine
Oral Solution 100mg/5mL
170 mL, Rx only

Each mL contains 10 mg emtricitabine.
See package insert for dosage and administration.
The oral solution should be used within 3 months of opening by patient or 24% (27% in aqueous suspension) to 30% (33% in 20% w/v) suspension.

20

Step 1
What is the unit of measurement the nurse should calculate? (Place the unit of measure being calculated on the left side of the equation.)
 $X \text{ mL} =$

Step 2
Find the ratio in the item that contains the same unit as the unit being calculated. (Place the ratio on the right side of the equation, ensuring that the unit in the numerator matches the unit being calculated.)
 $X \text{ mL} = \frac{1 \text{ mL}}{10 \text{ mg}}$

Step 3
Place any remaining ratios that are relevant to the item on the right side of the equation along with any needed conversion factors to cancel out unwanted units of measure.

Calculator

Time Spent: 00:10:41

Case studies

A nurse is calculating the dosage of abacavir. How many milliliters should the nurse administer?

ABACAVIR SULFATE
Oral Solution
20 mg/mL, Rx only
240 mL

15

Step 1
What is the unit of measurement the nurse should calculate? (Place the unit of measure being calculated on the left side of the equation.)
 $X \text{ mL} =$

Step 2
Find the ratio in the item that contains the same unit as the unit being calculated. (Place the ratio on the right side of the equation, ensuring that the unit in the numerator matches the unit being calculated.)
 1 mL

Calculator

Case studies

A nurse is calculating the dosage of enfuvirtide. How many milliliters should the nurse administer?
(Review the MAR and medication label. Measure the correct dose of the medication by dragging the syringe. Then click 'Submit'.)




1

Step 1
What is the unit of measurement the nurse should calculate? (Place the unit of measure being calculated on the left side of the equation.)

Time Spent: 00:10:52

Calculator

Case studies

A nurse is reading enfuvirtide label. Which of the following is accurate information from this label?
(Select all that apply.)



- A. Mix with 0.9% NaCl.
- B. Use immediately.
- C. Dilute with 2 mL fluid.
- D. Final dilution is 90 mg/mL.
- E. Store at 25°C (77°F) before mixing.
- F. Use for subcutaneous injection.

The nurse should use sterile water for injection as the diluent for this medication. The nurse should use this medication immediately after reconstitution. The nurse should dilute this medication with 1 mL fluid. The final dilution of this medication is 90 mg/mL. The

Time Spent: 00:10:59