

# Module Report

Tutorial: Real Life RN Maternal Newborn 4.0  
 Module: Teaching Prenatal and Newborn Care



Individual Name: **Natalie Zizumbo**  
 Institution: **Lakeview CON**  
 Program Type: **BSN**

Standard Use Time and Score			
	Date/Time (ET)	Time Use	Score
Teaching Prenatal and Newborn Care	11/11/2024 2:10:18 AM	16 min	Strong

## Reasoning Scenario Details Teaching Prenatal and Newborn Care - Use on 11/11/2024 1:54:10 AM ET

**Reasoning Scenario Performance Related to Outcomes:**  
 \*See Score Explanation and Interpretation below for additional details.

Body Function	Strong	Satisfactory	Needs Improvement
Cardiac Output and Tissue Perfusion	100%		
Excretion	100%		
Immunity	100%		
Ingestion, Digestion, Absorption & Elimination	100%		
Integument	100%		
Mobility	100%		
Oxygenation	100%		
Regulation and Metabolism	100%		
Reproduction	100%		

NCLEX RN	Strong	Satisfactory	Needs Improvement
RN Safety and Infection Control	100%		
RN Health Promotion and Maintenance	100%		

RN Basic Care and Comfort	100%		
RN Pharmacological and Parenteral Therapies	100%		
RN Reduction of Risk Potential	100%		
RN Physiological Adaptation	100%		

QSEN	Strong	Satisfactory	Needs Improvement
Safety	100%		
Patient-Centered Care	100%		
Evidence Based Practice	100%		

### Decision Log:

Optimal Decision	
<b>Scenario</b>	Nurse Toni is teaching about IV pain medications during labor.
<b>Question</b>	Nurse Toni is reviewing the handout about IV pain medications during labor with Claire. Which of the following statements should Nurse Toni make?
<b>Selected Option</b>	"You can receive meperidine up until 4 hours prior to birth."
<b>Rationale</b>	Opioid analgesics cross the placenta and can cause respiratory depression in the newborn. Opioid analgesics should not be given within 1 to 4 hr of birth.

Optimal Decision	
<b>Scenario</b>	Nurse Toni is teaching about the benefits of skin-to-skin contact.
<b>Question</b>	Nurse Toni is reviewing the benefits of skin-to-skin contact for a newborn with Claire and Kyle. Which of the following information should Nurse Toni include? (Select all that apply.)
<b>Selected Ordering</b>	Helps with thermoregulation.Assists in stabilization of the heart rate.Promotes early breastfeeding.Supports regulation of blood glucose.
<b>Rationale</b>	Skin-to-skin contact helps regulate newborn glucose levels by decreasing the newborn's use of glycogen stores to maintain normothermia.

Optimal Decision	
<b>Scenario</b>	The nurses are reviewing Apgar scoring.

<b>Question</b>	Nurse Toni is reviewing Apgar scoring with charge nurse Sandra. Identify the score nurse Toni should assign to a newborn who has the following findings at 1 minute after birth: Heart Rate: 90/min Slow, weak cry Well-flexed extremities Grimacing Acrocyanosis Enter the score in the field below and then submit.
<b>Selected Option</b>	6
<b>Rationale</b>	The nurse should calculate the Apgar score at 1 and 5 minutes after birth. One point is given for a heart rate less than 100/min; one point is given for a slow, weak cry; two points are given for well-flexed extremities; one point is given for grimacing; and one point is given for acrocyanosis. The nurse should therefore give this newborn an Apgar score of 6.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is teaching about newborn medications.
<b>Question</b>	Nurse Toni is reviewing routine newborn medications with Claire. Which of the following medications should Nurse Toni include?
<b>Selected Option</b>	Phytonadione
<b>Rationale</b>	Phytonadione, or vitamin K, is administered intramuscularly to the newborn within the first hour following birth. Phytonadione promotes the formation of clotting factors, which reduces the risk for hemorrhagic disease. Newborns whose parents or guardians decline phytonadione should not have any invasive procedures, such as a circumcision, until approximately 1 week after birth when the intestine has produced sufficient vitamin K to decrease the risk of hemorrhage.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is teaching hospital safety measures for newborn abduction prevention.
<b>Question</b>	Nurse Toni is teaching Claire and Kyle about safety measures for prevention of newborn abduction. Which of the following statements should Nurse Toni make?
<b>Selected Option</b>	"You should remove the baby's ID bands after you return home following discharge."
<b>Rationale</b>	The ID bands should remain on the newborn during hospitalization to ensure proper identification. The parents should remove the ID bands after hospital discharge.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is teaching about newborn heel sticks.
<b>Question</b>	Nurse Toni is teaching Claire about collecting a blood specimen from a newborn via a heel stick. Which of the following locations should Nurse Toni ask Claire to identify as the location for the heel puncture? (You will find hot spots to select in the artwork below. Select only the hot spot that corresponds to your answer.)

<b>Selected Option</b>	371,379,395,378,396,404,369,404
<b>Rationale</b>	The outer aspect of the heel should be used for the puncture site on a newborn. Osteochondritis is a potentially serious adverse effect of a heel stick. The risk for osteochondritis is significantly reduced when the outer aspect of the heel is used.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is teaching about manifestations of newborn hypoglycemia.
<b>Question</b>	Nurse Toni is reviewing manifestations of newborn hypoglycemia with Claire. Which of the following manifestations should Nurse Toni include?
<b>Selected Option</b>	Jitteriness
<b>Rationale</b>	Jitteriness is a manifestation of hypoglycemia in a newborn. Other manifestations include a weak cry, tachypnea, episodes of apnea, and seizures.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is reviewing breastfeeding positions with the client.
<b>Question</b>	Nurse Toni is teaching Claire about different breastfeeding positions. Which of the following positions, if demonstrated by Claire, indicates an understanding of the football, or clutch, hold?
<b>Selected Option</b>	Clutch feeding position, or football hold
<b>Rationale</b>	Claire is holding the doll in a clutch hold breastfeeding position with the assistance of a breastfeeding pillow. This breastfeeding position is also known as a football hold.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is teaching about feeding cues.
<b>Question</b>	Nurse Toni is teaching Claire and Kyle about newborn feeding-readiness cues that indicate hunger. Which of the following should Nurse Toni include in the teaching? (Select all that apply.)
<b>Selected Ordering</b>	RootingSucking on handsOpen mouth
<b>Rationale</b>	The nurse should identify that feeding-readiness cues include rooting, sucking on hands, and an open mouth. Other cues include hand-to-hand movements and mouthing.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is teaching about colostrum.
<b>Question</b>	Nurse Toni is teaching Claire about colostrum. Which of the following statements should Nurse Toni include?
<b>Selected Option</b>	"Colostrum helps protect your baby from infection."
<b>Rationale</b>	Colostrum is rich in antibodies, which provide passive immunity for the newborn, decreasing the risk for infection.

Optimal Decision	
<b>Scenario</b>	Nurse Toni is teaching about the effects of postpartum self-care on breastfeeding.
<b>Question</b>	Nurse Toni is teaching Claire about postpartum self-care and its effects on breastfeeding. Which of the following information should Nurse Toni include?
<b>Selected Option</b>	"You should drink at least 32 to 48 ounces of fluid each day while breastfeeding."
<b>Rationale</b>	Breastfeeding clients should drink enough fluid each day to satisfy their thirst with a minimum intake of 32 to 48 fluid ounces to maintain adequate milk supply. Dehydration can decrease milk production.

Optimal Decision	
<b>Scenario</b>	Nurse Toni is teaching about the hepatitis B vaccine.
<b>Question</b>	Nurse Toni is teaching Claire and Kyle about the hepatitis B vaccine. Which of the following statements by Claire indicates an understanding of the teaching?
<b>Selected Option</b>	"I will need to sign an informed consent form for this vaccine."
<b>Rationale</b>	The hepatitis B vaccine requires the parent or guardian to sign an informed consent form prior to administration. Once the informed consent is signed, the hepatitis B vaccine is administered intramuscularly into the vastus lateralis in a newborn.

Optimal Decision	
<b>Scenario</b>	Nurse Toni is teaching about swaddling.
<b>Question</b>	Nurse Toni is teaching Claire and Kyle about swaddling. Which of the following statements by Kyle indicates an understanding of the teaching?
<b>Selected Option</b>	"We should be able to fit two to three fingers between the blanket and our baby's chest."
<b>Rationale</b>	There should be enough space for two to three adult fingers between the blanket and the baby's chest. This prevents overheating or compromising the newborn's ability to breathe. Additionally, the newborn's legs should be slightly flexed and abducted when swaddled, and the blanket should be loose enough to allow free movement of the knees.

Optimal Decision	
<b>Scenario</b>	Nurse Toni is teaching about the use of a bulb syringe.
<b>Question</b>	Nurse Toni is teaching Claire about the bulb syringe. Which of the following information should Nurse Toni include?
<b>Selected Option</b>	Compress the bulb before inserting it into the newborn's nostrils.
<b>Rationale</b>	The parent should compress the bulb syringe before inserting it into the newborn's mouth or nares. Compressing the bulb syringe after insertion will force secretions further into the airway, which increases the risk of aspiration.

Optimal Decision	
------------------	--

<b>Scenario</b>	Nurse Toni is teaching about newborn urination and bowel movements.
<b>Question</b>	Nurse Toni is teaching Claire about newborn elimination. Which of the following statements should Nurse Toni make?
<b>Selected Option</b>	"Your baby should pass his first meconium stool within 24 to 48 hours of birth."
<b>Rationale</b>	Term newborns of adequate birth weight should begin passing meconium within 24 to 48 hours after birth.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is teaching about umbilical cord care.
<b>Question</b>	Nurse Toni is teaching Claire and Kyle about umbilical cord care. Which of the following information should Nurse Toni include?
<b>Selected Option</b>	Wash the area at the base of the cord with plain water if soiled.
<b>Rationale</b>	The parent should cleanse the skin at the base of the cord with plain water if soiled. The parent should then dry the site thoroughly.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is evaluating client understanding of teaching about newborn bathing.
<b>Question</b>	Nurse Toni is teaching Claire and Kyle about bathing their newborn. Nurse Toni should identify that which of the following statements indicates that Claire and Kyle understand the teaching?
<b>Selected Option</b>	"We should start the bath by washing our baby's face first and finish by washing his genitals."
<b>Rationale</b>	The parent should begin the bath by washing the newborn's face with plain, warm water. The trunk and extremities are then washed with warm water and mild soap. The diaper area should be washed next. If the hair needs to be washed, this should be done at the end of the bath. The parent should dry and swaddle the newborn prior to washing the hair to decrease the risk of hypothermia.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is teaching about crib and sleep safety.
<b>Question</b>	Nurse Toni is teaching Claire and Kyle about safe sleeping. Which of the following information should Nurse Toni include in the teaching?
<b>Selected Option</b>	The newborn should be placed on a firm mattress for sleep.
<b>Rationale</b>	To ensure the newborn's safety and decrease the risk for SIDS, the newborn should sleep on a firm mattress.

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is teaching about circumcision care.
<b>Question</b>	Nurse Toni is teaching Claire and Kyle about circumcision care. Which of the following instructions should Nurse Toni include?
<b>Selected Option</b>	Apply gentle pressure to the area with gauze if bleeding occurs.

<b>Rationale</b>	Gentle pressure should be applied to the circumcision site using a gauze pad if bleeding occurs. If bleeding does not stop, the provider should be notified.
------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>Optimal Decision</b>	
<b>Scenario</b>	Nurse Toni is teaching about car seat safety.
<b>Question</b>	Nurse Toni is teaching Kyle and Claire about car seat safety. Which of the following information should Nurse Toni include in the teaching?
<b>Selected Option</b>	Place the retainer clip at the level of the newborn's armpits.
<b>Rationale</b>	The retainer clip should be placed at the level of the newborn's armpits, avoiding the abdominal or neck area. This placement reduces the risk for injury in the event of a car crash.

## Individual Report – Score Explanation and Interpretation

### Reasoning Scenario Information:

Reasoning Scenario Information provides the date, time and duration of use, along with the score earned for each attempt. A Reasoning Scenario Performance score of Strong, Satisfactory, or Needs Improvement is provided for each attempt. This information is also provided for the Optimal Decision Mode if it has been enabled.

### Reasoning Scenario Performance Scores:

<b>Strong</b>	Exhibits optimal reasoning that results in positive outcomes in the care of clients and resolution of problems.
<b>Satisfactory</b>	Exhibits reasoning that results in mildly helpful or neutral outcomes in the care of clients and resolution of problems.
<b>Needs Improvement</b>	Exhibits reasoning that results in harmful or detrimental outcomes in the care of clients and resolution of problems.

### Reasoning Scenario Performance Related to Outcomes:

A clinical reasoning performance score related to each outcome is provided. Outcomes associated with student responses are listed in the report. The number across from each outcome indicates the percentage of responses associated with the level of performance of that outcome.

### NCLEX<sup>®</sup> Client Need Categories:

<b>Management of Care</b>	Providing integrated, cost-effective care to clients by coordinating, supervising, and/or collaborating with members of the multi-disciplinary health care team.
<b>Safety and Infection Control</b>	Incorporating preventative safety measures in the provision of client care that provides for the health and well-being of clients, significant others, and members of the health care team.
<b>Health Promotion and Maintenance</b>	Providing and directing nursing care that encourages prevention and early detection of illness, as well as the promotion of health.
<b>Psychosocial Integrity</b>	Promoting mental, emotional, and social well-being of clients and significant others through the provision of nursing care.
<b>Basic Care and Comfort</b>	Promoting comfort while helping clients perform activities of daily living.
<b>Pharmacological and Parenteral Therapies</b>	Providing and directing administration of medication, including parenteral therapy.
<b>Reduction of Risk Potential</b>	Providing nursing care that decreases the risk of clients developing health-related complications.

<b>Physiological Adaptation</b>	Providing and directing nursing care for clients experiencing physical illness.
---------------------------------	---------------------------------------------------------------------------------

### Quality and Safety Education for Nurses (QSEN)

<b>Safety</b>	The minimization of risk factors that could cause injury or harm while promoting quality care and maintaining a secure environment for clients, self, and others.
<b>Patient-Centered Care</b>	The provision of caring and compassionate, culturally sensitive care that is based on a client's physiological, psychological, sociological, spiritual, and cultural needs, preferences, and values
<b>Evidence Based Practice</b>	The use of current knowledge from research and other credible sources, upon which clinical judgment and client care are based.
<b>Informatics</b>	The use of information technology as a communication and information gathering tool that supports clinical decision making and scientifically based nursing practice.
<b>Quality Improvement</b>	Care related and organizational processes that involve the development and implementation of a plan to improve health care services and better meet the needs of clients.
<b>Teamwork and Collaboration</b>	The delivery of client care in partnership with multidisciplinary members of the health care team, to achieve continuity of care and positive client outcomes.

### Body Function

<b>Cardiac Output and Tissue Perfusion</b>	The anatomical structures (heart, blood vessels, and blood) and body functions that support adequate cardiac output and perfusion of body tissues.
<b>Cognition and Sensation</b>	The anatomical structures (brain, central and peripheral nervous systems, eyes and ears) and body functions that support perception, interpretation, and response to internal and external stimuli.
<b>Excretion</b>	The anatomical structures (kidney, ureters, and bladder) and body functions that support filtration and excretion of liquid wastes, regulate fluid and electrolyte and acid-base balance.
<b>Immunity</b>	The anatomic structures (spleen, thymus, bone marrow, and lymphatic system) and body functions related to inflammation, immunity, and cell growth.
<b>Ingestion, Digestion, Absorption and Elimination</b>	The anatomical structures (mouth, esophagus, stomach, gall bladder, liver, small and large bowel, and rectum) and body functions that support ingestion, digestion, and absorption of food and elimination of solid wastes from the body.
<b>Integument</b>	The anatomical structures (skin, hair, and nails) and body functions related to protecting the inner organs from the external environment and injury.
<b>Mobility</b>	The anatomical structures (bones, joints, and muscles) and body functions that support the body and provide its movement.

---

<b>Oxygenation</b>	The anatomical structures (nose, pharynx, larynx, trachea, and lungs) and body functions that support adequate oxygenation of tissues and removal of carbon dioxide.
<b>Regulation and Metabolism</b>	The anatomical structures (pituitary, thyroid, parathyroid, pancreas, and adrenal glands) and body functions that regulate the body's internal environment.
<b>Reproduction</b>	The anatomical structures (breasts, ovaries, fallopian tubes, uterus, vagina, vulva, testicles, prostate, scrotum, and penis) and body functions that support reproductive functions.

---

### **Decision Log**

Information related to each question answered in a scenario attempt is listed in the report. A brief description of the scenario, question, selected option and rationale for that option are provided for each question answered. The words "Optimal Decision" appear next to the question when the most optimal option was selected.

The rationale for each selected option may be used to guide remediation. A variety of learning resources may be used in the review process, including related ATI Review Modules.