

# Module Report

Tutorial: The Communicator 2.0

Module: Technique Identifier: Client undergoing colorectal surgery



Individual Name: Kaylee Andersen

Institution: Lakeview CON

Program Type: BSN

Time Use and Score			
	Date/Time	Time	Score
Technique Identifier: Client undergoing colorectal surgery	4/17/2025 5:09:31 PM	4 min	100%

NT Technique Identifier Colostomy		
<b>Technique 1</b>		
<b>Selected Option/ Result</b>	Therapeutic	<b>Result: Correct</b>
<b>Rationale</b>	Appropriate use of self-disclosure supports the establishment of a therapeutic relationship by allowing the nurse to demonstrate to a client that her experience is truly understood.	
<b>Technique 2</b>		
<b>Selected Option/ Result</b>	Therapeutic	<b>Result: Correct</b>
<b>Rationale</b>	Building trust with a client supports the establishment of a therapeutic relationship based on acceptance, empathy, honesty, and reliability.	
<b>Technique 3</b>		
<b>Selected Option/ Result</b>	Nontherapeutic	<b>Result: Correct</b>
<b>Rationale</b>	Minimizing the client's feelings is a nontherapeutic communication technique because these belittling remarks show lack of empathy and understanding, and they can cause the client to feel insignificant or unimportant.	
<b>Technique 4</b>		
<b>Selected Option/ Result</b>	Therapeutic	<b>Result: Correct</b>

<b>Rationale</b>	Developing rapport with a client supports the establishment of a therapeutic relationship by sharing mutual feelings of acceptance while maintaining open communication and the development of trust and respect.	
<b>Technique 5</b>		
<b>Selected Option/ Result</b>	Nontherapeutic	<b>Result: Correct</b>
<b>Rationale</b>	Minimizing the client's feelings is a nontherapeutic communication technique because these belittling remarks show lack of empathy and understanding, and they can cause the client to feel insignificant or unimportant.	
<b>Technique 6</b>		
<b>Selected Option/ Result</b>	Therapeutic	<b>Result: Correct</b>
<b>Rationale</b>	Developing rapport with a client supports the establishment of a therapeutic relationship by sharing mutual feelings of acceptance while maintaining open communication and the development of trust and respect.	
<b>Technique 7</b>		
<b>Selected Option/ Result</b>	Nontherapeutic	<b>Result: Correct</b>
<b>Rationale</b>	Automatic comments are a nontherapeutic communication technique because the use of clichés minimizes the client's importance and concerns.	
<b>Technique 8</b>		
<b>Selected Option/ Result</b>	Nontherapeutic	<b>Result: Correct</b>
<b>Rationale</b>	Giving advice is a nontherapeutic communication technique because it takes away the client's decision-making ability and creates doubt in relation to decisions made.	
<b>Technique 9</b>		
<b>Selected Option/ Result</b>	Nontherapeutic	<b>Result: Correct</b>
<b>Rationale</b>	Changing the subject is a nontherapeutic communication technique because it places the nurse in control over the direction of the communication while discrediting the client's feelings and desires.	
<b>Technique10</b>		
<b>Selected Option/ Result</b>	Therapeutic	<b>Result: Correct</b>

<b>Rationale</b>	Open-ended questions are a therapeutic communication technique because they allow the client to direct the conversation and verbalize related thoughts and concerns.	
<b>Technique 11</b>		
<b>Selected Option/ Result</b>	Nontherapeutic	<b>Result:</b> Correct
<b>Rationale</b>	A judgmental response is a nontherapeutic communication technique because it imposes the nurse's personal attitudes, beliefs, values, and moral standards on the client.	
<b>Technique 12</b>		
<b>Selected Option/ Result</b>	Therapeutic	<b>Result:</b> Correct
<b>Rationale</b>	Touch is a therapeutic communication technique because it conveys caring and empathetic feelings by the nurse toward the client.	