

N432 Maternal Newborn  
Proctored ATI Remediation Template

Student Name: Isabella Leevey  
Assessment Name: Maternal Newborn ATI Remediation  
Semester: 3

Instructions:

1. Download the report from your ATI product for the assessment you are completing this remediation template for
2. The report will be broken down into three (3) aspects:
  - a. Categories
    - i. These categories mimic the NCLEX-RN categories and include the following:
      1. Management of Care
      2. Safety and Infection Control
      3. Health Promotion and Maintenance
      4. Psychosocial Integrity
      5. Basic Care and Comfort
      6. Pharmacological and Parenteral Therapies
      7. Reduction of Risk Potential
      8. Physiological Adaptation
  - b. Subcategories
  - c. Topics
3. Complete the template on the following page by doing the following:
  - a. Main Category
    - i. Subcategories for each main category
      1. Topics for each subcategory → these will be the content areas you will be remediating on
        - a. Provide three (3) critical points to remember for each topic → these will come from the Focused Review module(s) within your ATI product
    - b. NOTE: You must remediate on all subcategories AND topics within the main categories listed under the “Topics to Review” section of the ATI report for this assessment.**
4. In the event you need additional space within the table, please add rows into the table to accommodate this
  - a. In the event, you need less space within the table than what is provided, you may delete those rows from the table to accommodate this OR put “N/A” → There may be main categories that you don’t have to remediate on and that is OK – you can either delete the table OR put “N/A”
5. An example is provided below:

<b>SAMPLE Main Category: Management of Care</b>
<b>SAMPLE Subcategory: Case Management</b>
<b>SAMPLE Topic: Anemias: Discharge Teaching for a Client Who is Recovering from Sickle Cell Crisis</b> <ul style="list-style-type: none"><li>• SAMPLE Critical Point #1: Anemia is the abnormally low amount of circulation RB, Hgb concentration, or both.</li><li>• SAMPLE Critical Point #2: When a patient is going through sickle crisis, the nurse should monitor oxygen saturation to determine a need for oxygen therapy.</li><li>• SAMPLE Critical Point #3: A patient should have their hemoglobin checking in 4 to 6 weeks to determine efficacy.</li></ul>
<b>Proctored ATI Grading Scale – RN Pediatric Health 2023</b>

**Level 3= 90 points**

- **Remediation = 10 points:**
- *Minimum 1-hour Focused Review*
- *For each topic missed, complete an active learning template and/ or identify three critical points to remember. Must be a full sentence, not just bullet points.*

**Level 2 = 80 points**

- **Remediation = 10 points:**
- *Minimum 2-hour Focused Review*
- *For each topic missed, complete an active learning template and/ or identify three critical points to remember. Must be a full sentence, not just bullet points.*

**Level 1 = 70 points**

- **Remediation = 10 points:**
- *Minimum 3-hour Focused Review*
- *For each topic missed, complete an active learning template and/ or identify three critical points to remember. Must be a full sentence, not just bullet points.*

**Below Level 1 = 60 points**

- **Remediation = 10 points:**
- *Minimum 4-hour Focused Review*
- *For each topic missed, complete an active learning template and/ or identify three critical points to remember. Must be a full sentence, not just bullet points.*

6. Once the template is completed **and** at least the minimum remediation time has been completed within the Focused Review module(s) in ATI, upload the template to the corresponding dropbox in E360.
- 7.

**Main Category: Safety and Infection Control**

**Subcategory: Standard Precautions/Transmission-Based Precautions/Surgical Asepsis**

**Topic: Infection Control: Actions for a Newborn Who Has Herpes Simplex Virus**

- Common viral infection that erupts years after exposure to chickenpox.
- Administer medication to prevent a flare up.
- Give the baby antibiotics after delivery.

**Main Category: Health Promotion and Maintenance**

**Subcategory: Lifestyle Choices**

**Topic: Contraception: Contraindication for Use of Copper Intrauterine Device**

- Emergency contraceptive
- Safe for patients cautioned against hormonal birth control

- Increase in menstrual pain and bleeding.

**Topic: Contraception: Providing Education About the Vaginal Contraceptive Ring**

- Offers protection against pregnancy and STD's
- Do not use with penile condom
- Pre-lubricated with spermicide.

**Subcategory: Health Screening**

**Topic: Assessment and Management of Newborn Complications: Teaching About Newborn Screening Tests**

- PKU is done for neonatal screening.
- This can result in failure to thrive.
- Babies can have cognitive impairment if not screened.

**Subcategory: Techniques of Physical Assessment**

**Topic: Labor and Delivery Processes: Priority Actions Based on Findings During Labor**

- Backache: constant low, dull backache caused by pelvic muscle relaxation
- Contractions: begin with irregular uterine contractions that eventually progress in strength and regularity.
- Nesting.

**Main Category: Basic Care and Comfort**

**Subcategory: Nonpharmacological Comfort Interventions**

**Topic: Postpartum Physiological Adaptations: Planning Care for a Client Who Wants to Balance Yin and Yang**

- Encourage skin to skin contact with the baby after birth
- Observe for bonding with the newborn
- Allow verbalization of feelings.

**Main Category: Pharmacological and Parenteral Therapies**

**Subcategory: Pharmacological Pain Management**

**Topic: Pain Management: Indications That an Epidural Is Providing Effective Labor Analgesia**

- Monitor for sensation and motor control in the client's legs after giving the epidural.
- Assess bladder for distention at frequent intervals.
- Coach the client in pushing efforts.

**Main Category: Reduction of Risk Potential**

**Subcategory: System-Specific Assessments**

**Topic: Assessment and Management of Newborn Complications: Expected Findings of Hypoglycemia**

- Poor feeding
- Jitteriness/tremors
- Flaccid muscle tone.

**Subcategory: Therapeutic Procedures**

**Topic: Pain Management: Actions to Take for a Client Who Is Experiencing Complications From an Epidural**

- Monitor maternal vital signs.
- Monitor FHR patterns.
- Maintain an open airway.

**Subcategory: Potential for Complications from Surgical Procedures and Health Alterations**

**Topic: Fetal Assessment During Labor: Reportable Clinical Findings Following Epidural Placement**

- **Priority to assess FHR patterns as they happen.**
- Use continuous electronic fetal monitoring.
- Monitoring is noninvasive and reduces risk for infection.

### **Main Category: Physiological Adaptation**

#### **Subcategory: Alterations in Body Systems**

##### **Topic: Early Onset of Labor: Preterm Premature Rupture of Membranes**

- Bed rest with bathroom privileges.
- Encourage the patient to rest in the left lateral position to increase blood flow to the uterus.
- Tell the client to avoid sexual intercourse.