

## Labor & Delivery Worksheet

This worksheet should be submitted to the drop box. See the syllabus for date due. Please keep in mind this assignment replaces care plans and should be detailed.

Name: Ngoc Trinh

**Complete the following: (30 points)**

**Submit in-text citations in APA format**

1 <sup>st</sup> Stage of Labor	Characteristics that could be seen	Expected Interventions
<p><b>Latent phase</b></p> <p>Dilation: 0 to 5 cm (Durham et al., 2023)</p> <p>Length of stage: often hours to days; typically, the longest part of labor (Durham et al., 2023)</p> <p><b>Contractions</b></p> <p>Duration: ~30–45 sec (Durham et al., 2023)</p> <p>Frequency: ~q 5–30 min (Durham et al., 2023)</p> <p>Strength: mild → moderate (Durham et al., 2023)</p>	<ul style="list-style-type: none"> <li>• Increasing cervical effacement/dilation; “bloody show” possible (Durham et al., 2023)</li> <li>• Mild–moderate pain, excited/anxious, talkative (Durham et al., 2023)</li> <li>• Able to ambulate and cope between contractions (Durham et al., 2023)</li> </ul>	<p>Admission assessment (maternal VS, FHR, contraction pattern, pain, fetal position) (Durham et al., 2023)</p> <p>Encourage rest, hydration, light food if allowed, void q2h (Durham et al., 2023)</p> <p>Comfort measures (position changes, breathing, massage, shower) (Durham et al., 2023)</p> <p>Education: when to come in/what to expect; support person involvement (Durham et al., 2023)</p>

--	--	--

<p><b>Active phase</b></p> <p>Dilation: 6 to 10 cm (Durham et al., 2023)</p> <p>Length of stage: usually several hours; shorter in multiparous (Durham et al., 2023)</p> <p><b>Contractions</b></p> <ul style="list-style-type: none"> <li>• Duration: ~45–75 sec (Durham et al., 2023)</li> <li>• Frequency: ~q 2–5 min (Durham et al., 2023)</li> <li>• Strength: moderate → strong (Durham et al., 2023)</li> </ul>	<ul style="list-style-type: none"> <li>• Increasing discomfort; may become quiet, have been irritable (Durham et al., 2023)</li> <li>• Nausea/vomiting possible; increased pressure (Durham et al., 2023)</li> <li>• May request analgesia/epidural; reduced ability to ambulate late active phase (Durham et al., 2023)</li> </ul>	<p>Ongoing maternal/fetal monitoring per risk status (Durham et al., 2023)</p> <p>Pain management: non-pharm + pharmacologic (per orders); epidural care (BP, FHR, positioning) (Durham et al., 2023)</p> <p>Encourage position changes to promote descent; empty bladder; IV fluids as ordered (Durham et al., 2023)</p> <p>Provide reassurance/coaching; assess progress and coping (Durham et al., 2023)</p>
--	---	---

2 <sup>nd</sup> Stage of Labor	Characteristics that could be seen	Expected Interventions
<p>Length of stage: 10 cm to birth; often up to 2hrs and up to 1hrs longer with epidural, depending on policy (Durham et al., 2023)</p>	<p>Urge to push, rectal pressure, perineal bulging (Durham et al., 2023)</p> <p>Crowning, increased bloody show (Durham et al., 2023)</p>	<p>Coach pushing with contractions; rest between pushes (Durham et al., 2023)</p> <p>Continuous/reassuring fetal assessment; assess for</p>

<p><b>Contractions</b></p> <p>Duration: ~60–90 sec (Durham et al., 2023)</p> <p>Frequency: ~q 2–3 min (Durham et al., 2023)</p> <p>Strength: strong (Durham et al., 2023)</p>	<p>2023)</p> <p>Mother may be fatigued; focused pushing efforts (Durham et al., 2023)</p>	<p>decelerations (Durham et al., 2023)</p> <p>Prepare for birth: sterile setup, warm blankets, neonatal team as needed (Durham et al., 2023)</p> <p>Perineal support, position changes, oxygen/IV bolus if nonreassuring FHR (Durham et al., 2023)</p>
---	---	--

<b>3<sup>rd</sup> Stage of Labor</b>	<b>Characteristics that could be seen</b>	<b>Expected Interventions</b>
<p>Length of stage: Birth to placental delivery; usually 5–30 min (Durham et al., 2023)</p>	<ul style="list-style-type: none"> <li>• Signs of placental separation: gush of blood, lengthening cord, firm globular uterus rising in abdomen (Durham et al., 2023)</li> <li>• Shaking/chills common; relief/exhaustion (Durham et al., 2023)</li> </ul>	<p>Active management as ordered (often oxytocin) to reduce hemorrhage risk (Durham et al., 2023)</p> <p>Assess bleeding, fundus tone/position, VS; inspect placenta for completeness (Durham et al., 2023)</p> <p>Promote bonding/skin-to-skin when stable; initiate breastfeeding if desired</p>

		(Durham et al., 2023)
--	--	-----------------------

**Reference (1):**

Durham, R., Chapman, L., & Miller, C. (2023). *Davis advantage for maternal newborn nursing: Critical components of nursing care* (4<sup>th</sup> ed.). F.A. Davis.

**Complete the Following: (10 points)**

**Submit in-text citations in APA format**

<b>Diagnostic Test</b>	<b>Description and Rationale</b>	<b>Clinical findings</b>
Non-stress test (NST)	<ul style="list-style-type: none"> <li>External fetal monitoring evaluates whether fetal HR accelerates with fetal movement, reflecting adequate oxygenation and intact CNS (Durham et al., 2023).</li> </ul>	<p><b>Reactive:</b> Usually <math>\geq 2</math> accelerations in a set timeframe (per facility criteria) with moderate variability (Durham et al., 2023).</p> <p><b>Nonreactive:</b> Insufficient accelerations → may need vibroacoustic stimulation, BPP, or further evaluation (Durham et al., 2023).</p>
Biophysical profile (BPP)	<ul style="list-style-type: none"> <li>Combines NST + ultrasound scoring to assess fetal well-being</li> </ul>	<ul style="list-style-type: none"> <li>Higher scores are reassuring; low scores suggest possible</li> </ul>

	(movement, tone, breathing, amniotic fluid), helping identify hypoxia risk (Durham et al., 2023).	compromise and need for further management based on gestational age/clinical picture (Durham et al., 2023).
<p>Ultrasound (US)</p> <ul style="list-style-type: none"> <li>• 1<sup>st</sup> Trimester</li> <li>• 2<sup>nd</sup> Trimester</li> </ul>	<ul style="list-style-type: none"> <li>• 1<sup>st</sup> Trimester: Confirms intrauterine pregnancy, gestational age, fetal viability (FHR), number of fetuses; evaluates bleeding/pain concerns (Durham et al., 2023).</li> <li>• 2<sup>nd</sup> Trimester: “Anatomy scan” evaluates fetal structures, placental location, growth, amniotic fluid, and anomalies (Durham et al., 2023).</li> </ul>	<p>1<sup>st</sup> Trimester: Intrauterine pregnancy confirmed (gestational sac in uterus) (Durham et al., 2023).</p> <p>The yolk sac and fetal pole are visible as pregnancy progresses (Durham et al., 2023).</p> <p>2<sup>nd</sup> Trimester: Amniotic fluid volume (Durham et al., 2023).</p> <p>Fetal growth measurements to assess growth pattern (Durham et al., 2023).</p>

**Reference (1):**

Durham, R., Chapman, L., & Miller, C. (2023). *Davis advantage for maternal newborn nursing: Critical components of nursing care* (4<sup>th</sup> ed.). F.A. Davis.

**For the remainder of this assignment, submit in-text citations in APA format. Attach Reference page.**

1. What is cervical dilation and effacement? How are each of these measured? (5 points)

- a. Cervical dilation is the opening of the cervix from 0 to 10 cm, measured in centimeters during a cervical exam. Effacement is the thinning/shortening of the cervix, documented as a percentage (0–100%) (Durham et al., 2023).
2. List five possible non-pharmacological interventions assisting in relieving pain during labor. **(5 points)**
  - a. Position changes/ambulation, focused breathing/relaxation, massage/counter-pressure, hydrotherapy (shower/tub if allowed), and heat/cold therapy (Durham et al., 2023).
3. What is fetal heart rate variability in fetal monitoring? **(2 points)**
  - a. Variability is normal in the fetal baseline heart rate, reflecting the balance between the sympathetic/parasympathetic nervous systems; moderate variability is a key reassuring sign of adequate oxygenation (Durham et al., 2023).
4. How can GBS influence care in labor and delivery? When and how is this tested? What treatments/ interventions are completed? **(5 points)**
  - a. If the mother is GBS positive, the newborn is at increased risk for infection, so the mother typically receives IV antibiotics during labor to reduce neonatal exposure (Durham et al., 2023).
  - b. GBS is usually screened in late pregnancy (commonly 36–37 weeks) with a vaginal/rectal swab culture. Nursing care includes verifying results, administering antibiotics as ordered (often penicillin; alternative if allergic), monitoring for reactions, and documenting the timing of doses (Durham et al., 2023).
5. What labs are completed on every woman on admission to labor and delivery? What assessment would be completed? **(2 points)**
  - a. Common admission labs include CBC, blood type/Rh and antibody screen (or type & screen), and additional tests as indicated (e.g., urine testing, infectious disease status if unknown) (Durham et al., 2023).
  - b. The admission assessment includes maternal VS, pain, contraction pattern, fetal assessment (FHR), cervical exam (as appropriate), membrane status/ROM, and review of prenatal record and risk factors (Durham et al., 2023).
6. How is the duration and frequency of contractions measured? How do we document them? **(5 points)**
  - a. Duration is timed from the beginning to the end of one contraction. Frequency is timed from the start of one contraction to the start of the following (minutes) (Durham et al., 2023).
  - b. Document in a pattern (“q3 min, lasting 60 sec, moderate by palpation”) and note method (palpation, toco, IUPC if used) (Durham et al., 2023).

7. Define an early deceleration, identify causes and interventions? **(2 points)**

- a. An early deceleration is a gradual FHR decrease that mirrors the contraction and is usually caused by fetal head compression. It is typically benign; interventions are usually none beyond continuing assessment and labor support (Durham et al., 2023).

8. Define a late deceleration, identify causes and interventions? **(2 points)**

- a. A late deceleration begins after the contraction starts and returns to baseline after the contraction ends; it is associated with uteroplacental insufficiency. Interventions include repositioning (side-lying), IV fluid bolus per protocol, stopping oxytocin if infusing, oxygen per facility policy, correcting hypotension, and notifying the provider (Durham et al., 2023).

9. Define variable decelerations, identify causes and interventions? **(2 points)**

- a. Variable decelerations are abrupt decreases in FHR that vary in timing/shape and are commonly caused by umbilical cord compression. Interventions include maternal position changes, possible amnioinfusion if ordered (when appropriate), reducing tachysystole, and ongoing fetal assessment/escalation if recurrent or worsening (Durham et al., 2023).

10. Oxytocin: what is this medication used for in labor and delivery? Identify side effects, nursing assessments, and interventions. **(10 points)**

- a. Use in labor and delivery: Oxytocin is used to induce or augment labor and may be used after birth to promote uterine contraction and reduce bleeding (Durham et al., 2023).
- b. Side effects/risks: Uterine tachysystole, fetal intolerance (nonreassuring FHR), uterine rupture (rare, higher risk in certain patients), and water intoxication/hyponatremia with prolonged high doses (Durham et al., 2023)
- c. Nursing assessments: Contraction frequency/duration/resting tone; continuous or frequent FHR assessment; maternal VS; pain and labor progress (Durham et al., 2023)
- d. Nursing interventions: Titrate per protocol; if tachysystole or nonreassuring FHR occurs, stop oxytocin, reposition, increase IV fluids, provide oxygen per policy, consider tocolytic per order, and notify the provider (Durham et al., 2023).

12. Magnesium Sulfate: What is this medication used for in labor and delivery? (For Mom and Baby) Identify side effects, nursing interventions, and nursing assessments. **(10 points)**

- a. Commonly used for seizure prophylaxis/treatment in preeclampsia/eclampsia; may be used for fetal neuroprotection in certain preterm situations per policy (Durham et al., 2023).
- b. Use for baby: Can provide fetal benefits in specific preterm scenarios, but may also cause transient neonatal effects such as decreased tone/respiratory effort if maternal levels are high near delivery (Durham et al., 2023).
- c. Mom's side effects: Flushing, nausea, lethargy; toxicity signs include decreased DTRs, respiratory depression, hypotension, and decreased urine output (Durham et al., 2023).
- d. Nursing assessments: RR, lung sounds, LOC, DTRs, urine output, and serum magnesium levels as ordered; continuous fetal monitoring as indicated (Durham et al., 2023).
- e. Nursing interventions: Maintain seizure precautions, strict I&O, monitor for toxicity; keep calcium gluconate available per protocol; notify the provider for RR low, absent DTRs, or low urine output (Durham et al., 2023).

13. What are 3 nursing diagnoses that can be identified in labor and delivery? **(10 points)**

- a. Acute pain related to uterine contractions and cervical dilation as evidenced by verbal report of pain, guarding, facial grimacing, and increased muscle tension. (Durham et al., 2023).
- b. Anxiety related to an unfamiliar environment and perceived threat to self/baby, as evidenced by restlessness, frequent questions, tense posture, and expressed worry. (Durham et al., 2023).
- c. Ineffective Coping related to inadequate coping strategies for labor stress, as evidenced by inability to relax between contractions, poor use of breathing techniques, and verbal statements of being overwhelmed. (Durham et al., 2023).

**Attach References**

Durham, R., Chapman, L., & Miller, C. (2023). *Davis advantage for maternal newborn nursing: Critical components of nursing care* (4<sup>th</sup> ed.). F.A. Davis.

Criteria	30 points	15 points	0 points	Comments
<p><b><u>1<sup>st</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>▪ Latent phase <ul style="list-style-type: none"> <li>○ Dilatation</li> <li>○ Length of stage</li> </ul> </li> <li>▪ Contractions <ul style="list-style-type: none"> <li>○ Duration</li> <li>○ Frequency</li> <li>○ Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> <li>▪ Expected Interventions</li> <li>▪ Active phase <ul style="list-style-type: none"> <li>○ Dilatation</li> </ul> </li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <p><b><u>1<sup>st</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>▪ Latent phase <ul style="list-style-type: none"> <li>○ Dilatation</li> <li>○ Length of stage</li> </ul> </li> <li>▪ Contractions <ul style="list-style-type: none"> <li>○ Duration</li> <li>○ Frequency</li> <li>○ Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> </ul>	<p><b>Missing 1-2 or inaccurate information of the following:</b></p> <p><b><u>1<sup>st</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>▪ Latent phase <ul style="list-style-type: none"> <li>○ Dilatation</li> <li>○ Length of stage</li> </ul> </li> <li>▪ Contractions <ul style="list-style-type: none"> <li>○ Duration</li> <li>○ Frequency</li> <li>○ Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> <li>▪ Expected Interventions</li> </ul>	<p><b>Missing 3 or more or inaccurate information of the following:</b></p> <p><b><u>1<sup>st</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>▪ Latent phase <ul style="list-style-type: none"> <li>○ Dilatation</li> <li>○ Length of stage</li> </ul> </li> <li>▪ Contractions <ul style="list-style-type: none"> <li>○ Duration</li> <li>○ Frequency</li> <li>○ Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> </ul>	

<ul style="list-style-type: none"> <li>o Length of stage</li> <li>▪ Contractions             <ul style="list-style-type: none"> <li>o Duration</li> <li>o Frequency</li> <li>o Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> <li>▪ Expected Interventions</li> </ul> <p><b><u>2<sup>nd</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>o Length of stage</li> <li>▪ Contractions             <ul style="list-style-type: none"> <li>o Duration</li> <li>o Frequency</li> <li>o Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> <li>▪ Expected Interventions</li> </ul> <p><b><u>3<sup>rd</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>▪ Length of stage</li> <li>▪ Include in-text citations in APA format</li> <li>▪ Minimum of 1 APA reference, no reference will result in zero points for this section             <ul style="list-style-type: none"> <li>o Source(s) should be 5 or less years old</li> </ul> </li> <li>▪ Source(s) greater than 5 years old will not be accepted</li> </ul>	<ul style="list-style-type: none"> <li>▪ Expected Interventions</li> <li>▪ Active phase             <ul style="list-style-type: none"> <li>o Dilatation</li> <li>o Length of stage</li> </ul> </li> <li>▪ Contractions             <ul style="list-style-type: none"> <li>o Duration</li> <li>o Frequency</li> <li>o Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> <li>▪ Expected Interventions</li> </ul> <p><b><u>2<sup>nd</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>o Length of stage</li> <li>▪ Contractions             <ul style="list-style-type: none"> <li>o Duration</li> <li>o Frequency</li> <li>o Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> <li>▪ Expected Interventions</li> </ul> <p><b><u>3<sup>rd</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>▪ Length of stage</li> <li>▪ Include in-text citations in APA format</li> </ul>	<ul style="list-style-type: none"> <li>▪ Active phase             <ul style="list-style-type: none"> <li>o Dilatation</li> <li>o Length of stage</li> </ul> </li> <li>▪ Contractions             <ul style="list-style-type: none"> <li>o Duration</li> <li>o Frequency</li> <li>o Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> <li>▪ Expected Interventions</li> </ul> <p><b><u>2<sup>nd</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>o Length of stage</li> <li>▪ Contractions             <ul style="list-style-type: none"> <li>o Duration</li> <li>o Frequency</li> <li>o Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> <li>▪ Expected Interventions</li> </ul> <p><b><u>3<sup>rd</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>▪ Length of stage</li> <li>▪ Include in-text citations in APA format</li> </ul>	<ul style="list-style-type: none"> <li>▪ Expected Interventions</li> <li>▪ Active phase             <ul style="list-style-type: none"> <li>o Dilatation</li> <li>o Length of stage</li> </ul> </li> <li>▪ Contractions             <ul style="list-style-type: none"> <li>o Duration</li> <li>o Frequency</li> <li>o Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> <li>▪ Expected Interventions</li> </ul> <p><b><u>2<sup>nd</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>o Length of stage</li> <li>▪ Contractions             <ul style="list-style-type: none"> <li>o Duration</li> <li>o Frequency</li> <li>o Strength</li> </ul> </li> <li>▪ Characteristics that could be seen</li> <li>▪ Expected Interventions</li> </ul> <p><b><u>3<sup>rd</sup> Stage of Labor</u></b></p> <ul style="list-style-type: none"> <li>▪ Length of stage</li> <li>▪ <b>Contains no in-text citations and or no reference included</b></li> </ul>	
--	--	--	--	--

Criteria	5 points	2.5 points	0 points	Comments
<p><b>Test</b></p> <ul style="list-style-type: none"> <li>▪ Non-stress test</li> <li>▪ Biophysical profile                             <ul style="list-style-type: none"> <li>○ Description</li> <li>○ Rationale</li> </ul> </li> <li>▪ Ultrasound                             <ul style="list-style-type: none"> <li>○ 1<sup>st</sup> Trimester                                     <ul style="list-style-type: none"> <li>▪ Description</li> <li>▪ Rationale</li> </ul> </li> <li>○ 2<sup>nd</sup> Trimester                                     <ul style="list-style-type: none"> <li>▪ Description</li> <li>▪ Rationale</li> </ul> </li> </ul> </li> <li>▪ Include in-text citations in APA format</li> <li>▪ Minimum of 1 APA reference, no reference will result in zero points for this section                             <ul style="list-style-type: none"> <li>○ Source(s) should be 5 or less years old</li> </ul> </li> </ul> <p>Source(s) greater than 5 years old will not be accepted</p>	<p><b>Includes complete and accurate information on all criteria:</b></p> <ul style="list-style-type: none"> <li>▪ Non-stress test</li> <li>▪ Biophysical profile                             <ul style="list-style-type: none"> <li>○ Description</li> <li>○ Rationale</li> </ul> </li> <li>▪ Ultrasound                             <ul style="list-style-type: none"> <li>○ 1<sup>st</sup> Trimester                                     <ul style="list-style-type: none"> <li>▪ Description</li> <li>▪ Rationale</li> </ul> </li> <li>○ 2<sup>nd</sup> Trimester                                     <ul style="list-style-type: none"> <li>▪ Description</li> <li>▪ Rationale</li> </ul> </li> </ul> </li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1 or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ Non-stress test</li> <li>▪ Biophysical profile                             <ul style="list-style-type: none"> <li>○ Description</li> <li>○ Rationale</li> </ul> </li> <li>▪ Ultrasound                             <ul style="list-style-type: none"> <li>○ 1<sup>st</sup> Trimester                                     <ul style="list-style-type: none"> <li>▪ Description</li> <li>▪ Rationale</li> </ul> </li> <li>○ 2<sup>nd</sup> Trimester                                     <ul style="list-style-type: none"> <li>▪ Description</li> <li>▪ Rationale</li> </ul> </li> </ul> </li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 2 or more or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ Non-stress test</li> <li>▪ Biophysical profile                             <ul style="list-style-type: none"> <li>○ Description</li> <li>○ Rationale</li> </ul> </li> <li>▪ Ultrasound                             <ul style="list-style-type: none"> <li>○ 1<sup>st</sup> Trimester                                     <ul style="list-style-type: none"> <li>▪ Description</li> <li>▪ Rationale</li> </ul> </li> <li>○ 2<sup>nd</sup> Trimester                                     <ul style="list-style-type: none"> <li>▪ Description</li> <li>▪ Rationale</li> </ul> </li> </ul> </li> <li>▪ <b>Contains no in-text citations and or no reference included</b></li> </ul>	
Criteria	5 points	2.5 points	0 points	Comments
<ul style="list-style-type: none"> <li>▪ What is cervical dilation and effacement?</li> <li>▪ How are each of these</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p>	<p><b>Missing 1 or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ What is cervical dilation</li> </ul>	<p><b>Missing 3 or more or inaccurate information of the following:</b></p>	

<ul style="list-style-type: none"> <li>measured?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<ul style="list-style-type: none"> <li>▪ What is cervical dilation and effacement?</li> <li>▪ How are each of these measured?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<ul style="list-style-type: none"> <li>and effacement?</li> <li>▪ How are each of these measured?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<ul style="list-style-type: none"> <li>▪ What is cervical dilation and effacement?</li> <li>▪ How are each of these measured?</li> <li>▪ Response written in complete sentences</li> <li>▪ <b>Contains no in-text citations</b></li> </ul>	
<b>Criteria</b>	<b>5 points</b>	<b>2.5 points</b>	<b>0 points</b>	<b>Comments</b>
<ul style="list-style-type: none"> <li>▪ Five non-pharmacological methods have been identified that can relieve pain during labor.</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <ul style="list-style-type: none"> <li>▪ Five non-pharmacological methods identified that can relieve pain during labor.</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1-2 or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ Five non-pharmacological methods identified that can relieve pain during labor.</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 3 or more or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ Five non-pharmacological methods identified that can relieve pain during labor.</li> <li>▪ Response not written in complete sentences</li> <li>▪ <b>Contains no in-text citations</b></li> </ul>	
<b>Criteria</b>	<b>2 points</b>	<b>1 point</b>	<b>0 points</b>	<b>Comments</b>
<ul style="list-style-type: none"> <li>▪ What is variability in fetal monitoring?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <ul style="list-style-type: none"> <li>▪ What is variability in fetal monitoring?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1 or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ What is variability in fetal monitoring?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 2 or more or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ What is variability in fetal monitoring?</li> <li>▪ Response not written in complete sentences</li> <li>▪ <b>Contains no in-text citations</b></li> </ul>	

Criteria	5 points	2.5 points	0 points	Comments
<p><b><u>GBS</u></b></p> <ul style="list-style-type: none"> <li>▪ How does this influence care in labor and delivery?</li> <li>▪ When is this tested?</li> <li>▪ How is this tested?</li> <li>▪ What treatments are done?</li> <li>▪ What interventions are done?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <p><b><u>GBS</u></b></p> <ul style="list-style-type: none"> <li>▪ How does this influence care in labor and delivery?</li> <li>▪ When is this tested?</li> <li>▪ How is this tested?</li> <li>▪ What treatments are done?</li> <li>▪ What interventions are done?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1-2 or inaccurate information of the following:</b></p> <p><b><u>GBS</u></b></p> <ul style="list-style-type: none"> <li>▪ How does this influence care in labor and delivery?</li> <li>▪ When is this tested?</li> <li>▪ How is this tested?</li> <li>▪ What treatments are done?</li> <li>▪ What interventions are done?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 3 or more or inaccurate information of the following:</b></p> <p><b><u>GBS</u></b></p> <ul style="list-style-type: none"> <li>▪ How does this influence care in labor and delivery?</li> <li>▪ When is this tested?</li> <li>▪ How is this tested?</li> <li>▪ What treatments are done?</li> <li>▪ What interventions are done?</li> <li>▪ Response not written in complete sentences</li> <li>▪ <b>Contains no in-text citations</b></li> </ul>	
Criteria	2 points	1 point	0 points	Comments
<ul style="list-style-type: none"> <li>▪ What labs are completed on every woman on admission to labor and delivery?</li> <li>▪ What assessment would be completed?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <ul style="list-style-type: none"> <li>▪ What labs are completed on every woman on admission to labor and delivery?</li> <li>▪ What assessment would be completed?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1 or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ What labs are completed on every woman on admission to labor and delivery?</li> <li>▪ What assessment would be completed?</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 2 or more or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ What labs are completed on every woman on admission to labor and delivery?</li> <li>▪ What assessment would be completed?</li> <li>▪ Response not written in complete sentences</li> <li>▪ <b>Contains no in-text</b></li> </ul>	

			citations	
Criteria	5 points	2.5 points	0 points	
<p><b><u>Contractions</u></b></p> <ul style="list-style-type: none"> <li>▪ Duration</li> <li>▪ Frequency</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <p><b><u>Contractions</u></b></p> <ul style="list-style-type: none"> <li>▪ Duration</li> <li>▪ Frequency</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1 or inaccurate information of the following:</b></p> <p><b><u>Contractions</u></b></p> <ul style="list-style-type: none"> <li>▪ Duration</li> <li>▪ Frequency</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 2 or more or inaccurate information of the following:</b></p> <p><b><u>Contractions</u></b></p> <ul style="list-style-type: none"> <li>▪ Duration</li> <li>▪ Frequency</li> <li>▪ Response not written in complete sentences</li> <li>▪ <b>Contains no in-text citations</b></li> </ul>	
Criteria	2 points	1 point	0 points	Comments
<ul style="list-style-type: none"> <li>▪ Early deceleration                             <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <ul style="list-style-type: none"> <li>▪ Early deceleration                             <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1 or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ Early deceleration                             <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 2 or more or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ Early deceleration                             <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response not written in complete sentences</li> <li>▪ <b>Contains no in-text</b></li> </ul>	

			citations	
Criteria	2 points	1 point	0 points	Comments
<ul style="list-style-type: none"> <li>▪ Late deceleration               <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <ul style="list-style-type: none"> <li>▪ Late deceleration               <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1 or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ Late deceleration               <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 2 or more or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ Late deceleration               <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response not written in complete sentences</li> <li>▪ <b>Contains no in-text citations</b></li> </ul>	
Criteria	2 points	1 point	0 points	Comments
<ul style="list-style-type: none"> <li>▪ Variable deceleration               <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <ul style="list-style-type: none"> <li>▪ Variable deceleration               <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1 or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ Variable deceleration               <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 2 or more or inaccurate information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ Variable deceleration               <ul style="list-style-type: none"> <li>○ Definition</li> <li>○ Causes</li> <li>○ Interventions</li> </ul> </li> <li>▪ Response not written in complete sentences</li> <li>▪ <b>Contains no in-text citations</b></li> </ul>	
Criteria	10 points	5 points	0 points	Comments

<p><b><u>Oxytocin</u></b></p> <ul style="list-style-type: none"> <li>▪ Identified uses</li> <li>▪ Identified side effects</li> <li>▪ Identified nursing assessment</li> <li>▪ Identified nursing interventions</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <p><b><u>Oxytocin</u></b></p> <ul style="list-style-type: none"> <li>▪ Identified uses</li> <li>▪ Identified side effects</li> <li>▪ Identified nursing assessment</li> <li>▪ Identified nursing interventions</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1 or more or inaccurate information of the following:</b></p> <p><b><u>Oxytocin</u></b></p> <ul style="list-style-type: none"> <li>▪ Identified uses</li> <li>▪ Identified side effects</li> <li>▪ Identified nursing assessment</li> <li>▪ Identified nursing interventions</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 2 or more or inaccurate information of the following:</b></p> <p><b><u>Oxytocin</u></b></p> <ul style="list-style-type: none"> <li>▪ Identified uses</li> <li>▪ Identified side effects</li> <li>▪ Identified nursing assessment</li> <li>▪ Identified nursing interventions</li> <li>▪ Response not written in complete sentences</li> <li>▪ <b>Contains no in-text citations</b></li> </ul>	
<b>Criteria</b>	<b>10 points</b>	<b>5 points</b>	<b>0 points</b>	<b>Comments</b>
<p><b><u>Magnesium Sulfate</u></b></p> <ul style="list-style-type: none"> <li>▪ Identified uses</li> <li>▪ Identified side effects</li> <li>▪ Identified nursing assessment</li> <li>▪ Identified nursing interventions</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Includes complete and accurate information on all criteria:</b></p> <p><b><u>Magnesium Sulfate</u></b></p> <ul style="list-style-type: none"> <li>▪ Identified uses</li> <li>▪ Identified side effects</li> <li>▪ Identified nursing assessment</li> <li>▪ Identified nursing interventions</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 1 or more or inaccurate information of the following:</b></p> <p><b><u>Magnesium Sulfate</u></b></p> <ul style="list-style-type: none"> <li>▪ Identified uses</li> <li>▪ Identified side effects</li> <li>▪ Identified nursing assessment</li> <li>▪ Identified nursing interventions</li> <li>▪ Response written in complete sentences</li> <li>▪ Include in-text citations in APA format</li> </ul>	<p><b>Missing 2 or more or inaccurate information of the following:</b></p> <p><b><u>Magnesium Sulfate</u></b></p> <ul style="list-style-type: none"> <li>▪ Identified uses</li> <li>▪ Identified side effects</li> <li>▪ Identified nursing assessment</li> <li>▪ Identified nursing interventions</li> <li>▪ Response not written in complete sentences</li> <li>▪ <b>Contains no in-text citations</b></li> </ul>	

Criteria	10 points	5 points	0 points	
<b>Nursing Diagnosis</b> <ul style="list-style-type: none"> <li>▪ 3 complete nursing diagnoses identified in labor and delivery; must include related to and evidence by</li> </ul>	<b>Includes complete and accurate information:</b> <ul style="list-style-type: none"> <li>▪ 3 complete nursing diagnoses identified in labor and delivery; must include related to and evidence by</li> </ul>	<b>Missing 1 or more or inaccurate information of the following:</b> <ul style="list-style-type: none"> <li>▪ 3 complete nursing diagnoses identified in labor and delivery; must include related to and evidence by</li> </ul>	<b>Missing 2 or more or inaccurate information of the following:</b> <ul style="list-style-type: none"> <li>▪ 3 complete nursing diagnoses identified in labor and delivery; must include related to and evidence by</li> </ul>	
Criteria	5 points	2.5 points	0 points	Comments
<b>APA Format</b> <ul style="list-style-type: none"> <li>▪ The student used appropriate APA in-text citations and listed all appropriate references in APA format.</li> <li>▪ Source(s) utilized should be 5 or less years old. <ul style="list-style-type: none"> <li>○ Source(s) greater than 5 years old will not be accepted.</li> </ul> </li> <li>▪ Professional writing style, grammar, and spelling was used in all narrative sections.</li> </ul>	<ul style="list-style-type: none"> <li>▪ APA format was completed and appropriate.</li> <li>▪ Grammar, spelling, and overall writing style were professional and without errors.</li> </ul>	<ul style="list-style-type: none"> <li>▪ APA format was used but not correct with 1-2 errors noted.</li> <li>▪ 1-2 grammar, spelling, or overall poor writing style was used.</li> <li>▪ Content was difficult to understand.</li> </ul>	<ul style="list-style-type: none"> <li>▪ No APA format or 3 or more errors noted.</li> <li>▪ Source(s) utilized were greater than 5 years old.</li> <li>▪ Grammar, spelling, or writing style did not demonstrate collegiate level writing with 3 or more errors noted</li> </ul>	
<b>Instructor comments:</b>				TOTAL /100

