

• Labor & Delivery Worksheet

This worksheet should be submitted to the drop box. See the syllabus for date due. Please keep in mind this assignment replaces care plans and should be detailed.

Name:

Complete the following: (30 points)

Submit in-text citations in APA format

1 st Stage of Labor	Characteristics that could be seen	Expected Interventions
<p>Latent phase</p> <p>Dilation: <u> 0 </u> to <u> 5 </u> cm</p> <p>Length of stage: 11.8 hours</p> <p>Contractions</p> <p>Duration: Around 30-90 seconds(Durham et al., 2023)</p> <p>Frequency: Increasing in frequency about every 5-20 minutes. (Durham et al., 2023)</p> <p>Strength: Mild to moderate similar to strong menstrual cramps. (Durham et al., 2023)</p>	<ul style="list-style-type: none"> • Blood-Tinged mucus. • Effacing, dilation 0-5cm(Durham et al., 2023). • Cramps and backaches(Durham et al., 2023). • Requested pain medication(Durham et al., 2023). • Intact or ruptured membrane(Durham et al., 2023). 	<ul style="list-style-type: none"> • Assist the client with positioning(Durham et al., 2023). • Encourage to avoid the supine position(Durham et al., 2023). • Monitor fetal response(Durham et al., 2023). • Implement pain control strategies(Durham et al., 2023) • Respond to changes in maternal status(Durham et al., 2023)

<p>Active phase</p> <p>Dilation: 6__ to 10__ cm</p> <p>Length of stage: 1.2-1.5 cm/hr</p> <p>Contractions</p> <p>Duration: no more than 5 in a 10-minute period(Durham et al., 2023).</p> <p>Frequency: every 2-3 minutes(Durham et al., 2023)</p> <p>Strength: Moderate pain(Durham et al., 2023)</p>	<ul style="list-style-type: none"> • Increased blood-tinged mucus(Durham et al., 2023) • Intact or ruptured membrane(Durham et al., 2023) • Maternal worry or panic(Durham et al., 2023). • Requested pain medication(Durham et al., 2023) 	<ul style="list-style-type: none"> • Assist the client with positioning(Durham et al., 2023). • Encourage to avoid the supine position(Durham et al., 2023). • Monitor fetal response(Durham et al., 2023). • Implement pain control strategies(Durham et al., 2023) • Respond to changes in maternal status(Durham et al., 2023)
--	--	--

2nd Stage of Labor	Characteristics that could be seen	Expected Interventions
<p>Length of stage: 0-3 hours</p> <p>Contractions</p> <p>Duration: no more than 5 in a 10-minute period (Durham et al., 2023).</p> <p>Frequency: every 2-3</p>	<ul style="list-style-type: none"> • Bloody mucus(Durham et al., 2023) • Ruptured membrane • Urge to push(Durham et al., 2023) • Perineum flattens and bulges (Durham et al., 2023) 	<ul style="list-style-type: none"> • Assist the patient to a comfortable position(Durham et al., 2023) • Monitor fetal response to position changes(Durham et al., 2023) • Implement pain

minutesV Strength: moderate/ strong with an urge to bare down(Durham et al., 2023).		control strategies(Durham et al., 2023) • Monitor maternal status(Durham et al., 2023)
--	--	---

3rd Stage of Labor	Characteristics that could be seen	Expected Interventions
Length of stage: 5 minutes, will deliver the placenta within 13-15 minutes(Durham et al., 2023)	<ul style="list-style-type: none"> • Closing cervix(Durham et al., 2023) • Mild contractions to deliver the placenta(Durham et al., 2023) • Gush of blood prior to placenta delivery • Cord lengthens(Durham et al., 2023) 	<ul style="list-style-type: none"> • Administer uterotonic medication(Durham et al., 2023) • Monitor status changes in mother(Durham et al., 2023).

Reference (1):

Complete the Following: (10 points)

Submit in-text citations in APA format

Diagnostic Test	Description and Rationale	Clinical findings
Non-stress test (NST)	A tool that uses FHR patterns and accelerations as an indicator of fetal well-being with adequate oxygenation and intact autonomic nervous	Acceleration in the FHR of 15 seconds above the baseline for 15 seconds twice or more in 20 minutes(Durham et al., 2023).

	system (Durham et al., 2023).	
Biophysical profile (BPP)	An ultrasound to assess NST reactive, fetal movement, tone, breathing, and amniotic fluid volume. This looks for acute changes in fetal reserve as well as changes influenced over more time. (Durham et al., 2023)	A score of 8/10. One or more episodes of rhythmic breathing movements of 30 seconds or movements within 30 minutes. Three or more fetal body or limb movements. Amniotic fluid of 2cm in two planes. Opening or closing of the hand is expected in 30 minutes. (Durham et al., 2023)
Ultrasound (US) <ul style="list-style-type: none"> • 1st Trimester • 2nd Trimester 	<p>Confirm intrauterine pregnancy, cardiac activity, multiple gestation, age, and uterine structures. missed abortion, tubal, or ectopic pregnancy, or hydatidiform mole. Evaluate vaginal bleeding and screen for aneuploidy (Durham et al., 2023).</p> <p>Confirm the gestational age, due date, cardiac activity, fetal number, size position, amnionity and chronicity. Confirm placental location and weight. Detect fetal abnormalities. Evaluate vaginal bleeding (Durham et al., 2023).</p>	<p>Appropriate gestational age, size, viability, position, and function capacities. Placenta is expected size, normal position, an structure with adequate amniotic fluid volume (Durham et al., 2023).</p>

Reference (1):

For the remainder of this assignment, submit in-text citations in APA format. Attach Reference page.

1. What is cervical dilation and effacement? How are each of these measured? **(5 points)**

Cervical dilation is the enlargement or opening of the cervical os. This is measured with a vaginal exam with fingers to measure.

Effacement is the softening, shorting and thinning of the cervix. This is measured with fingers during a vaginal exam. (Durham et al., 2023)

2. List five possible non-pharmacological interventions assisting in relieving pain during labor. **(5 points)**

Breathing techniques, massage, position changes, warm water or showers, and music therapy (Durham et al., 2023).

3. What is fetal heart rate variability in fetal monitoring? **(2 points)**

Fluctuations in the baseline, fetal heart rate that are irregular and amplitude in frequency. It is determined in a 10 minute window, excluding accelerations and decelerations. It reflects the interaction between the fetal, sympathetic SNS and parasympathetic nervous system(Durham et al., 2023).

4. How can GBS influence care in labor and delivery? When and how is this tested? What treatments/ interventions are completed? **(5 points)**

If a woman has GBS, she is at risk for premature labor and neonatal prematurity. She should be treated with antibiotics and educated on the importance of antibiotic therapy during pregnancy. She should be assessed for signs and, symptoms of fever or sepsis during prenatal care through delivery. To test for this medical staff would obtain a vaginal and rectal culture for screening. If a mother were to test positive she should be treated with a penicillin however, if the woman has a penicillin allergy, she can be treated with cefazolin and clindamycin(Durham et al., 2023).

5. What labs are completed on every woman on admission to labor and delivery? What assessment would be completed? (2 points)

Could not find any information on this.

6. How is duration and frequency of contractions measured? How do we document them?(5 points)

Frequency of contractions is expressed in minutes or second and is determined by counting the number of contractions in a 10 minute period, counting from the start of one contraction to the start of the next contraction in minutes. Duration of contractions is measured in seconds by counting from the beginning to the end of one contraction. uterine contractions are documented with frequency, duration and palpable strength of UCS and resting tone(Durham et al., 2023).

7. Define an early deceleration, identify causes and interventions? (2 points)

Early accelerations or gradual decrease in return of the fetal heart rate associated with uterine contractions. It is caused when the uterine contractions occurs in the fetal head is subject to pressure that stimulates the vagal nerve. No intervention is needed(Durham et al., 2023).

8. Define a late deceleration, identify causes and interventions? (2 points)

Late deacceleration is a gradual decrease of the fetal heart rate associated with uterine contractions, and it can be a sign of fetal intolerance to labor. It can be caused by uteroplacental insufficiency, suppression of fetal myocardium, hypertension from regional anesthesia, suplying positioning, or maternal hemorrhage(Durham et al., 2023).

9. Define variable decelerations, identify causes and interventions? (2 points)

Variable acceleration is an abrupt decrease and fetal heart rate of less than 30 seconds from baseline. It can be caused by an umbilical cord occlusion prolonged cord compression which causes decreased cord perfusion. The nurse can change the mother's position

perform a sterile vaginal examination, perform an amnio infusion, administer oxygen, decrease or discontinue, oxytocin, and pushing methods(Durham et al., 2023).

10. Oxytocin: what is this medication used for in labor and delivery? Identify side effects, nursing assessments, and interventions. **(10 points)**

Oxytocin is used to induce pregnancy and strengthen labor. Side effects can include tachysystole and FHR decelerations. The nurse should assess the maternal blood pressure, i/o, overstimulation and non reassuring FHR. Monitor postpartum hemorrhage. Ensure adequate hydration and education (Durham et al., 2023).

11. Magnesium Sulfate: What is this medication used for in labor and delivery? (For Mom and Baby) Identify side effects, nursing interventions, and nursing assessments. **(10 points)**

It is used to prevent seizures in women with preeclampsia and also used to provide neuroprotection for preterm infants. Side effects can include flushing, warmth, nausea, headaches, and muscle weakness. It can also have toxicity symptoms like reduced reflexes, respiratory depression, confusion and low blood pressure. Nurses should have fetal monitoring, hourly rounds of vital signs, deep tendon reflexes and urine output (Durham et al., 2023).

12. What are 3 nursing diagnoses that can be identified in labor and delivery? **(10 points)**

1. Acute pain related to muscle contractions as evidenced by verbalization of pain.
2. Risk for imbalanced fluid volume related to bleeding.
3. Risk for infection related to rupture of amniotic membranes.

Attach References

Durham, R. F., Chapman, L., & Miller, C. (2023). Davis advantage for maternal-newborn nursing: Critical components of nursing. F.A. Davis Company.

Criteria	30 points	15 points	0 points	Comments
<u>1st Stage of Labor</u> <ul style="list-style-type: none"> ▪ Latent phase <ul style="list-style-type: none"> ○ Dilatation ○ Length of stage ▪ Contractions 	Includes complete and accurate information on all criteria: <u>1st Stage of Labor</u> <ul style="list-style-type: none"> ▪ Latent phase 	Missing 1-2 or inaccurate information of the following: <u>1st Stage of Labor</u> <ul style="list-style-type: none"> ▪ Latent phase <ul style="list-style-type: none"> ○ Dilatation 	Missing 3 or more or inaccurate information of the following: <u>1st Stage of Labor</u> <ul style="list-style-type: none"> ▪ Latent phase 	

<ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions ▪ Active phase <ul style="list-style-type: none"> o Dilatation o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions <p><u>2nd Stage of Labor</u></p> <ul style="list-style-type: none"> o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions <p><u>3rd Stage of Labor</u></p> <ul style="list-style-type: none"> ▪ Length of stage ▪ Include in-text citations in APA format ▪ Minimum of 1 APA reference, no reference will result in zero points 	<ul style="list-style-type: none"> o Dilatation o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions ▪ Active phase <ul style="list-style-type: none"> o Dilatation o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions <p><u>2nd Stage of Labor</u></p> <ul style="list-style-type: none"> o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions <p><u>3rd Stage of Labor</u></p> <ul style="list-style-type: none"> ▪ Length of stage ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions ▪ Active phase <ul style="list-style-type: none"> o Dilatation o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions <p><u>2nd Stage of Labor</u></p> <ul style="list-style-type: none"> o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions <p><u>3rd Stage of Labor</u></p> <ul style="list-style-type: none"> ▪ Length of stage ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> o Dilatation o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions ▪ Active phase <ul style="list-style-type: none"> o Dilatation o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions <p><u>2nd Stage of Labor</u></p> <ul style="list-style-type: none"> o Length of stage ▪ Contractions <ul style="list-style-type: none"> o Duration o Frequency o Strength ▪ Characteristics that could be seen ▪ Expected Interventions <p><u>3rd Stage of Labor</u></p> <ul style="list-style-type: none"> ▪ Length of stage ▪ Contains no in-text citations and or no
--	--	--	---

<p>for this section</p> <ul style="list-style-type: none"> o Source(s) should be 5 or less years old ▪ Source(s) greater than 5 years old will not be accepted 			<p>reference included</p>	
<p>Criteria</p>	<p>5 points</p>	<p>2.5 points</p>	<p>0 points</p>	<p>Comments</p>
<p>Test</p> <ul style="list-style-type: none"> ▪ Non-stress test ▪ Biophysical profile <ul style="list-style-type: none"> o Description o Rationale ▪ Ultrasound <ul style="list-style-type: none"> o 1st Trimester <ul style="list-style-type: none"> ▪ Description ▪ Rationale o 2nd Trimester <ul style="list-style-type: none"> ▪ Description ▪ Rationale ▪ Include in-text citations in APA format ▪ Minimum of 1 APA reference, no reference will result in zero points for this section <ul style="list-style-type: none"> o Source(s) should be 5 or less years old <p>Source(s) greater than 5 years</p>	<p>Includes complete and accurate information on all criteria:</p> <ul style="list-style-type: none"> ▪ Non-stress test ▪ Biophysical profile <ul style="list-style-type: none"> o Description o Rationale ▪ Ultrasound <ul style="list-style-type: none"> o 1st Trimester <ul style="list-style-type: none"> ▪ Description ▪ Rationale o 2nd Trimester <ul style="list-style-type: none"> ▪ Description ▪ Rationale ▪ Include in-text citations in APA format 	<p>Missing 1 or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ Non-stress test ▪ Biophysical profile <ul style="list-style-type: none"> o Description o Rationale ▪ Ultrasound <ul style="list-style-type: none"> o 1st Trimester <ul style="list-style-type: none"> ▪ Description ▪ Rationale o 2nd Trimester <ul style="list-style-type: none"> ▪ Description ▪ Rationale ▪ Include in-text citations in APA format 	<p>Missing 2 or more or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ Non-stress test ▪ Biophysical profile <ul style="list-style-type: none"> o Description o Rationale ▪ Ultrasound <ul style="list-style-type: none"> o 1st Trimester <ul style="list-style-type: none"> ▪ Description ▪ Rationale o 2nd Trimester <ul style="list-style-type: none"> ▪ Description ▪ Rationale ▪ Contains no in-text citations and or no reference included 	

old will not be accepted				
Criteria	5 points	2.5 points	0 points	Comments
<ul style="list-style-type: none"> ▪ What is cervical dilation and effacement? ▪ How are each of these measured? ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Includes complete and accurate information on all criteria:</p> <ul style="list-style-type: none"> ▪ What is cervical dilation and effacement? ▪ How are each of these measured? ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Missing 1 or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ What is cervical dilation and effacement? ▪ How are each of these measured? ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Missing 3 or more or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ What is cervical dilation and effacement? ▪ How are each of these measured? ▪ Response written in complete sentences ▪ Contains no in-text citations 	
Criteria	5 points	2.5 points	0 points	Comments
<ul style="list-style-type: none"> ▪ Five non-pharmacological methods have been identified that can relieve pain during labor. ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Includes complete and accurate information on all criteria:</p> <ul style="list-style-type: none"> ▪ Five non-pharmacological methods identified that can relieve pain during labor. ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Missing 1-2 or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ Five non-pharmacological methods identified that can relieve pain during labor. ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Missing 3 or more or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ Five non-pharmacological methods identified that can relieve pain during labor. ▪ Response not written in complete sentences ▪ Contains no in-text citations 	
Criteria	2 points	1 point	0 points	Comments
<ul style="list-style-type: none"> ▪ What is variability in fetal monitoring? 	<p>Includes complete and accurate information on all</p>	<p>Missing 1 or inaccurate information of the following:</p>	<p>Missing 2 or more or inaccurate information of the</p>	

<ul style="list-style-type: none"> ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	criteria: <ul style="list-style-type: none"> ▪ What is variability in fetal monitoring? ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> ▪ What is variability in fetal monitoring? ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	following: <ul style="list-style-type: none"> ▪ What is variability in fetal monitoring? ▪ Response not written in complete sentences ▪ Contains no in-text citations 	
Criteria	5 points	2.5 points	0 points	Comments
<u>GBS</u> <ul style="list-style-type: none"> ▪ How does this influence care in labor and delivery? ▪ When is this tested? ▪ How is this tested? ▪ What treatments are done? ▪ What interventions are done? ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	Includes complete and accurate information on all criteria: <u>GBS</u> <ul style="list-style-type: none"> ▪ How does this influence care in labor and delivery? ▪ When is this tested? ▪ How is this tested? ▪ What treatments are done? ▪ What interventions are done? ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	Missing 1-2 or inaccurate information of the following: <u>GBS</u> <ul style="list-style-type: none"> ▪ How does this influence care in labor and delivery? ▪ When is this tested? ▪ How is this tested? ▪ What treatments are done? ▪ What interventions are done? ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	Missing 3 or more or inaccurate information of the following: <u>GBS</u> <ul style="list-style-type: none"> ▪ How does this influence care in labor and delivery? ▪ When is this tested? ▪ How is this tested? ▪ What treatments are done? ▪ What interventions are done? ▪ Response not written in complete sentences ▪ Contains no in-text citations 	
Criteria	2 points	1 point	0 points	Comments
<ul style="list-style-type: none"> ▪ What labs are completed on every woman on admission to labor and delivery? ▪ What assessment would 	Includes complete and accurate information on all criteria: <ul style="list-style-type: none"> ▪ What labs are completed on every woman on 	Missing 1 or inaccurate information of the following: <ul style="list-style-type: none"> ▪ What labs are completed on every woman on admission to labor and 	Missing 2 or more or inaccurate information of the following: <ul style="list-style-type: none"> ▪ What labs are completed on every woman on 	

<p>be completed?</p> <ul style="list-style-type: none"> ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>admission to labor and delivery?</p> <ul style="list-style-type: none"> ▪ What assessment would be completed? ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>delivery?</p> <ul style="list-style-type: none"> ▪ What assessment would be completed? ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>admission to labor and delivery?</p> <ul style="list-style-type: none"> ▪ What assessment would be completed? ▪ Response not written in complete sentences ▪ Contains no in-text citations 	
Criteria	5 points	2.5 points	0 points	
<p><u>Contractions</u></p> <ul style="list-style-type: none"> ▪ Duration ▪ Frequency ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Includes complete and accurate information on all criteria:</p> <p><u>Contractions</u></p> <ul style="list-style-type: none"> ▪ Duration ▪ Frequency ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Missing 1 or inaccurate information of the following:</p> <p><u>Contractions</u></p> <ul style="list-style-type: none"> ▪ Duration ▪ Frequency ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Missing 2 or more or inaccurate information of the following:</p> <p><u>Contractions</u></p> <ul style="list-style-type: none"> ▪ Duration ▪ Frequency ▪ Response not written in complete sentences ▪ Contains no in-text citations 	
Criteria	2 points	1 point	0 points	Comments
<ul style="list-style-type: none"> ▪ Early deceleration <ul style="list-style-type: none"> ○ Definition ○ Causes ○ Interventions ▪ Response written in 	<p>Includes complete and accurate information on all criteria:</p> <ul style="list-style-type: none"> ▪ Early deceleration 	<p>Missing 1 or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ Early deceleration <ul style="list-style-type: none"> ○ Definition 	<p>Missing 2 or more or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ Early deceleration 	

<ul style="list-style-type: none"> o Definition o Causes o Interventions ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> o Definition o Causes o Interventions ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> o Causes o Interventions ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> o Definition o Causes o Interventions ▪ Response not written in complete sentences ▪ Contains no in-text citations 	
Criteria	2 points	1 point	0 points	Comments
<ul style="list-style-type: none"> ▪ Late deceleration <ul style="list-style-type: none"> o Definition o Causes o Interventions ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Includes complete and accurate information on all criteria:</p> <ul style="list-style-type: none"> ▪ Late deceleration <ul style="list-style-type: none"> o Definition o Causes o Interventions ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Missing 1 or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ Late deceleration <ul style="list-style-type: none"> o Definition o Causes o Interventions ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Missing 2 or more or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ Late deceleration <ul style="list-style-type: none"> o Definition o Causes o Interventions ▪ Response not written in complete sentences ▪ Contains no in-text citations 	
Criteria	2 points	1 point	0 points	Comments
<ul style="list-style-type: none"> ▪ Variable deceleration <ul style="list-style-type: none"> o Definition o Causes o Interventions ▪ Response written in complete sentences 	<p>Includes complete and accurate information on all criteria:</p> <ul style="list-style-type: none"> ▪ Variable deceleration <ul style="list-style-type: none"> o Definition o Causes o Interventions 	<p>Missing 1 or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ Variable deceleration <ul style="list-style-type: none"> o Definition o Causes o Interventions ▪ Response written in 	<p>Missing 2 or more or inaccurate information of the following:</p> <ul style="list-style-type: none"> ▪ Variable deceleration <ul style="list-style-type: none"> o Definition o Causes o Interventions 	

<ul style="list-style-type: none"> ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>complete sentences</p> <ul style="list-style-type: none"> ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> ▪ Response not written in complete sentences ▪ Contains no in-text citations 	
Criteria	10 points	5 points	0 points	Comments
<p><u>Oxytocin</u></p> <ul style="list-style-type: none"> ▪ Identified uses ▪ Identified side effects ▪ Identified nursing assessment ▪ Identified nursing interventions ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Includes complete and accurate information on all criteria:</p> <p><u>Oxytocin</u></p> <ul style="list-style-type: none"> ▪ Identified uses ▪ Identified side effects ▪ Identified nursing assessment ▪ Identified nursing interventions ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Missing 1 or more or inaccurate information of the following:</p> <p><u>Oxytocin</u></p> <ul style="list-style-type: none"> ▪ Identified uses ▪ Identified side effects ▪ Identified nursing assessment ▪ Identified nursing interventions ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<p>Missing 2 or more or inaccurate information of the following:</p> <p><u>Oxytocin</u></p> <ul style="list-style-type: none"> ▪ Identified uses ▪ Identified side effects ▪ Identified nursing assessment ▪ Identified nursing interventions ▪ Response not written in complete sentences ▪ Contains no in-text citations 	
Criteria	10 points	5 points	0 points	Comments
<p><u>Magnesium Sulfate</u></p> <ul style="list-style-type: none"> ▪ Identified uses ▪ Identified side effects ▪ Identified nursing assessment ▪ Identified nursing interventions ▪ Response written in 	<p>Includes complete and accurate information on all criteria:</p> <p><u>Magnesium Sulfate</u></p> <ul style="list-style-type: none"> ▪ Identified uses ▪ Identified side effects ▪ Identified nursing assessment 	<p>Missing 1 or more or inaccurate information of the following:</p> <p><u>Magnesium Sulfate</u></p> <ul style="list-style-type: none"> ▪ Identified uses ▪ Identified side effects ▪ Identified nursing assessment 	<p>Missing 2 or more or inaccurate information of the following:</p> <p><u>Magnesium Sulfate</u></p> <ul style="list-style-type: none"> ▪ Identified uses ▪ Identified side effects ▪ Identified nursing assessment 	

<ul style="list-style-type: none"> ▪ complete sentences ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> ▪ Identified nursing interventions ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> ▪ Identified nursing interventions ▪ Response written in complete sentences ▪ Include in-text citations in APA format 	<ul style="list-style-type: none"> ▪ Identified nursing interventions ▪ Response not written in complete sentences ▪ Contains no in-text citations 	
Criteria	10 points	5 points	0 points	
Nursing Diagnosis <ul style="list-style-type: none"> ▪ 3 complete nursing diagnoses identified in labor and delivery; must include related to and evidence by 	Includes complete and accurate information: <ul style="list-style-type: none"> ▪ 3 complete nursing diagnoses identified in labor and delivery; must include related to and evidence by 	Missing 1 or more or inaccurate information of the following: <ul style="list-style-type: none"> ▪ 3 complete nursing diagnoses identified in labor and delivery; must include related to and evidence by 	Missing 2 or more or inaccurate information of the following: <ul style="list-style-type: none"> ▪ 3 complete nursing diagnoses identified in labor and delivery; must include related to and evidence by 	
Criteria	5 points	2.5 points	0 points	Comments
APA Format <ul style="list-style-type: none"> ▪ The student used appropriate APA in-text citations and listed all appropriate references in APA format. ▪ Source(s) utilized should be 5 or less years old. <ul style="list-style-type: none"> ○ Source(s) greater than 5 years old will not be accepted. 	<ul style="list-style-type: none"> ▪ APA format was completed and appropriate. ▪ Grammar, spelling, and overall writing style were professional and without errors. 	<ul style="list-style-type: none"> ▪ APA format was used but not correct with 1-2 errors noted. ▪ 1-2 grammar, spelling, or overall poor writing style was used. ▪ Content was difficult to understand. 	<ul style="list-style-type: none"> ▪ No APA format or 3 or more errors noted. ▪ Source(s) utilized were greater than 5 years old. ▪ Grammar, spelling, or writing style did not demonstrate collegiate level writing with 3 or more errors noted 	

<ul style="list-style-type: none"> Professional writing style, grammar, and spelling was used in all narrative sections. 				
Instructor comments:				TOTAL /100