

# N432 Newborn Worksheet

Name: Da'Zja Lawson

This assignment should be submitted to the Dropbox by date assigned before 2359. Please provide detail for each area. Complete table (40 points) **Include in-text citations in APA format. Attach Reference page.**

| <b>Area</b>          | <b>Normal Findings</b>   | <b>Expected Variations</b>   |
|----------------------|--|--|
| <b>Skin</b>          | Skin is pink warm smooth and intact, acrocyanosis may be present in the first 24-48 hours, (Durham & Chapman, 2023). | Skin peeling, erythema toxicum, lanugo, milia, (Durham & Chapman, 2023).   |
| <b>Head</b>          | Symmetrical and round, structures are palpable and movable, (Durham & Chapman, 2023).                                | Caput succedaneum, molding, cephalohematoma, (Durham & Chapman, 2023).   |
| <b>Fontanelles</b>   | fontanelles are firm and bulging, (Durham & Chapman, 2023).  | Temporary fullness with crying, slight pulsation, (Durham & Chapman, 2023).  |
| <b>Face</b>          | Symmetrical features and movements (Durham & Chapman, 2023).   | Bruises on face due to trauma during birth, (Durham & Chapman, 2023).  |
| <b>Eyes</b>          | Sclera is clear, pupils are reactive and equal with a red reflex present, (Durham & Chapman, 2023).                  | Subconjunctival hemorrhage, (Durham & Chapman, 2023).  |
| <b>Nose</b>          | Nares are patent, breathes mainly through nose, (Durham & Chapman, 2023).  | Mild nasal flaring with crying, (Durham & Chapman, 2023).  |
| <b>Mouth</b>         | Moist mucous, pink, suck reflex strong, intact palpate, (Durham & Chapman, 2023).                                    | Tongue tie, (Durham & Chapman, 2023).  |
| <b>Ears</b>          | Well formed, responds to sound, aligned with outer canthus of eyes, (Durham & Chapman, 2023).                        | Skin tags, (Durham & Chapman, 2023).   |
| <b>Neck</b>          | Full of range, short with skin fold, positive tonic neck reflex, (Durham & Chapman, 2023).                           | Webbing or larger thick skin that folds at the back of the neck indicates genetic disorders, (Durham & Chapman, 2023). |
| <b>Chest</b>         | Symmetrical, lung sound is clear, (Durham & Chapman, 2023).  | Pigeon chest, chest retraction, (Durham & Chapman, 2023).  |
| <b>Breath Sounds</b> | Bilaterally clear and equal, respirations are 30 – 60 breathe/min, (Durham & Chapman, 2023).                         | Periodic breathing, (Durham & Chapman, 2023).  |

|                       |  |   |
|-----------------------|--|---|
| <b>Heart Sounds</b>   | S1 and s2 are present, brachial and femoral are present and equal, (Durham & Chapman, 2023).   | Murmurs, femoral pulses that feel weaker than brachial pulse may indicate a CHD, (Durham & Chapman, 2023).                                      |
| <b>Abdomen</b>        | Soft and round, protuberant and symmetrical, (Durham & Chapman, 2023).   | Asymmetrical, hernias, failure to pass meconium, (Durham & Chapman, 2023).  |
| <b>Bowel Sounds</b>   | Bowel sounds are heard within hours after birth, (Durham & Chapman, 2023).   | Increased activity after feeding, (Durham & Chapman, 2023).   |
| <b>Umbilical Cord</b> | No redness or drainage, (Durham & Chapman, 2023).  | Delayed cord separation, (Durham & Chapman, 2023).  |
| <b>Genitals</b>       | Female: labia majora cover the labia minora and clitoris, Male: the urinary meatus is at the tip of the penis, (Durham & Chapman, 2023). | Female: prominent clitoris and small, Male; Hypospadias, the urethral opening is on the ventral surface of the penis, (Durham & Chapman, 2023). |
| <b>Anus</b>           | Patent, has a stool in 24 hours, (Durham & Chapman, 2023).   | Imperforated, fissures or fistulas, (Durham & Chapman, 2023).   |
| <b>Extremities</b>    | Symmetrical movement, flexed posture, (Durham & Chapman, 2023).  | Asymmetrical movement, (Durham & Chapman, 2023).  |
| <b>Spine</b>          | Intact and straight with no masses or opening, (Durham & Chapman, 2023).   | Sacral dimple without drainage, (Durham & Chapman, 2023).   |

**For the following questions and tables, include in-text citations in APA format. Attach Reference page.**

**1. What safety and security measures are in place for newborns? (5 points)**

To ensure newborn safety and security, hospitals have several safeguards in place. Identification bands on the infant and parents are applied after birth and checked prior to any procedures or transfers. Many hospitals have electronic security devices which attach to an ankle or wrist. Alarms will sound if the infant is taken out of approved areas. Staff education, restriction of who can enter the units, and placing the infant supine on a crib with no loose blankets or toys are other ways injury or abduction can be prevented, (Durham & Chapman, 2023).

**2. What are normal ranges for an infant's heart rate and respiratory rate? (2 points)**

A newborn’s normal heart rate is between 110–160 beats per minute. Respiratory rate for a newborn is between 30-60 breaths per minute. Higher rates are normal for newborns because their metabolic needs and oxygen demands are greater than those of older children and adults, (Durham & Chapman, 2023).

**3. What is the normal range and method for acquiring an infant’s temperature? Why is this? (2 points)**

The normal temperature range for a newborn is between 36.5–37.5°C (97.7–99.5°F) Temperature is best obtained via axillary routes. Attempts to decrease infection and injury risks have led to discouragement of rectal temperatures. Due to newborns not having much subcutaneous fat or fully developed temperature control, take extra caution when obtaining their temperatures with gentle and noninvasive methods. (Durham & Chapman, 2023).

**Complete Table (10 points)**

| <b>Medication</b>   | <b>Dosage</b>  | <b>Administration Site</b>   | <b>Possible side effects</b>   | <b>Why is this administered?</b>   |
|---------------------|--|--|--|--|
| <b>Vitamin K</b>    | 0.5-1 mg within an hour of birth (Durham & Chapman, 2023). | Intramuscular injection, (Durham & Chapman, 2023).                   | Swelling at the injection site, erythema and pain, (Durham & Chapman, 2023).         | Prevents brain bleeding and vitamin K deficiency, (Durham & Chapman, 2023).            |
| <b>Erythromycin</b> | 1cm bead of ointment, (Durham & Chapman, 2023).            | In both eyes, in the lower of the eye lid, (Durham & Chapman, 2023). | Mild eye irritation due to edema and inflammation of the eye lid, (Durham & Chapman, | Prevents neonatal eye infections such as gonococcal and chlamydial, (Durham & Chapman, |

|                    |   |   |  |  |
|--------------------|---|---|--|--|
|                    |   |   | 2023).   | 2023).   |
| <b>Hepatitis B</b> | (5 mcg within 12 hours of birth (Durham & Chapman, 2023). | Intramuscular injection with 12 hours of birth, 1 -2 month of age and 6 – 18 months of age, (Durham & Chapman, 2023). | Swelling at the injection site, and a low grade fever, (Durham & Chapman, 2023). | Provides immunity against Hepatitis B infection, (Durham & Chapman, 2023). |

**Complete Table (20 points)**

| <b>Name of Test</b>             | <b>Why is this test ordered?</b>  |
|---------------------------------|---|
| <b>Blood Glucose</b>            | This test is taken to see if the newborn has hypoglycemia, (Durham & Chapman, 2023).  |
| <b>Blood type and Rh Factor</b> | This test is taken to determine risk for blood incompatibility, (Durham & Chapman, 2023).                                   |
| <b>Coombs Test</b>              | This test is taken to detect to see if there are any antibodies that may cause hemolytic disease, (Durham & Chapman, 2023). |
| <b>Bilirubin levels</b>         | This test is to screen for jaundice and to also prevent complications, (Durham & Chapman, 2023).                            |
| <b>Newborn Screen</b>           | This test is taken to detect metabolic, endocrine and any genetic disorders, (Durham & Chapman, 2023).                      |
| <b>Hearing Screen</b>           | This test is taken to identify any early hearing impairment, (Durham & Chapman, 2023).                                      |

|                               |   |
|-------------------------------|---|
| <b>Newborn Cardiac Screen</b> | This test is taken to detect critical congenital heart defects, (Durham & Chapman, 2023). |
|-------------------------------|---|

**1. Identify 3 educational topics that should be discussed with caregivers of the infant. (6 points)**

The 3-education topic that should be discussed with the caregiver of the infant, are safe sleep practices, feeding and nutrition and newborn cardiac screening. The caregiver should be educated on safe sleep practices to reduce the risk of sudden infant death syndrome. The newborn should always be placed on their back to sleep on a firm mattress in a crib or bassinet that is free from loose blankets, pillows, toys, or bumper pads. Room-sharing without bed-sharing is recommended to promote bonding while maintaining infant safety. Caregivers should also be advised to avoid overheating the infant and to maintain a smoke-free environment, as exposure to smoke increases the risk of respiratory complications and SIDS, (Durham & Chapman, 2023).

Education regarding feeding and nutrition is essential to support healthy growth and development. Caregivers should be taught to recognize feeding cues such as rooting, sucking motions, and bringing hands to the mouth. Newborns typically require feeding every 2–3 hours, whether breastfed or formula-fed. Instruction should include proper latching techniques for breastfeeding, correct formula preparation if applicable, and signs that the infant is receiving adequate nutrition, such as appropriate weight gain and sufficient wet and soiled diapers. Caregivers should also be informed about burping techniques to reduce discomfort and prevent aspiration, (Durham & Chapman, 2023).

Caregivers must also be educated on recognizing signs of illness and when to seek medical care. They should be instructed to monitor the infant for changes such as poor feeding, decreased activity, fever or hypothermia, difficulty breathing, persistent vomiting, or changes in skin color such as jaundice or cyanosis. Proper education should include guidance on umbilical cord care, emphasizing keeping the area clean and dry and reporting redness, foul odor, or drainage. Teaching caregivers these warning signs promotes early intervention and helps prevent serious complications in the newborn period, (Durham & Chapman, 2023).

**2. Identify 2 potential nursing diagnoses for a newborn patient. (10 points)**

1. Risk for impaired skin integrity related to delicate newborn skin and exposure to urine and stool as evidenced by thin epidermis of newborn skin, (Durham & Chapman, 2023).
2. Impaired gas exchange related to physiologic adaptation of cardiopulmonary system evidenced by irregular respirations and periodic breathing seen in newborns, (Durham & Chapman, 2023).

**Attach Reference page:**

Durham, R. F., Chapman, L., & Miller, C. S. (2023). *Davis advantage for maternal-newborn nursing: Critical components of nursing care*. F.A. Davis Company.

## N432 Newborn Worksheet Rubric

| Criteria  | 40 points   | 20 points  | 0 points  | Comments |
|---|---|--|---|----------|
| <ul style="list-style-type: none"> <li>▪ <b>Head to toe assessment</b> <ul style="list-style-type: none"> <li>○ Normal findings</li> <li>○ Expected variations</li> </ul> </li> <li>▪ Include in-text citations in APA format.</li> </ul>                           | <p><b>Includes complete and accurate information on all criteria:</b></p> <ul style="list-style-type: none"> <li>▪ <b>Head to toe assessment</b> <ul style="list-style-type: none"> <li>○ Normal findings</li> <li>○ Expected variations</li> </ul> </li> <li>▪ Include in-text citations in APA format.</li> </ul>                           | <p><b>Missing 3-4 or incorrect information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ <b>Head to toe assessment</b> <ul style="list-style-type: none"> <li>○ Normal findings</li> <li>○ Expected variations</li> </ul> </li> <li>▪ Include in-text citations in APA format.</li> </ul>                         | <p><b>Missing 5 or more or incorrect information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ <b>Head to toe assessment</b> <ul style="list-style-type: none"> <li>○ Normal findings</li> <li>○ Expected variations</li> </ul> </li> <li>▪ <b>Contains no in-text citations.</b></li> </ul>                               |          |
| Criteria  | 5 points  | 2.5 points   | 0 points  | Comments |
| <p><b>Newborn safety/security</b></p> <ul style="list-style-type: none"> <li>▪ Safety measures identified</li> <li>▪ Security measures identified</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format.</li> </ul> | <p><b>Includes complete and accurate information on all criteria:</b></p> <p><b>Newborn safety/security</b></p> <ul style="list-style-type: none"> <li>▪ Safety measures identified</li> <li>▪ Security measures identified</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format.</li> </ul> | <p><b>Missing 1 or incorrect information of the following:</b></p> <p><b>Newborn safety/security</b></p> <ul style="list-style-type: none"> <li>▪ Safety measures identified</li> <li>▪ Security measures identified</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format.</li> </ul> | <p><b>Missing 2 or more or incorrect information of the following:</b></p> <p><b>Newborn safety/security</b></p> <ul style="list-style-type: none"> <li>▪ Safety measures identified</li> <li>▪ Security measures identified</li> <li>▪ Response not written in complete sentences.</li> <li>▪ <b>Contains no in-text citations.</b></li> </ul> |          |

| Criteria  | 2 points  | 1 point  | 0 points  | Comments |
|---|---|--|---|----------|
| <b>Newborn vitals</b> <ul style="list-style-type: none"> <li>▪ Normal range for heart rate</li> <li>▪ Normal range for respiratory rate</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format.</li> </ul>   | <b>Includes complete and accurate information on all criteria:</b><br><b>Newborn vitals</b> <ul style="list-style-type: none"> <li>▪ Normal range for heart rate</li> <li>▪ Normal range for respiratory rate</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format.</li> </ul> | <b>Missing 1 or incorrect information of the following:</b><br><b>Newborn vitals</b> <ul style="list-style-type: none"> <li>▪ Normal range for heart rate</li> <li>▪ Normal range for respiratory rate</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format.</li> </ul> | <b>Missing 2 or more or incorrect information of the following:</b><br><b>Newborn vitals</b> <ul style="list-style-type: none"> <li>▪ Normal range for heart rate</li> <li>▪ Normal range for respiratory rate</li> <li>▪ Response not written in complete sentences.</li> <li>▪ <b>Contains no in-text citations.</b></li> </ul> |          |
| Criteria  | 2 points  | 1 points   | 0 points  |          |
| <b>Newborn</b> <ul style="list-style-type: none"> <li>▪ Normal range for temperature</li> <li>▪ Method for taking infants temperature</li> <li>▪ Why is this method used for temperature?</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format.</li> </ul> | <b>Includes complete and accurate information on all criteria:</b> <ul style="list-style-type: none"> <li>▪ Primary cause identified.</li> <li>▪ Interventions listed to alleviate this issue.</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format</li> </ul>                 | <b>Missing 1 or incorrect information of the following:</b> <ul style="list-style-type: none"> <li>▪ Primary cause identified.</li> <li>▪ Interventions listed to alleviate this issue.</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format</li> </ul>                 | <b>Missing 2 or more or incorrect information of the following:</b> <ul style="list-style-type: none"> <li>▪ Primary cause identified.</li> <li>▪ Interventions listed to alleviate this issue.</li> <li>▪ Response not written in complete sentences.</li> <li>▪ <b>Contains no in-text citations.</b></li> </ul>                |          |

| Criteria  | 10 points  | 5 points  | 0 points  | Comments |
|---|--|---|---|----------|
| <b>Medications</b> <ul style="list-style-type: none"> <li>▪ Vitamin K <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> <li>○ Why is this administered?</li> </ul> </li> <li>▪ Erythromycin <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> <li>○ Why is this administered?</li> </ul> </li> <li>▪ Hepatitis B <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> <li>○ Why is this administered?</li> </ul> </li> <li>▪ Response written in</li> </ul> | <b>Includes complete and accurate information on all criteria:</b> <b>Medications</b> <ul style="list-style-type: none"> <li>▪ Vitamin K <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> <li>○ Why is this administered?</li> </ul> </li> <li>▪ Erythromycin <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> <li>○ Why is this administered?</li> </ul> </li> <li>▪ Hepatitis B <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> </ul> </li> </ul> | <b>Missing 3 or incorrect information of the following:</b> <b>Medications</b> <ul style="list-style-type: none"> <li>▪ Vitamin K <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> <li>○ Why is this administered?</li> </ul> </li> <li>▪ Erythromycin <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> <li>○ Why is this administered?</li> </ul> </li> <li>▪ Hepatitis B <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> </ul> </li> </ul> | <b>Missing 4 or more or incorrect information of the following:</b> <b>Medications</b> <ul style="list-style-type: none"> <li>▪ Vitamin K <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> <li>○ Why is this administered?</li> </ul> </li> <li>▪ Erythromycin <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> <li>○ Why is this administered?</li> </ul> </li> <li>▪ Hepatitis B <ul style="list-style-type: none"> <li>○ Dosage</li> <li>○ Administration site</li> <li>○ Possible side effects</li> </ul> </li> </ul> |          |

|  |  |   |   |                 |
|--|--|---|---|-----------------|
| <ul style="list-style-type: none"> <li>complete sentences.</li> <li>▪ Include in-text citations in APA format</li> </ul>   | <ul style="list-style-type: none"> <li>○ Why is this administered?</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format</li> </ul>  | <ul style="list-style-type: none"> <li>○ Why is this administered?</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format</li> </ul>   | <ul style="list-style-type: none"> <li>○ Why is this administered?</li> <li>▪ Response not written in complete sentences.</li> <li>▪ <b>Contains no in-text citations.</b></li> </ul>   |                 |
| <b>Criteria</b>  | <b>20 points</b>   | <b>10 points</b>  | <b>0 points</b>   | <b>Comments</b> |
| <ul style="list-style-type: none"> <li>▪ <b>Lab tests</b> <ul style="list-style-type: none"> <li>○ Blood glucose levels <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Blood type and Rh factor <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Coombs test <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Bilirubin levels <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Newborn screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> </ul> </li> </ul> | <p><b>Includes complete and accurate information on all criteria:</b></p> <ul style="list-style-type: none"> <li>▪ <b>Lab tests</b> <ul style="list-style-type: none"> <li>○ Blood glucose levels <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Blood type and Rh factor <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Coombs test <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Bilirubin levels <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Newborn screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> </ul> </li> </ul> | <p><b>Missing 1 or incorrect information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ <b>Lab tests</b> <ul style="list-style-type: none"> <li>○ Blood glucose levels <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Blood type and Rh factor <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Coombs test <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Bilirubin levels <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Newborn screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> </ul> </li> </ul> | <p><b>Missing 2 or more or incorrect information of the following:</b></p> <ul style="list-style-type: none"> <li>▪ <b>Lab tests</b> <ul style="list-style-type: none"> <li>○ Blood glucose levels <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Blood type and Rh factor <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Coombs test <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Bilirubin levels <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Newborn screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> </ul> </li> </ul> |                 |

| <ul style="list-style-type: none"> <li>○ Hearing screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Newborn cardiac screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format</li> </ul> | <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> <li>○ Hearing screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Newborn cardiac screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format</li> </ul> | <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> <li>○ Hearing screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Newborn cardiac screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format</li> </ul> | <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> <li>○ Hearing screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>○ Newborn cardiac screen <ul style="list-style-type: none"> <li>▪ Why is this test ordered?</li> </ul> </li> <li>▪ Response written not in complete sentences.</li> <li>▪ <b>Contains no in-text citations.</b></li> </ul> |          |
|--|---|---|---|----------|
| Criteria   | 6 points  | 3 points  | 0 points  | Comments |
| <p><b>Education</b></p> <ul style="list-style-type: none"> <li>▪ 3 topics that should be covered with caregivers regarding the infant.</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format.</li> </ul>   | <p><b>Includes complete and accurate information on all criteria:</b></p> <p><b>Education</b></p> <ul style="list-style-type: none"> <li>▪ 3 topics that should be covered with the caregiver regarding the infant.</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format.</li> </ul>   | <p><b>Missing 1 or incorrect information of the following:</b></p> <p><b>Education</b></p> <ul style="list-style-type: none"> <li>▪ 3 topics that should be covered with the caregiver regarding the infant.</li> <li>▪ Response written in complete sentences.</li> <li>▪ Include in-text citations in APA format.</li> </ul>  | <p><b>Missing 2 or more or incorrect information of the following:</b></p> <p><b>Education</b></p> <ul style="list-style-type: none"> <li>▪ 3 topics that should be covered with the caregiver regarding the infant.</li> <li>▪ Responses not written in complete sentences.</li> <li>▪ <b>Contains no in-text citations.</b></li> </ul>  |          |

| Criteria  | 10 points  | 5 points   | 0 points  | Comments |
|---|--|--|---|----------|
| <b>Nursing diagnosis</b> <ul style="list-style-type: none"> <li>2 complete diagnoses identified that include related to and evidence by</li> </ul>  | <b>Includes complete and accurate information on all criteria:</b><br><b>Nursing diagnosis</b> <ul style="list-style-type: none"> <li>2 complete diagnoses identified that include related to and as evidenced by</li> </ul> | <b>Missing 1-2 or incorrect information of the following:</b><br><b>Nursing diagnosis</b> <ul style="list-style-type: none"> <li>2 complete diagnoses identified that include related to and as evidenced by</li> </ul>            | <b>Missing 3 or more or incorrect information of the following:</b><br><b>Nursing diagnosis</b> <ul style="list-style-type: none"> <li>2 complete diagnoses identified that include related to and as evidenced by</li> </ul>   |          |
| Criteria  | 5 points   | 2.5 points   | 0 points  | Comments |
| <b>APA Format</b> <ul style="list-style-type: none"> <li>The student used appropriate APA in-text citations and listed all appropriate references in APA format.</li> <li>Source(s) utilized should be 5 or less years old. <ul style="list-style-type: none"> <li>Source(s) greater than 5 years old will not be accepted.</li> </ul> </li> <li>Professional writing style, grammar, and spelling was used in all narrative sections.</li> </ul> | <ul style="list-style-type: none"> <li>APA format was completed and appropriate.</li> <li>Grammar, spelling, and overall writing style were professional and without errors.</li> </ul>                                      | <ul style="list-style-type: none"> <li>APA format was used but not correct with 1-2 errors noted.</li> <li>1-2 grammar, spelling, or overall poor writing style was used.</li> <li>Content was difficult to understand.</li> </ul> | <ul style="list-style-type: none"> <li>No APA format or 3 or more errors noted.</li> <li>Source(s) utilized were greater than 5 years old.</li> <li>Grammar, spelling, or writing style did not demonstrate collegiate level writing with 3 or more errors noted</li> </ul> |          |

Instructor comments:

**TOTAL**  
**/100**