

CHAPTER 2: THE DRUG LABEL


Name: _____

Date: _____

Instructions: Read the drug labels and answer the corresponding questions. For all incorrect information, write the correct answer.



- a. The trade name is Hydromorphone HCL. YES/NO
- b. The dosage strength is 10 mg / mL. YES/NO
- c. The drug is a controlled substance. YES/NO
- d. Storage instructions are given. YES/NO
- e. The vial may only be used once. YES/NO



- a. The trade name is lincomycin. YES/NO
- b. The dosage strength is 300 mg / mL. YES/NO
- c. The total amount of drug is 1 mL. YES/NO
- d. Storage instructions are given. YES/NO
- e. This drug is administered subcut. YES/NO



- a. The generic name is glipizide. YES/NO
- b. The total quantity is 30 tablets. YES/NO
- c. The nurse needs to check the expiration date before administering. YES/NO
- d. The dosage strength is written 2.5 mg. YES/NO
- e. The route of administration is PO. YES/NO


4. 

Clindamycin Injection, USP
600 mg per 4 mL
(150 mg per mL)
 For IM or IV Use
 Dilute Before IV Use
 4 mL Single-Dose Vial

1009275
Sterile, Nonpyrogenic.
 Each mL contains: clindamycin phosphate equivalent to 30 mg of clindamycin. Also contains 0.5 mg sodium edetate and 9.45 mg benzyl alcohol as a preservative. Sodium hydroxide and/or hydrochloric acid may be added to adjust pH.
Usual Dosage: See package insert for dosage information.
Store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature.]
 Do not refrigerate.

Lot: Exp.:


a. Total amount in vial is 4 mL. YES/NO
 b. The dosage strength is 150 mg / mL. YES/NO
 c. The drug is in a multidose vial. YES/NO
 d. The drug is a controlled substance. YES/NO
 e. The route of administration is IM or IV. YES/NO

5. 

ALWAYS DISPENSE WITH ACCOMPANYING MEDICATION GUIDE
 NDC 0071-3740-66
Pfizer
Dilantin®
 (extended phenytoin sodium capsules, USP)
30 mg
 100 Capsules Rx only

Store at 20-25°C (68-77°F) [See USP Controlled Room Temperature]. Preserve in tight, light-resistant containers. Protect from moisture.
 Dispense in tight (USP), light-resistant, child-resistant containers.
Pediatric Dose - Initially, 5 mg/kg daily in two or three equally divided doses, with subsequent dosage individualized to a maximum of 300 mg daily. See package insert for complete prescribing information.
NOTE TO PHARMACISTS - Do not dispense capsules which are discolored.
 Each capsule contains 30 mg phenytoin sodium, USP.
 Distributed by Parke-Davis Division of Pfizer Inc, NY, NY 10017


a. The dosage strength of Dilantin is 30 mg / 100 capsules. YES/NO

6. 

Store in a dry place at 25° C (77° F); excursions permitted to 15° - 30° C (59° - 86° F) [see USP].
 Dispense in a well-closed container with a child-resistant closure.
DOSAGE AND USE:
 See accompanying prescribing information.
 Each tablet contains 750 mg metronidazole.
 819 632 201

30 Tablets Rx only
Flagyl® ER
 metronidazole extended release tablets
750 mg
 Distributed by **Pfizer** G.D. Searle LLC Division of Pfizer Inc, NY, NY 10017
 2300 EXP 6242605 LOT

a. The generic name is Flagyl ER. YES/NO
 b. The total quantity is 30 tablets. YES/NO
 c. Storage information is provided. YES/NO
 d. The tablets can be divided in half evenly. YES/NO
 e. The route of administration is PO. YES/NO

7. 

USUAL DOSAGE: See Package Insert for Complete Prescribing Information.
 Dispense in a tight, child-resistant container as defined in the USP/NF.
 Store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature.]
 PROTECT FROM MOISTURE.
 Distr. by: **West-Ward Pharmaceuticals Corp.**
 Eatontown, NJ 07724

NDC 0054-4742-25 100 Tablets
PrednisONE Tablets USP
2.5 mg
 Each tablet contains 2.5 mg prednisone USP.
 Rx only
WEST-WARD PHARMACEUTICALS

a. The drug name contains tall man lettering. YES/NO
 b. The dosage strength is 2.5 mg / tab. YES/NO
 c. The letters “USP” are part of the drug name. YES/NO

8.

Each scored tablet contains:
Digoxin, USP 0.25 mg

USUAL ADULT DOSAGE:
See accompanying product literature for complete information.

Store at 20° to 25°C (68° to 77°F) [See USP Controlled Room Temperature] in a dry place and protect from light.

Dispense in a light, light-resistant container as defined in the USP, using a child-resistant closure.

KEEP THIS AND ALL MEDICATION OUT OF THE REACH OF CHILDREN.

Distr. by: **West-Ward Pharmaceuticals Corp.**
Easton, NJ 07724

NDC 0143-1241-01

Digoxin
Tablets, USP

250 mcg (0.25 mg)

100 TABLETS
Rx Only

WEST-WARD
A HINNA COMPANY

- a. The label indicates that 250 mcg is equivalent to 0.25 mg. YES/NO
- b. This drug label identifies a boxed warning. YES/NO

9.

NDC 62037-571-01

500 mg

Metformin Hydrochloride
Extended-Release
Tablets, USP

Actavis

100 Tablets
Rx Only

Each Extended-Release Tablet Contains:
Metformin Hydrochloride, USP 500 mg

Dispense in a light-resistant container.

Usual Dosage: See enclosed package insert for dosage information.

Store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature.]

Manufactured by:
Watson Pharma Private Limited
Verna, Salcette Goa 403 722 INDIA

Distributed by:
Actavis Pharma, Inc.
Parsippany, NJ 07054 USA
Rev. 02/16

- a. The dosage strength is 571 mg per tablet. YES/NO
- b. The tablet may be chewed or crushed. YES/NO

10.

NDC 0703-9416-01 Rx only

Tobramycin
Injection USP

40 mg/mL

30 mL Multiple Dose Vial
For IM or IV
Dilute Before IV Use

Each mL contains: tobramycin sulfate equivalent to 40 mg tobramycin; phenol 5 mg; sodium metabisulfite 3.2 mg; edetate disodium 0.1 mg; water for injection qs; pH is adjusted with sulfuric acid and if necessary sodium hydroxide. pH: 3.0 to 6.5.

Usual Dosage: See Package Insert.

Store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature].

TEVA PHARMACEUTICALS USA, INC.
North Wales, PA 19454 Rev. A 6/2015

- a. The total amount in the vial is 30 mL. YES/NO
- b. The routes of administration include IM or IV. YES/NO