

Chapter 3

Multiple Choice Questions

3.1 Which of the following is NOT a scale of measurement?

- a. Nominal
- b. Ordinal
- c. Contemporary
- d. Interval
- e. Ratio

3.2 _____ data is categorical data.

- a. Nominal
- b. Ordinal
- c. Interval
- d. Ratio

3.3 Numbers on a football jersey are examples of _____ data.

- a. Nominal
- b. Ordinal
- c. Interval
- d. Ratio

3.4 _____ scales involve the rank order system.

- a. Nominal
- b. Ordinal
- c. Interval
- d. Ratio

3.5 First place, second place and third place finishes are examples of _____ data

- a. Nominal
- b. Ordinal
- c. Interval
- d. Ratio

3.6 A _____ scale is one in which equal differences in scores represent equal differences in amount of the property measured but with an arbitrary zero point.

- a. Nominal
- b. Ordinal
- c. Interval
- d. Ratio

3.7 Distance, weight and duration are all examples of _____ data

- a. Nominal
- b. Ordinal
- c. Interval
- d. Ratio

3.8 Which of the following is NOT a measure of central tendency:

- a. Mean
- b. Median
- c. Mode
- d. Range

3.9 The _____ is the mathematical average of the distribution of numbers.

- a. Mean
- b. Median
- c. Mode
- d. Range

3.10 The mean of the distribution 10, 5, 7, 3, and 5 is:

- a. 4
- b. 5
- c. 6
- d. 30

3.11 The _____ is greatly affected by extreme scores.

- a. Mean
- b. Median
- c. Mode
- d. All of the above are greatly affected by extreme scores

3.12 The _____ is the middle score in a distribution.

- a. Mean
- b. Median
- c. Mode
- d. Range

3.13 In the distribution 9,11,9,15 and 18, what is the median?

- a. 15
- b. 11
- c. 10.5
- d. 9

3.14 In the distribution 6, 8, 8, 10,11, 14, 17, the median is:

- a. 11
- b. 10
- c. 10.5
- d. 12

3.15 The _____ is less affected by extreme scores than the _____.

- a. Mean/median
- b. Median/mean
- c. Mean/mode
- d. Median/mode

3.16 The _____ is the number in the distribution that occurs most frequently.

- a. Mean
- b. Median
- c. Mode
- d. Range

3.17 In the distribution 9,11,9,15, and 20, what is the mode?

- a. 9
- b. 11
- c. 15
- d. 20

3.18 What is(are) the mode(s) in the following distribution? 9,12,9,12,13, and 20?

- a. 9
- b. 12
- c. 9 and 12
- d. 10.5

3.19 If in your distribution you have three or more modes, it is referred to as a

- a. Bimodal distribution
- b. Multimodal distribution
- c. Non-discriminatory distribution
- d. Truncated distribution

3.20 A _____ expresses how often a score occurs in a set of data.

- a. Frequency distribution
- b. Multimodal distribution
- c. Non-discriminatory distribution
- d. Truncated distribution

3.21 Which of the following is not normally a column when setting up a frequency distribution?

- a. Test Score
- b. Tally
- c. Frequency
- d. All of the above are normally columns used when setting up a frequency distribution

3.22 When setting up a frequency distribution it is very easy to calculate the _____ simply by inspection.

- a. Mean
- b. Standard deviation
- c. Mode(s)
- d. Variance

3.23 The _____ of a distribution is the difference between the high score and the low score in the distribution.

- a. Mean
- b. Median
- c. Mode
- d. Range

3.24 If we had a distribution of 9,11,13,18, and 50, what is the range?

- a. 41
- b. 51
- c. 59
- d. 20

3.25 For the following distribution, 30, 50, 45, 50, 25, 40, 10, 55, 65, 20, 60, 33, 45, 33, 20, the range is:

- a. 50
- b. 61
- c. 55
- d. 75

3.26 Which of the following is/are greatly affected by an extreme score?

- a. Mean
- b. Range
- c. Mean and Range
- d. Neither the mean nor the range

3.27 The _____ the spread, the _____ the variance.

- a. Greater/greater
- b. Greater/smaller
- c. Smaller/greater

3.28 In a distribution with a variance of 25, the standard deviation would be

- a. 25
- b. 12.5
- c. 5
- d. Cannot be determined

3.29 In a distribution with a variance of 49, the standard deviation would be

- a. 49
- b. 24.5
- c. 7
- d. Cannot be determined

3.30 In a distribution with a variance of 64, the standard deviation would be

- a. 64
- b. 32
- c. 8
- d. Cannot be determined

3.31 If the standard deviation of a distribution is 9, then the variance is

- a. 3
- b. 49
- c. 81
- d. 100

3.32 If the standard deviation of a distribution is 6, then the variance is

- a. 2.31
- b. 30
- c. 36
- d. 66

3.33 If the standard deviation of a distribution is 4, then the variance is

- a. 2
- b. 16
- c. 25
- d. 40

3.34 In a normal distribution with a mean of 90 and a standard deviation of 10, approximately what percentage of scores fall between 80 and 100?

- a. 13.5
- b. 34
- c. 68
- d. 95

3.35 In a normal distribution with a mean of 90 and a standard deviation of 10, approximately what percentage of scores fall between 80 and 90?

- a. 13.5
- b. 34
- c. 68
- d. 95

3.36 In a normal distribution with a mean of 90 and a standard deviation of 10, what percentage of scores fall between 80 and 110?

- a. 13.5
- b. 34
- c. 68
- d. 81.5

3.37 In a normal distribution with a mean of 90 and a standard deviation of 10, what percentage of scores fall between 100 and 110?

- a. 13.5
- b. 34
- c. 68
- d. 95

3.38 In a normal distribution with a mean of 50 and a standard deviation of 5, what percentage of scores fall between 45 and 55?

- a. 13.5
- b. 34
- c. 68
- d. 95

3.39 In a normal distribution with a mean of 50 and a standard deviation of 5, what percentage of scores fall between 55 and 60?

- a. 13.5
- b. 34
- c. 68
- d. 95

3.40 In a normal distribution with a mean of 50 and a standard deviation of 5, what percentage of scores fall between 55 and 65?

- a. 13.5
- b. 16
- c. 68
- d. 95

3.41 In a _____ skewed distribution the majority of scores fall below the mean.

- a. Positively
- b. Negatively
- c. Both positively and negatively
- d. Neither positively nor negatively

3.42 In a _____ skewed distribution the majority of scores fall above the mean.

- a. Positively
- b. Negatively
- c. Both positively and negatively
- d. Neither positively nor negatively

3.43 Correlations tell us the _____ between two variables.

- a. Range
- b. Standard deviation
- c. Variance
- d. Relationship

3.44 A _____ correlation has a direct relationship between the variables:

- a. Positive
- b. Negative
- c. Zero

3.45 A _____ correlation has an indirect relationship between the variables:

- a. Positive
- b. Negative
- c. Zero

3.46 A _____ correlation has no relationship between the variables:

- a. Positive
- b. Negative
- c. Zero

3.47 As X increases, Y increases is an example of a _____ correlation.

- a. Positive
- b. Negative
- c. Zero

3.48 As X increases, Y decreases is an example of a _____ correlation.

- a. Positive
- b. Negative
- c. Zero

3.49 Correlations range from _____:

- a. +1.00 to -1.00
- b. -2.00 to +2.00
- c. -3.00 to +3.00
- d. 0.00 to +1.00

3.50 Which of the following is the strongest correlation?

- a. +.50
- b. -.85
- c. +.71
- d. -.34

3.51 Which of the following is the weakest correlation?

- a. +.50
- b. -.85
- c. +.71
- d. -.34

3.52 Correlations _____ indicate a cause and effect.

- a. Always
- b. Sometimes
- c. Almost never
- d. Never