

Name _____


Date: _____

MAT110NA: College Algebra

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Determine whether the relation represents a function. If it is a function, state the domain and range.

1)



A) function

domain: {25, 50, 75, 100}

range: {5, 10, 15, 20}

B) function


domain: {5, 10, 15, 20}

range: {25, 50, 75, 100}

C) not a function

1) _____

2)



A) function

domain: {snake, cat, dog}

range: {Alice, Brad, Carl}

B) function

domain: {Alice, Brad, Carl}

range: {snake, cat, dog}

C) not a function

2) _____

3) $\{(-1, -7), (0, 5), (5, 0), (8, -2)\}$

A) function

domain: $\{-1, 0, 5, 8\}$

range: $\{-7, 5, 0, -2\}$

B) function

domain: $\{-7, 5, 0, -2\}$

range: $\{-1, 0, 5, 8\}$

C) not a function

3) _____

4) $\{(41, -3), (5, -2), (5, 0), (9, 2), (21, 4)\}$

A) function

domain: $\{41, 9, 5, 21\}$

range: $\{-3, -2, 0, 2, 4\}$

B) function

domain: $\{-3, -2, 0, 2, 4\}$

range: $\{41, 9, 5, 21\}$

C) not a function

4) _____

Determine whether the equation defines y as a function of x .

5) $y = |x|$

A) function

B) not a function

5) _____

Find the value for the function.

6) Find $f(-1)$ when $f(x) = x^2 + 2x + 5$.

A) 4

B) 8

C) -6

D) -2

6) _____

7) Find $f(2)$ when $f(x) = \frac{x^2 - 4}{x + 1}$. 7) _____

A) 0

B) $\frac{4}{3}$

C) $\frac{8}{3}$

D) -2

8) Find $f(-9)$ when $f(x) = |x| - 6$. 8) _____

A) -3

B) 3

C) -15

D) 15

For the given functions f and g , find the requested function and state its domain.

9) $f(x) = 2 - 7x$; $g(x) = -5x + 7$ 9) _____

Find $f + g$.

A) $(f + g)(x) = -3x$; all real numbers

B) $(f + g)(x) = -12x + 9$; all real numbers

C) $(f + g)(x) = -5x + 2$; $\{x \mid x \neq \frac{2}{5}\}$

D) $(f + g)(x) = -2x + 9$; $\{x \mid x \neq -\frac{9}{2}\}$

10) $f(x) = 8x - 2$; $g(x) = 4x - 8$ 10) _____

Find $f - g$.

A) $(f - g)(x) = 4x + 6$; all real numbers

B) $(f - g)(x) = 4x - 10$; $\{x \mid x \neq \frac{5}{2}\}$

C) $(f - g)(x) = -4x - 6$; all real numbers

D) $(f - g)(x) = 12x - 10$; $\{x \mid x \neq 1\}$

11) $f(x) = 2x + 2$; $g(x) = 5x - 1$ 11) _____

Find $f \cdot g$.

A) $(f \cdot g)(x) = 10x^2 + 9x - 2$; $\{x \mid x \neq -2\}$

B) $(f \cdot g)(x) = 10x^2 - 2$; $\{x \mid x \neq -2\}$

C) $(f \cdot g)(x) = 7x^2 + 8x + 1$; all real numbers

D) $(f \cdot g)(x) = 10x^2 + 8x - 2$; all real numbers

12) $f(x) = 5x + 1$; $g(x) = 3x - 5$ 12) _____

Find $\frac{f}{g}$.

A) $\left(\frac{f}{g}\right)(x) = \frac{5x + 1}{3x - 5}$; $\left\{x \mid x \neq -\frac{1}{5}\right\}$


B) $\left(\frac{f}{g}\right)(x) = \frac{3x - 5}{5x + 1}$; $\left\{x \mid x \neq -\frac{1}{5}\right\}$

C) $\left(\frac{f}{g}\right)(x) = \frac{5x + 1}{3x - 5}$; $\left\{x \mid x \neq \frac{5}{3}\right\}$

D) $\left(\frac{f}{g}\right)(x) = \frac{3x - 5}{5x + 1}$; $\left\{x \mid x \neq \frac{5}{3}\right\}$

The graph of a function is given. Decide whether it is even, odd, or neither.

13)




A) even

B) odd

C) neither

13) _____

14)




A) even

B) odd

C) neither

14) _____

15)



A) even

B) odd

C) neither

15) _____

For the given functions f and g , find the requested composite function value.

16) $f(x) = \sqrt{x+2}$, $g(x) = 2x$; Find $(f \circ g)(1)$.

A) $2\sqrt{6}$

B) $\sqrt{6}$

C) $2\sqrt{3}$

D) 2

16) _____

- 17) $f(x) = 4x + 4$, $g(x) = 4x^2 + 3$; Find $(f \circ f)(2)$.
 A) 80 B) 579 C) 52 D) 1447 17) _____
- 18) $f(x) = 4x + 6$, $g(x) = 4x^2 + 1$; Find $(f \circ g)(4)$.
 A) 266 B) 94 C) 1937 D) 16,901 18) _____
- 19) $f(x) = |7x^2 - 7x|$, $g(x) = 17x - 10$; Find $(f \circ g)(12)$.
 A) 15,698 B) 179,256 C) 262,094 D) 246,396 19) _____
- 20) $f(x) = 5x + 5$, $g(x) = -1/x$; Find $(g \circ f)(3)$.
 A) $-\frac{20}{3}$ B) $\frac{59}{3}$ C) $\frac{10}{3}$ D) $-\frac{1}{20}$ 20) _____

The function f is one-to-one. Find its inverse.

- 21) $f(x) = x^3 - 3$ 21) _____
 A) $f^{-1}(x) = \sqrt[3]{x} - 3$ B) $f^{-1}(x) = \sqrt[3]{x + 3}$ C) $f^{-1}(x) = \sqrt[3]{x} + 3$ D) $f^{-1}(x) = \sqrt[3]{x - 3}$
- 22) $f(x) = \frac{7x + 5}{8}$ 22) _____
 A) $f^{-1}(x) = \frac{8}{7x + 5}$ B) $f^{-1}(x) = \frac{8}{7x - 5}$ C) $f^{-1}(x) = \frac{8x + 5}{7}$ D) $f^{-1}(x) = \frac{8x - 5}{7}$
- 23) $f(x) = \frac{4}{7x + 3}$ 23) _____
 A) $f^{-1}(x) = \frac{7x + 3}{4}$ B) $f^{-1}(x) = \frac{3x - 4}{7x}$ C) $f^{-1}(x) = \frac{4 - 3x}{7x}$ D) $f^{-1}(x) = \frac{4 - 3y}{7y}$
- 24) $f(x) = \frac{7}{x + 7}$ 24) _____
 A) $f^{-1}(x) = \frac{7 + 7x}{x}$ B) $f^{-1}(x) = \frac{7 + 7x^2}{x}$
 C) $f^{-1}(x) = \frac{x}{7 + 7x}$ D) $f^{-1}(x) = \frac{-7x + 7}{x}$
- 25) $f(x) = (x - 5)^3$ 25) _____
 A) $f^{-1}(x) = \sqrt[3]{x} - 5$ B) $f^{-1}(x) = \sqrt{x} + 5$
 C) $f^{-1}(x) = \sqrt[3]{x} + 5$ D) $f^{-1}(x) = \sqrt[3]{x} + 125$