



# FETAL ASSESSMENT DURING LABOR

---

---

---

---

---

---

---

---

## AUSCULTATION AND PALPATION: AUSCULTATION EQUIPMENT

- Fetoscope
  - Reliable for detecting fetal dysrhythmias
- Doppler ultrasound transducer
  - Detect baseline, rhythm, and changes in the baseline.
  - Cannot be used to reliably detect dysrhythmias

Copyright © 2014, 2010, 2006, 2002, 1996, 1994, by Saunders, an imprint of Elsevier Inc.




---

---

---

---

---

---

---

---

## INTRAPARTUM FETAL ASSESSMENTS

- Electronic Monitoring
  - External monitoring
    - Ultrasound transducer
    - Tocotransducer
  - Internal monitoring
    - Fetal scalp electrode
    - Intrauterine Pressure Catheter (IUPC)




---

---

---


---

---

---

---

---




---

---

---


---

---

---

---

---




---

---

---


---

---

---

---

---



Copyright © 2014, 2010, 2006, 2002, 1998, 1994, by Saunders, an imprint of Elsevier Inc.

---

---

---

---

---

---

---

---

ROP




Illustration by Saunders and Elsevier © 2006, 2002, 1998, 1994 by Saunders, Inc.  
Copyright © 2014, 2010, 2006, 2002, 1998, 1994, by Saunders, an imprint of Elsevier Inc.

1

---

---

---

---

---

---

---

---

LOP



Illustration by Saunders and Elsevier © 2006, 2002, 1998, 1994 by Saunders, Inc.  
Copyright © 2014, 2010, 2006, 2002, 1998, 1994, by Saunders, an imprint of Elsevier Inc.

2

---

---

---

---

---

---

---

---

ROP




Illustration by Saunders and Elsevier © 2006, 2002, 1998, 1994 by Saunders, Inc.  
Copyright © 2014, 2010, 2006, 2002, 1998, 1994, by Saunders, an imprint of Elsevier Inc.

3

---

---

---

---

---

---

---

---

LSA



Illustration from *Textbook of Obstetrics* © 2008, 2002, 1998, 1984 by Elsevier Inc.  
Copyright © 2014, 2010, 2006, 2002, 1998, 1994, by Saunders, an imprint of Elsevier Inc.

01

---

---

---

---

---

---

---

---

RSA




Illustration from *Textbook of Obstetrics* © 2008, 2002, 1998, 1984 by Elsevier Inc.  
Copyright © 2014, 2010, 2006, 2002, 1998, 1994, by Saunders, an imprint of Elsevier Inc.

11

---

---

---

---


---

---

---

---

### Continuous Electronic Fetal Monitoring



Wolters Kluwer

Copyright © 2021 Wolters Kluwer - All Rights Reserved

---

---

---

---

---

---

---

---

### Criteria for Using Continuous Internal Monitoring of the FHR

- ❖ Ruptured membranes
- ❖ Cervical dilation of at least 2 cm
- ❖ Present fetal part low enough to allow placement of the scalp electrode
- ❖ Skilled practitioner available to insert spiral electrode (Murray et al., 2019).

Wolters Kluwer

Copyright © 2021 Wolters Kluwer • All Rights Reserved

---

---

---


---

---

---

---

---



Copyright © 2014, 2010, 2006, 2002, 1998, 1994, by Saunders, an imprint of Elsevier Inc.

---

---

---

---

---

---

---

---

### FETAL HEART RATE INTERPRETATION

- FHR
  - Baseline
    - Normal
    - Bradycardia
    - Tachycardia
  - Variability
    - Classifications
    - Factors that decrease variability
  - Accelerations
  - Decelerations
    - Early (head compression)
    - Late (uteroplacental insufficiency)
    - Variable (cord compression)



---

---

---

---

---

---

---

---

### Four Categories of Baseline Variability

- ❖ Absent: fluctuation range undetectable
- ❖ Minimal: fluctuation range observed at <5 bpm
- ❖ Moderate: (normal) fluctuation range from 6 to 25 bpm
- ❖ Marked: fluctuation range >25 bpm
- ❖ Periodic baseline changes:
  - Accelerations, decelerations



Copyright © 2021 Wolters Kluwer - All Rights Reserved

---

---

---

---

---

---

---

---

### FHR DECELERATION INTERPRETATION

- Variable Decelerations → Cord compression
- Early Deceleration → Head compression
- Acceleration → O
- Late Decelerations → Placental Insufficiency




---

---

---

---

---

---

---

---

### UTERINE CONTRACTIONS

- Frequency
- Duration
- Intensity
- Resting interval
- Resting tone




---

---

---

---


---

---

---

---






---

---

---


---

---

---

---

---




---

---

---

---

---

---

---

---

### SIGNIFICANCE OF FHR PATTERNS

- Category 1 (reassuring)
- Category 2 indeterminate
- Category 3 abnormal (nonreassuring)
  - Clarification of data
  - Vibroacoustic stimulation
  - Fetal scalp stimulation
  - Fetal scalp blood sample
  - Fetal oxygen saturation monitor
  - Cord blood gasses and pH

Copyright © 2014, 2010, 2006, 2002, 1998, 1994, by Saunders, an imprint of Elsevier Inc.

---

---

---

---

---

---

---

---



## Interventions for Category III Patterns

### BOX 14.1 Interventions for Category III Patterns

- Notify the health care provider about the pattern and obtain further orders, making sure to document all interventions and their effects on the FHR pattern.
- Discontinue oxytocin or other uterine agent as dictated by the facility's protocol if it is being administered.
- Turn the client on her left or right lateral, knee-chest, or hands and knees to increase placental perfusion or relieve cord compression.
- Administer oxygen via nonrebreather face mask to increase fetal oxygenation.
- Increase the IV fluid rate to improve intravascular volume and correct maternal hypotension.
- Assess the client for any underlying contributing causes.
- Provide reassurance that interventions are to effect pattern change.
- Modify pushing in the second stage of labor to improve fetal oxygenation.
- Document any and all interventions and any changes in FHR patterns.
- Prepare for an expeditious surgical birth if the pattern is not corrected in 30 minutes.

King, T. L., Brucker, M. C., Jewett, C., & Osborne, K. (2019). *Wiley's midwifery* (8th ed.). Jones & Bartlett Learning. Murray, M. L., Hallmann, G., & Kopsari, N. (2019). *Essentials of fetal and uterine monitoring* (5th ed.). Springer Publishing Company. and Resnik, R., Lockwood, C. J., Moore, T. R., Greene, M. F., Copel, J. A., & Silver, R. M. (2019). *Crossley & Resnik's Maternal-fetal Medicine: Principles and practice* (8th ed.). Elsevier.

---

---

---

---

---

---

---

---

---

---