

DRUG CARD TEMPLATE:

Cetirizine /Allacan, Benadryl Allergy	
Classification	Indication:
antihistamine	treating seasonal allergies in adults and children two years and older.
Side effects/ adverse reactions:	Nursing Considerations:
<ul style="list-style-type: none"> ● headaches. ● dry mouth. ● feeling sick (nausea) ● feeling dizzy. ● diarrhoea. ● sore throat. ● sneezing or blocked and runny nose. 	<p>- Assess respiratory status, such as wheeze or tightness of the chest. - Cetirizine is good at reducing rhinorrhoea and sneezing, but less effective at reducing nasal congestion. - Other products such as eye drops and inhalers may be required to control severe hay fever.</p>

DRUG CARD TEMPLATE:

Montelukast /Singulair	
Classification:	Indication:
leukotriene receptor antagonists (LTRAs).	to prevent wheezing, difficulty breathing, chest tightness, and coughing caused by asthma in adults and children 12 months of age and older.

Side effects/ adverse reactions:	Nursing Considerations:
upper respiratory infection, fever, headache, sore throat, cough, stomach pain, diarrhea, earache or ear infection, flu, runny nose, and sinus infection.	Patients should be instructed to take medications at the same time each day and at least two hours prior to exercise.

DRUG CARD TEMPLATE:

Fluticasone Propionate /Flovent and Flonase	
Classification:	Indication:
corticosteroids	an inhaler for the treatment and management of asthma by prophylaxis Labelas well as inflammatory and pruritic dermatoses
Side effects/ adverse reactions:	Nursing Considerations:
darkening of the skin, diarrhea, dizziness, fainting, loss of appetite, mental depression, nausea, skin rash, unusual tiredness or weakness, or vomiting.	Fluticasone inhalation is not a rescue medicine for asthma attacks. Use only fast-acting inhalation medicine for an attack. Seek medical attention if your breathing problems get worse quickly, or if you think your asthma medications are not working as well.