

DRUG CARD TEMPLATE:

Ipratropium /Atrovent HFA	
Classification	Indication:
bronchodilators.	symptoms of lung diseases asthma, chronic bronchitis, and emphysema.
Side effects/ adverse reactions:	Nursing Considerations:
<ul style="list-style-type: none"> ● Bladder pain. ● bloody or cloudy urine. ● cough producing mucus. ● difficult, burning, or painful urination. ● difficulty with breathing. ● frequent urge to urinate. ● shortness of breath. ● wheezing. 	<ul style="list-style-type: none"> ● Protect solution for inhalation from light. ... ● Use a nebulizer mouthpiece instead of a face mask to avoid blurred vision or aggravation of narrow-angle glaucoma. ● Can mix albuterol in a nebulizer for up to 1 hr. ● Ensure adequate hydration, control environmental temperature to prevent hyperpyrexia.

DRUG CARD TEMPLATE:

Diphenhydramine /Benadryl	
Classification:	Indication:
antihistamines.	temporarily relieve symptoms due to hay fever, upper respiratory allergies, or the common cold, such as runny nose and sneezing.
Side effects/ adverse reactions:	Nursing Considerations:
upper respiratory infection, fever, headache, sore throat, cough, stomach pain, diarrhea, earache or ear infection, flu, runny nose, and sinus infection.	Patients should be instructed to take medications at the same time each day and at least two hours prior to exercise.

DRUG CARD TEMPLATE:

Guaifenesin / Mucinex, Bidex 400, and Organidin NR.	
Classification:	Indication:
expectorants	
Side effects/ adverse reactions:	Nursing Considerations:

- Diarrhea.
- headache.
- nausea or vomiting.
- skin rash.
- stomach pain.

Caution the patient not to use these drugs for longer than 1 week and to seek medical attention if the cough persists after that time to evaluate for any underlying medical condition and to arrange for appropriate treatment