

Week 6

Quantitative Research Design

PowerPoint presentation developed by:

Allen Rubin, Sarah E. Bledsoe, Lin Fang & E. Roberto Orellana

Overview

- Types of Quantitative Research Design
- Criteria for Inferring Causality
- Internal and External Validity
- Non- Experimental Design
- Pre-Experimental Pilot Studies
- Quasi-Experimental Designs
- Experimental Designs

What is Quantitative Research?

- Quantitative research is a systematic and scientific **investigation of data and their relationships**. (Cohen, Manion & Morrison, 2004)
- Main goal of quantitative study is prediction- correlation or causality
- Objectives are developing and employing mathematical models, theories and hypotheses pertaining to phenomena.

Types of Research Design by Purposes

Non-Experimental (Survey or observational Research)

Exploratory

- **Explore** a problem that has not been studied clearly; mainly qualitative research (focus group, case studies) and pilot studies

Descriptive

- **Describe** phenomenon and characteristics of a population; does not show a causal relationship
- Quantitative research (frequencies, averages, etc.)
Qualitative research (description)

Explanatory (Association)

- **Examine** the mechanisms of the relationship between IV and DV; Seeks to identify cause-and-effect relationships, but **association**; Mostly Quantitative

Experimental

True (Classical) Experimental

- Find **causal relationship**; Experimental condition with Random assignment and a control group (s); Classical experimental include everything + pre-post tests

Quasi-Experimental

- Experimental condition and have only one of the following: random assignment or control group


Pre-Experimental

- Experimental condition but non-randomized studies and no control group

Discuss

- 1) How do we decide what to use for our quantitative research?
- 2) When should we go for descriptive research?
- 3) When do we go for correlational research?
- 4) When do we conduct causal-comparative research?
- 5) When do we go for quasi-experimental research?
- 6) When do we go for experimental research?

How to Choose Research Design



Criteria for Inferring Causality

- 1) Cause (independent variable) must precede the effect (dependent variable) in time
- 2) The two variables are empirically correlated with one another
- 3) The observed empirical correlation between the two variables can not be due to the influence of a third variable that causes the two under consideration

The comprehensive health care reform law was enacted in March 2010. Shortly thereafter the number of using preventive medical services increased. We can conclude that

- a. the health care reform caused an increase in using preventive medical services.
- b. the health care reform may have caused an increase in using preventive medical services.
- c. the health care reform and using preventive medical services are causally related.
- d. the health care reform had nothing to do with using preventive medical services.

Terms- Randomization

- Controls for *selection bias* in experimental designs
- Participants are divided into groups using procedures based on probability theory
- Decrease the likelihood that other factors influence the results of the study (e.g., select only clients who are active and strong therapeutic alliance with social workers)

Terms- Control Groups

- Used in experimental design
- Often, control groups receive usual care in place of the experimental intervention
 - Compares experimental intervention to treatment as usual
- Ethical considerations require that services be provided to many control groups

Terms- Validity of Study

- Internal and external validity are concepts that reflect whether or not the results of a study are trustworthy and meaningful.
 - 1) Internal validity refers to the extent to which the observed results represent the truth in the population we are studying and, thus, are not due to methodological errors.
 - 2) External validity refers to how well the outcome of a study can be expected to apply to other people in a different setting. In other words, this type of validity refers to how generalizable the findings are.

Increasing Validity

- You can increase the validity of a study by **controlling more variables, improving measurement techniques, conducting random (probability) sampling, using a larger sample, increasing randomization to reduce sample bias, repeating the same research, and yielding the same results, and, for experimental design, adding control or placebo groups.**

Increasing Validity

	Quantitative	Qualitative
Internal Validity	<ul style="list-style-type: none">• Controlled experiment• Shown mathematically P value• Use the valid and reliable measure	<ul style="list-style-type: none">• Triangulation of Data• Member checking• Peer debriefing• Reflection with Filed notes, protocol, memo• Saturation• Thick description
External Validity	Generalizable <ul style="list-style-type: none">•Lager sample size•Random sampling•Multisite sampling	Not focusing on generalizability <ul style="list-style-type: none">•Purposive or stratified sampling

I. Non-Experimental Design

Exploratory Research Design

Purposes

- 1) Formulate a problem or define a problem more precisely
- 2) Develop hypothesis
- 3) Gain insights for developing an approach to the problem
- 4) Establish priorities for further research

Methods

- 1) Survey of Experts
- 2) Pilot Surveys
- 3) Secondary Data Analysis
- 4) Qualitative Research

Exploratory Research Design

- Topic- Increased rate of charity and crime rate in a community
Can be answered by both exploratory and explanatory designs.
- Exploratory Research Question: How the increased rate of charity affects the crime rate in the community?; What is the effect of the increased rate of charity on crime rate?
- Explanatory Research Question: Is there an association between the rate of charity and crime rate in the community?; What is the effect of the increased rate of charity on crime rate? Why x affect y?
- Difference- Exploratory design may use observations, secondary data, and/or open-ended questions to understand subjects and phenomena for **future research** because this is a relatively new topic, while explanatory may use valid and reliable variables selected based on previous studies

Descriptive Research Design

No testable variables and hypotheses, but rather describing a situation that has not been described before.

Purposes


1) Describe the characteristics of relevant groups

2) Conduct comparison = **somewhat show associations between two factors**. For example, we can estimate the percentage of units in a certain group with a distinctive behavior.

Question:	What proportion of Alliance University male and female students use the top 5 social networks?
Variable:	Use of top 5 social networks (i.e., Facebook, MySpace, Twitter, LinkedIn, and Classmates)
Group:	1. Male, Nyack College students 2. Female, Nyack College students

Methods- Survey, Observation, Interviews, Portfolios

Figure 1: for Health Status in Comparison between People with Mental Illness (MI) and without Mental Illness (MI)



Example of descriptive research

- To describe what factors **may** contribute to homelessness in NY, research staff conducted a survey in two homeless shelters to collect data. Based on the literature review, the survey included the history of domestic violence, mental illness, substance use, income, and housing status before being homeless, etc.

Explanatory Research Design

Purposes

- 1) Determine the degree to which two variables are associated
- 2) Determine what factors affect a problem by assessing the impact of factors on DV.
- 3) With longitudinal data, examine causation between two variables


Methods

- 1) Survey
- 2) Secondary analysis
- 3) Interviews
- 4) Case analysis
- 5) Observation


- Finding a Causal relationship of two variables depends on the type of data

Example of Explanatory Research Design

- Adolescent pregnancy has been an epidemic plague recently. Previous research indicated that ineffective parent-teen communication was found among adolescents who had given birth. The purpose of this correlational study will assess the relationship between parent-teen communication and reproductive health behaviors. For this study, reproductive health behavior measure (DV) and parent-teen communication measure (IV) were used, while other socio-demographic factors (i.e., race, etc.) were controlled. The study sample will be collected from two local high schools in Bergen County, NJ.
- Hypothesis- If parent-teen communication is effective, risky reproductive health behaviors will decrease.



$$y_i = \beta_0 + \beta_1 x_{i,1} + \beta_2 x_{i,2} + \dots + \beta_k x_{i,k} + \epsilon_i.$$




Explanatory Research design

- Life satisfaction declines in middle age. In the US, two cultural characteristics (collectivistic culture and individualistic culture) are common. The purpose of this study is to examine the impact of cultural differences on life satisfaction among middle-aged people. This study will conduct a survey that includes cultural variations and life satisfaction. An independent t-test will be conducted to investigate whether there are differences in life satisfaction across cultures (collectivistic culture VS. Individualistic Culture).
- Research question- Is life satisfaction vary across cultural characteristics?
- Hypothesis- There are differences in life satisfaction scores between the two groups.

Explanatory research

- During this critical period of development and adolescent research suicide remains a major public health problem in the US. Experience of school bullying can cause trauma, which in turn increase suicide ideation among adolescents. The purpose of this research is examining relationships among school bullying, depression and suicide ideation. For this study, experience of school bullying (IV), depression level (MV) and suicidal ideation (DV) were identified as variables. A mediation analysis will be conducted to find a mediation effect of depression level between school bullying and suicide ideation.
- Hypothesis- The relationship between IV and DV is mediated by the levels of depression among adolescents.



https://www.researchgate.net/figure/Mediational-model-for-study-of-the-relationship-between-cyberbullying-and-school-bullying_fig5_264389671

II. Experimental Design

Pre-experimental design	Quasi-experimental design	True (classical) experimental design
<ul style="list-style-type: none"> • One shot case design • One group pretest-post test design • Time series design 	<ul style="list-style-type: none"> • One shot case design • One group pretest-post test design • Time series design 	<ul style="list-style-type: none"> • Nonequivalent comparison groups design • Post-test only control design • Pre-test post-test control group design= classical experimental design • Solomon four-group design • Alternative Treatment Design with Pretest • Dismantling studies
<p><u>Features</u></p> <ul style="list-style-type: none"> • Manipulation of independent variables • Limited control over the extraneous variable • No randomization and control group 	<p><u>Features</u></p> <ul style="list-style-type: none"> • Manipulation of independent variables • Absence of either randomization or control group 	<p><u>Features</u></p> <ul style="list-style-type: none"> • Manipulation of independent variables • Presence of both randomization and control group

Pre-experimental design

- Very limited degree of internal validity
- Exploratory or descriptive purposes, such as:
 - To generate tentative exploratory or descriptive information regarding a new intervention about which little is known
 - To learn whether it is feasible to provide the new intervention as intended
 - To identify obstacles in carrying out methodological aspects of a more internally valid design that is planned for the future
 - To see if the hypothesis for a more rigorous study remains plausible based on the pilot study results

Quasi-experimental Designs

- Designs that attempt to control for threats to internal validity and thus permit causal inferences but are distinguished from true experiments primarily by the lack of random assignment of subjects
- Useful when it is not feasible to obtain a control group
- When conducted properly can obtain a reasonable degree of internal validity


True Experimental Designs

- Best causal evidence comes from designs with strong internal validity
- Experimental designs provide maximum control for threats to internal validity

Experimental Design Example

- CBT is a well-known EBP for the treatment of anxiety. Especially youths who experience **school bullying** suffer from symptoms of anxiety. A previous study indicated that CBT could be effective for adolescents who suffer from an anxiety disorder. 35 youths who recently experience school bullying were referred to the local agency. Agency will provide CBT for these youths. The purpose of this study is to examine the effectiveness of CBT for youths who experience school bullying. A researcher will conduct pre- & post-test (paired samples t-test) to examine the effectiveness of CBT by measuring the anxiety level of youths.
- Hypothesis- The level of anxiety has decreased 4 months after CBT is provided.

Diagram of a Basic Experimental Design



R O₁ X O₂
R O₁ O₂

One Group Pretest-posttest Design

THE ONE-GROUP PRETEST-POSTTEST DESIGN

Measure the dependent variable in a single group, administer the experimental stimulus, and then remeasure the dependent variable. Compare pretest and posttest results.



01


X

02

Establishes correlation and time order but does not account for factors other than the independent variable that might cause change in the dependent variable

Posttest Only Design with Nonequivalent Groups

Administer the experimental stimulus to one group (the experimental group), then measure the dependent variable in both the experimental group and a comparison group.



X

O

O

Can not infer that any difference between the two groups was caused by the intervention

Time-Series Designs (Single Subject Research Design)

- A simple interrupted time-series design attempts to develop causal inferences based on a comparison of trends over multiple measurements before and after an intervention is introduced and requires no comparison group

O_1 O_2 O_3 O_4 O_5 X O_6 O_7 O_8 O_9 O_{10}

- A multiple time series design- add a comparison group to the simple interrupted time-series designs

O_1 O_2 O_3 O_4 O_5 X O_6 O_7 O_8 O_9 O_{10}
 O_1 O_2 O_3 O_4 O_5 O_6 O_7 O_8 O_9 O_{10}


Single Subject Research (Evaluation) Design (SSRD)

- Also known as Single case, single-subject designs, or *N*-or-1 designs
- “SSRDs... are research formats that permit uncontrolled program evaluation and controlled experiments with only one subject, one group, or one system” (Wong, 2015)
- “SSRD refers to the repeated collection of information on a single client or client system over a period of time in a planned systematic fashion” (Campbell, 1992, p.336)

What are Single System Research Designs (SSRD)?

- May be used to evaluate individuals, group work, or communities (micro, mezzo or macro)
- Contain both quantitative and qualitative aspects
- Quantitative- Usually quantitative measurement; presentation of SSRD data as simple line graphs; no inferential statistics
- Qualitative – Using only outcome measures (Narratives) with sufficient reliability and validity; can use simple dichotomous measures (e.g. school attendance, urine test, etc.); can make visual inference from line graphs

Example of Time-series design



- **Intervention:**
Course to change students' study habits, implemented during the summer (after semester 4).
- **DV: semester GPA**

POSTTEST-ONLY CONTROL GROUP DESIGN

- $R \quad X \quad O$
- $R \quad O$


- Avoids testing/retesting impact
- Pre-testing not possible in some experiments
- Assumes that the process of random assignment removes any significant initial differences between experimental and control groups

Nonequivalent Comparison Groups Designs

- Two existing groups that appear to be similar are identified or created
- The dependent variable is assessed before and after an intervention is introduced to one of the groups
- Comparison group does not receive the intervention



Example of Nonequivalent Comparison Control Designs



- **Intervention: critical thinking seminar**
- **Research Methods students receive the intervention (i.e., participate in the critical thinking seminar)**
- **Developmental Psychology students are used as a nonequivalent control group (i.e., do not attend the seminar)**

Pretest-Posttest Control Group Design

- R $O1$ X $O2$
- R $O1$ $O2$

- Does not control for possible impact of testing and retesting

Solomon Four-Group Design

- R $O1$ X $O2$
 - R $O1$ $O2$
 - R X $O2$
 - R $O2$
-
- Assesses amount of pretest-posttest change while checking for testing effects

Alternative Treatment Design with Pretest

- R $O1$ XA $O2$
- R $O1$ XB $O2$
- R $O1$ $O2$

- If the first two rows both show approximately the same amounts of improvement, and both amounts are more than in the third row, that would indicate that both treatments are approximately equally effective. But if the third row shows the same degree of improvement as in the first two rows, then neither treatment would appear to be effective. Instead, we would attribute the improvement in all three rows to an alternative explanation such as history or the passage of time.
- Some experiments use the first two rows of this design but not the third row. They compare the two treatments to each other but not to a control group. They can have conclusive, valid findings if one group improves significantly more than the other. But suppose they both have roughly the same amount of improvement. The temptation would be to call them equally effective. However, with no control group, we cannot rule out threats to internal validity, such as history or the passage of time, as alternative explanations of the improvement in both groups

Dismantling Studies

- R $O1$ XAB $O2$
- R $O1$ XA $O2$
- R $O1$ XB $O2$
- R $O1$ $O2$

- Shows not only whether an intervention is effective, but also which components of the intervention may or may not be necessary to achieve its effects.