

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Attitude Toward Tobacco	20	100.0%	0	0.0%	20	100.0%
Number of Cigarettes Smoked	20	100.0%	0	0.0%	20	100.0%

Descriptives


		Statistic	Std. Error	
Attitude Toward Tobacco	Mean	5.3000	.54338	
	95% Confidence Interval for Mean	Lower Bound	4.1627	
		Upper Bound	6.4373	
	5% Trimmed Mean	5.3333		
	Median	5.5000		
	Variance	5.905		
	Std. Deviation	2.43007		
	Minimum	1.00		
	Maximum	9.00		
	Range	8.00		
	Interquartile Range	4.50		
	Skewness	-.340	.512	
	Kurtosis	-.885	.992	
Number of Cigarettes Smoked	Mean	20.5000	3.42014	
	95% Confidence Interval for Mean	Lower Bound	13.3416	
		Upper Bound	27.6584	
	5% Trimmed Mean	18.8889		
	Median	15.5000		
	Variance	233.947		
	Std. Deviation	15.29534		
	Minimum	8.00		
	Maximum	62.00		
	Range	54.00		
	Interquartile Range	10.25		
	Skewness	1.860	.512	
	Kurtosis	2.574	.992	

Attitude Toward Tobacco

Attitude Toward Tobacco Stem-and-Leaf Plot

Frequency	Stem & Leaf
2.00	0. 11
3.00	0. 233
5.00	0. 44555
5.00	0. 66677
5.00	0. 88889

Stem width: 10.00
Each leaf: 1 case(s)




Number of Cigarettes Smoked

Number of Cigarettes Smoked Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00	0. 888
4.00	1. 0024
7.00	1. 5556678
2.00	2. 01
1.00	2. 5
3.00	Extremes (>=48)

Stem width: 10.00
Each leaf: 1 case(s)



Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Hours Using Internet	20	100.0%	0	0.0%	20	100.0%
Attitude Toward Internet	20	100.0%	0	0.0%	20	100.0%

Descriptives

		Statistic	Std. Error	
Hours Using Internet	Mean	5.7500	2.08109	
	95% Confidence Interval for Mean	Lower Bound	1.3942	
		Upper Bound	10.1058	
	5% Trimmed Mean	4.5556		
	Median	2.5000		
	Variance	86.618		
	Std. Deviation	9.30690		
	Minimum	.00		
	Maximum	33.00		
	Range	33.00		
	Interquartile Range	3.00		
	Skewness	2.206	.512	
	Kurtosis	3.823	.992	
Attitude Toward Internet	Mean	5.4000	.48341	
	95% Confidence Interval for Mean	Lower Bound	4.3882	
		Upper Bound	6.4118	
	5% Trimmed Mean	5.3889		
	Median	5.5000		
	Variance	4.674		
	Std. Deviation	2.16187		
	Minimum	1.00		
	Maximum	10.00		
	Range	9.00		
	Interquartile Range	3.00		
	Skewness	.151	.512	
	Kurtosis	.193	.992	


Hours Using Internet

Hours Using Internet Stem-and-Leaf Plot

Frequency	Stem & Leaf
3.00	0. 000
4.00	1. 0000
3.00	2. 000
4.00	3. 0000
2.00	4. 00

1.00 5. 0
 3.00 Extremes (>=22.0)

Stem width: 1.00
 Each leaf: 1 case(s)




Attitude Toward Internet

Attitude Toward Internet Stem-and-Leaf Plot

Frequency	Stem & Leaf
7.00	0. 1333444
12.00	0. 555666677779
1.00	1. 0

Stem width: 10.00
 Each leaf: 1 case(s)



4A - 5.7500

B - 2.500

C - Median

D - The median can better reflect the average score in a distribution when there is a highly skewed (Mdn=2.500)

E - 5.400

F - 5.5000

G - Mean

H - The distribution is not highly skewed; the mean is preferred for describing the average of a distribution. Attitude toward the internet for 20 students who were starting to stop using the internet was measured on a reporting scale with possible scores from 0 to 10. The mean was 5.40.