

Mouth (lip, mucous membranes, tongue, palate): normal abnormal
 Neck (ROM, symmetry): normal abnormal

Chest- Respiratory/ Cardiovascular
 Appearance (shape, breasts, nipples): normal breast buds 1cm
 Breath sounds: clear adventitious
 Heart sounds: S₁ S₂ murmurs: _____
 S/S of respiratory distress yes: _____ no
 Clavicles: normal abnormal
 Brachial/femoral pulse (compare strength, equality): normal abnormal

Abdomen
 Appearance (shape, size): normal abnormal
 Umbilical cord condition: cord is dry and heal clamp removed
 Bowel sounds: BS: normoactive hypoactive absent
 Date/Time of Last BM: 01/27/2023 09:20AM How many BM in last 24hrs: 4 as stated by mother
 Describe BM during shift Normal- seedy, loose light mustard/tan

Genitalia
 Male (circumcision, urethral meatus, scrotum, testes): NA
 Female (labia majora/minora, pseudomenstruation, vaginal tag, discharge): well form/no discharge
 Circumcision: yes no
 Femoral pulses: normal abnormal
 Urine output: Number of output in last 24hrs: approximately 6 diapers changes no ml recorded
 Anal patency: normal abnormal _____

Musculoskeletal
 Posture: upper and lower flexed partially flexed extended
 ROM all extremities: normal abnormal
 extra digits: NA

Neurological Reflexes
 (normal: positive, symmetrical)
 (abnormal: absent, weak, assymetrical)
 Blink: normal abnormal
 Moro: normal abnormal
 Grasp: normal abnormal
 Tonic neck: normal abnormal
 Sneeze: normal abnormal
 Rooting: normal abnormal
 Suck: normal abnormal
 Swallow: normal abnormal

Gag reflex: normal abnormal Did not assess- Baby crying mom waiting

Stepping: normal abnormal

Babinski: normal abnormal

Notes _____

Behavior (Sleep/Activity Pattern 24hrs)

Sleep/ wake patterns: normal abnormal

Consolability: normal abnormal

Nutrition

Breast Milk: frequency as per mom every 3-4 hrs Positioning: correct incorrect Latch: correct
 incorrect Audible swallow: yes no Expressed breast milk in bottle: yes no

Notes: _____

Formula: NA

Type: NA _____

frequency: NA _____

Amount: NA _____ oz

Satiation: yes no

Regurgitation: yes no

Pacifier use: yes no

Stool (number per day, color, consistency) Normal- seedy, loose light mustard/tan

Urine output (number per day/ color) _____

Approximately 6 diaper changes according to mom no ml recorded-yellow

Bonding

Describe interaction between mother and infant

skin to skin, smiling, eye contact

Client Education Topic

Patient verbalize or demonstrate understanding or needs reinforcement

Additional information

Diapering

Patient demonstrated proper diaper change

Clean baby's labia, hold baby's legs apart and wipe between the labia with wipes. Start at the front and gently wipe backwards. Use a new wipe if you need to wipe again. Dry your baby's genital area by gently patting with a soft towel.

(cleaning newborn properly)

Additional Comments:

Patient was Georgian had difficulty reaching a interpreter resort to google language application to communicate via text and demonstartion.

Maturational Assessment of Gestational Age

(New Ballard Score)

Neuromuscular Maturity

Score	-1	0	1	2	3	4	5
Posture							
Square window (wrist)							
Arm recoil							
Popliteal angle							
Scarf sign							
Heel to ear							




Physical Maturity

Skin	Sticky, friable, transparent	Gelatinous, red, translucent	Smooth, pink; visible veins	Superficial peeling and/or rash; few veins	Cracking, pale areas; rare veins	Parchment, deep cracking; no vessels	Leathery, cracked, wrinkled
Lanugo	None	Sparse	Abundant	Thinning	Bald areas	Mostly bald	Maturity Rating
Plantar surface	Heel-toe 40-50 mm: -1 < 40 mm: -2	> 50 mm, no crease	Faint red marks	Anterior transverse crease only	Creases, anterior 2/3	Creases over entire sole	
Breast	Imperceptible	Barely perceptible	Flat areola, no bud	Stippled areola, 1-2 mm bud	Raised areola, 3-4 mm bud	Full areola, 5-10 mm bud	-10 20
Eye/Ear	Lids fused loosely: -1 tightly: -2	Lids open; pinna flat; stays folded	Slightly curved pinna; soft; slow recoil	Well curved pinna; soft but ready recoil	Formed and firm, instant recoil	Thick cartilage, ear stiff	-5 22
							0 24
Genitals (male)	Scrotum flat, smooth	Scrotum empty, faint rugae	Testes in upper canal, rare rugae	Testes descending, few rugae	Testes down, good rugae	Testes pendulous, deep rugae	5 26
							10 28
Genitals (female)	Clitoris prominent, labia flat	Clitoris prominent, small labia minora	Clitoris prominent, enlarging minora	Majora and minora equally prominent	Majora large minora small	Majora cover clitoris and minora	15 30
							20 32
							25 34
							30 36
							35 38
							40 40
							45 42
							50 44

44

**CLASSIFICATION OF NEWBORNS (BOTH SEXES)
BY INTRAUTERINE GROWTH AND GESTATIONAL AGE^{1,2}**

NAME TE DATE OF BIRTH 01/25/2023 LENGTH 52cm
 HOSPITAL NO. NYACK Hosp SEX F HEAD CIRC. 37.5cm
 RACE white BIRTH WEIGHT 4110 oz GESTATIONAL AGE 39W 1D
 DATE OF BIRTH 01/25/2023



CLASSIFICATION OF INFANT*	Weight	Length	Head Circ.
Large for Gestational Age (LGA) (>90th percentile)	X	X	X
Appropriate for Gestational Age (AGA) (10th to 90th percentile)			
Small for Gestational Age (SGA) (<10th percentile)			

*Place an "X" in the appropriate box (LGA), AGA or SGA) for weight, for length and for head circumference.

References
 1. Battaglia FC, Lubchenco LO: A practical classification of newborn infants by weight and gestational age. *J Pediatr* 1967; 71:159-169.
 2. Lubchenco LO, Hansman G, Boyd E: Intrauterine growth in length and head circumference as estimated from live births at gestational ages from 26 to 42 weeks. *Pediatrics* 1966; 37:403-408.
 Reprinted by permission from Dr Battaglia, Dr Lubchenco, *Journal of Pediatrics and Pediatric*

