
Software Requirements Specification

for

Crew Connect

Version 1.8 approved

Prepared by Shanice Rapp

WASUP Airlines

04/20/2023

Table of Contents

- TABLE OF CONTENTS II**
- REVISION HISTORYIV**
- 1. INTRODUCTION..... 1**
 - 1.1 PURPOSE..... 1
 - 1.2 DOCUMENT CONVENTIONS..... 1
 - 1.3 INTENDED AUDIENCE AND READING SUGGESTIONS..... 1
 - 1.4 PRODUCT SCOPE..... 1
 - 1.5 REFERENCES..... 1
- 2. OVERALL DESCRIPTION..... 2**
 - 2.1 PRODUCT PERSPECTIVE 2
 - 2.2 PRODUCT FUNCTIONS..... 3
 - 2.3 USER CLASSES AND CHARACTERISTICS..... 3
 - 2.4 OPERATING ENVIRONMENT 4
 - 2.5 DESIGN AND IMPLEMENTATION CONSTRAINTS..... 4
 - 2.6 USER DOCUMENTATION..... 4
 - 2.7 ASSUMPTIONS AND DEPENDENCIES..... 4
- 3. EXTERNAL INTERFACE REQUIREMENTS..... 5**
 - 3.1 USER INTERFACES 5
 - 3.2 HARDWARE INTERFACES..... 6
 - 3.3 SOFTWARE INTERFACES..... 7
 - 3.4 COMMUNICATIONS INTERFACES..... 7
- 4. SYSTEM FEATURES 8**
 - 4.1 CREW LOGIN 8
 - 4.2 HOME PAGE 9
 - 4.3 SCHEDULE..... 10
 - 4.4 WEATHER PAGE..... 11
 - 4.5 TRAVEL 12
 - 4.6 HR..... 13
 - 4.7 COMMUNICATION 14
 - 4.8 ALERTS..... 16
- 5. OTHER NONFUNCTIONAL REQUIREMENTS 17**
 - 5.1 PERFORMANCE REQUIREMENTS..... 17
 - 5.2 SAFETY REQUIREMENTS..... 17
 - 5.3 SECURITY REQUIREMENTS..... 17
 - 5.4 SOFTWARE QUALITY ATTRIBUTES..... 18
 - 5.5 BUSINESS RULES 18
- 6. OTHER REQUIREMENTS 19**
- APPENDIX A: GLOSSARY 19**
- APPENDIX B: ANALYSIS MODELS..... 19**
- APPENDIX C: TO BE DETERMINED LIST 19**

Table of Figures

Figure 1 Crew Connect Navigation Page.....	2
Figure 2 Crew Connect Flow Diagram.....	3
Figure 3: Start Page.....	5
Figure 4: Calendar.....	5
Figure 5: Chat Menu	6
Figure 6: Hardware Table	6

Revision History

Name	Date	Reason For Changes	Version
Shanice Rapp	02/14/23	Added information in 1.1-1.5	1.1
Shanice Rapp	03/08/23	Added information in 2.1-2.7	1.2
Shanice Rapp	03/09/23	Created content for Appendix B	1.3
Shanice Rapp	03/23/23	Added Figure 1&2 and created table of figures	1.4
Shanice Rapp	03/28/23	Added 3.1-3.4	1.5
Shanice Rapp	04/02/23	Updated 3.1 & 3.2	1.6
Shanice Rapp	04/06/23	Added 4.1	1.7
Shanice Rapp	04/07/23	Added 4.2-4.5	1.7.1
Shanice Rapp	04/08/23	Added 4.6-4.8 and updated Table of Contents	1.7.2
Shancie Rapp	04/18/23	Updated 4.1-4.8 & Added 5.1-5.5; 6; Append. B	1.8

1. Introduction

1.1 Purpose

The product presented is the Crew Connect application which is being developed for WASUP Airlines only. After several revisions, the application will be used with version XX which is the latest software version. This document will go over the application's purpose, the product scope, functional requirements, limitations, external interface requirements, system features, nonfunctional requirements, an overall description of the product, and comes with a glossary and reading suggestions for the intended audience. Throughout the document, the whole system is described.

1.2 Document Conventions

All text in the application is written in black color, Arial font. However, if there is an emergency or important notification, the text will appear in **bold red**. The *italic* text in the calendar stands for *vacation* time. The transportation information will pop up with a taxi icon next to the information.

1.3 Intended Audience and Reading Suggestions

User or Reader	Suggested Areas to Read
Stakeholders	2
IT, Developers, System workers, PM	3,4,5
End-users	1, 2

1.4 Product Scope

The Crew Connect application is being developed with the idea that the crew has a single place in which all communication can take place. The most helpful features of this application will be the schedule, the weather, routes, hotel information, pick-up information, and a vacation request feature. Faster and more effective communication are the main objectives of this new application. If the communication within and to the crew is being improved, emergencies can be dealt with faster and flight delays due to miscommunications can be prevented. All this helps to reach WASUP Airlines' main goal of maximizing customer satisfaction.

1.5 References

Go to www.wasupairlines.com/crewconnect for more information and an introduction to the application. There you will also find references and versions of the application and other documents related to the Crew Connect app.

2. Overall Description

2.1 Product Perspective

The Crew Connect application is a new self-contained product with the intended use being only for the Crew members inside WASUP airlines. Prior to Crew Connect, there were several misunderstandings due to simultaneous communication on several platforms, and important information was often read too late due to the lack of an efficient system for delivering this information. To prevent these issues, the purpose of developing the application is to bring several different systems into one application. For efficient and effective usage, the application is dependent on timely and correct input of data about flight schedules and vacation time and needs a third-party cooperation that supplies the application with the current weather information of the crew's current location as well as its destination location.

Figure 1 shows the main functions and how they will be present on the navigation page as well as a first idea of the interface in WASUP airlines' colors.




Figure 1 Crew Connect Navigation Page

2.2 Product Functions

The most important functions of the Crew Connect application are listed here:

- Chat amongst the crew (a new channel is opened for each flight with the corresponding crew)
- Calendar (contains scheduled flights and vacation times)
- Transport and Hotel Information (Travel)
- Weather alerts

For further understanding refer to the WASUP Flow Diagram.




Figure 2 Crew Connect Flow Diagram

2.3 User Classes and Characteristics

The end-user of this product is the whole crew. Regardless of the crew members' position, both pilots and flight attendants have the same product functions. There are no admin roles, it is an only user tool. The information will be inputted by the backend team.

2.4 Operating Environment

Crew Connect will operate on a Linux-based mobile operating system and will not function properly on macOS. Therefore, each crew member will receive an Android smartphone. Furthermore, the compatibility with weatherbug.com/api as the supplier for all weather data is assured. The data will be stored on SQL servers and Oracle. After several revisions, version 2.0 will be the running version on the crew members' smartphones.

2.5 Design and Implementation Constraints

There are several limitations that come with Crew Connect. First, Crew Connect is only to be used by the crew, not by other employees of WASUP airlines. Second, the application will only work on Android devices. Third, to access all information through Crew Connect, the device must be connected to the internet. The basic information will be stored on the phone and the schedule for a specific event can be downloaded to access it without an internet connection. Since WASUP airlines is an American airline Crew Connect will be offered in English and Spanish version. The chat is to be solely used for work purposes, not to have private conversations. Therefore, the memory of 64GB for each crew member should be sufficient. To improve security, each crew member will receive their own smartphone with the app preinstalled and the application itself is not open for public use. Besides, the design of Crew Connect follows the light sky blue and navy blue company colors and the font to use is Lato. Furthermore, the weather updates will be accessed through weatherbug.com/api and the database used for vacation requests is provided by Oracle. The development must fall into the \$500,000.00 budget.

2.6 User Documentation

To access introduction videos and tutorials go to WASUP airlines' website and click on Crew Connect under the "For Flight Crew" button. You can also use this link to access it: www.wasupairlines.com/crewconnect. For further questions while using Crew Connect, click on the question mark symbol in the lower right corner and look for your answer there.

2.7 Assumptions and Dependencies

Crew Connect uses several servers to store the data. The PeopleSoft server (Oracle) is responsible for the vacation requests, the Travel server (SQL server) contains travel adjustments, and the flight and crew scheduling comes from the AIMS server (Oracle). Failing of one of the servers could lead to a disruption of the whole system and mistakes in scheduling and general flight delays. Furthermore, if the Weatherbug channel is down or if there are problems in transferring the data to Crew Connect, the application's weather page will not show data. Another dependency of Crew Connect comes with the hotel and especially the shuttle service. The application can only inform the crew about the car that picks them up and the driver and arrival time if the data has been put in by the transferring party. As well as the application being dependent on third parties that supply data, Crew Connect is also dependent on the proper usage of its crew members.

It is assumed that accurate budgeting and planning have been conducted to stay within the \$500,000.00 budget.

3. External Interface Requirements

3.1 User Interfaces

Figures 3 through 5 give a preview of the UI of Crew Connect.

Start Page:

- Will show all the important functions of Crew Connect and works as a **Menu**.
- As a fast track, the user can also choose the **Next Flight** button.
- The header will always show the company's **WASUP Airlines** writing and below it will be the name and role of the **crew member**.
- In the top right corner, the member can change **personal settings**.




Figure 3: Start Page

Calendar Page:

- Has the same header.
- Then the user will see a **monthly calendar**.
- The plane taking off indicates the **departing date** for the crew and the **landing plane** indicates when the crew will come back to its destination airport.
- If a crew member wants to see further details, tap on a specific day in the calendar (as indicated in a light red square) and more detailed information will show up on the screen. Within 24 hours of departure, the **arrival information** will also be updated.



Figure 4: Calendar

Chat Menu:

- The crew member can decide which **flight** they want to read the chat. They are automatically added to the corresponding chats according to their flight schedule.
- The little number in the light blue circle shows how many **unread messages** they have in each chat.
- By clicking on one of the chats, a **group chat** with all regular functions will open.
- In case a user needs to contact specifically another crew member, the “**Contacts**” button will have all crew members saved in there.
- The “**Settings**” wheel Allows a crew member to customize their chat modes such as larger/smaller letters or dark mode.
- The little **question mark** works as a help function and shows answers to the most occurring questions.
- The UI of the **weather page** will be presented by weatherbug.com
- The user can also **swipe** through the different pages and menus by swiping left or right. There is no extra button for it.




Figure 5: Chat Menu

3.2 Hardware Interfaces

General:

- Crew Connect will only work on Android devices. Therefore, each crew member will receive a Samsung Galaxy A50 with 64 GB storage.
- The weather information will be pulled from Weatherbug.com/api and Wifi is required to have the most updated weather. Data can be previously downloaded and stored, chats and updates however can only be accessed with a Wifi connection.

Operation	Server	Provider	IP Address	Tables
Vacation Request	PeopleSoft Server	Oracle (Database)	10.412.67.101	V_REQUEST
Travel Adjustments	Travel Server	SQL	10.412.67.45	hotel_reservation, car_reservation, travel_override
Flight & Crew Scheduling	AIMS Server	Oracle	10.412.68.49	flight_schedule, crew_schedule

Figure 6: Hardware Table

3.3 Software Interfaces

Crew Connect is using Oracle and SQL Server for its databases. When connected to the internet, all functions of the application will work, including the weather function and the chat function. The data for the weather function will be provided from Weatherbug.com/api. The data is being pulled from the databases and out of the tables mentioned in 3.2. The weather data needs to be global since the crew is operating worldwide.

3.4 Communications Interfaces

To update, the application needs access to the internet. All phones that have the Crew Connect app installed can communicate with each other and the HR and scheduling team of WASUP Airlines. No outside phone can install the Crew Connect app, only the phones that have special access granted within the company. This is done for security reasons.

4. System Features

4.1 Crew Login

4.1.1 Description and Priority

The crew login feature is of high priority since it gives access to Crew Connect and the data it contains. Furthermore, the login is a crucial security feature of the app.

4.1.2 Stimulus/Response Sequences

Sequence #	Stimulus	Response
1	User opens the App	LogIn Page comes up
2	User enters Username and Password	Username and Password are being verified
3	User taps on LogIn button	If Username and Password are correct, User gets routed to the homepage. Wrong input will receive an error message
4	User taps "Reset Password" button	User receives an input form to reset Username and Password

4.1.3 Functional Requirements

REQ-1: Log In page must have two input fields where the user can input Username and Password

REQ-2: Log In page must have a Log In button that initiates the input validation

REQ-3: Log In page must have a Reset Password button that lets the user reset their information and updates it in the database.

4.2 Home Page

4.2.1 Description and Priority

The Home Page is of high priority as it is the access point for all underlying features.

4.2.2 Stimulus/Response Sequences

Sequence #	Stimulus	Response
1	User taps on Next Flight button	Flight detail page will open up
2	User taps on Calendar button	Calendar page will open up
3	User taps on Chat button	Chat Menu will open up
4	User taps on Travel button	Travel page will open up
5	User taps on Weather button	Weatherbug.com opens
6	User taps on Person Icon in top right corner	Personal Settings will open
7	User taps on Question Mark symbol in lower right corner	Help feature appears

4.2.3 Functional Requirements

REQ-1: Home page must have all other featured pages displayed for the user

REQ-2: Routes between pages must function so that the user will be redirected to the selected page

REQ-3: Home page must be able to recognize crew member to show off crew members name in the top

4.3 Schedule

4.3.1 Description and Priority

The schedule feature is a crucial component of Crew Connect since it shows all past, current, and future flights for the crew. The calendar itself with detailed flight information is of high priority. In the schedule feature, the crew member can also add vacation requests which is of rather low priority.

4.3.2 Stimulus/Response Sequences

Sequence #	Stimulus	Response
1	User taps on departing plane within the calendar	Flight details pop up on the screen
2	User taps on arriving plane within calendar	Flight details pop up on the screen
3	User taps on any date field within calendar	Vacation request form pops up
4	User taps on Person Icon in top right corner	Personal Settings will open
5	User taps on Question Mark symbol in lower right corner	Help feature appears

4.3.3 Functional Requirements

REQ-1: Calendar must have updated flight schedule

REQ-2: Vacation request must be transferred to HR

REQ-3: If flight data not previously opened, user must have internet access for flight details and vacation request

REQ-4: AIMS Server and PeopleSoft Server must be up and running

4.4 Weather Page

4.4.1 Description and Priority

The weather information is being presented by weatgherbug.com. This feature is of low priority since weather information can also be retrieved elsewhere.

4.4.2 Stimulus/Response Sequences

Sequence #	Stimulus	Response
1	User is on weather page	Weather for current location is displayed
2	User is on weather page	Weather emergencies for current location are displayed
3	User chooses travel destination	Weather for travel destination is displayed
4	User taps on Person Icon in top right corner	Personal Settings will open
5	User taps on Question Mark symbol in lower right corner	Help feature appears

4.4.3 Functional Requirements

REQ-1: App must be connected to weatherbug server

REQ-2: Weather updates can only arrive with internet access

4.5 Travel

4.5.1 Description and Priority

The crew login feature is of high priority since it gives access to Crew Connect and the data it contains. Furthermore, the login is a crucial security feature of the app.

4.5.2 Stimulus/Response Sequences

Sequence #	Stimulus	Response
1	User is on Travel page	Transport & Hotel information are displayed
2	User taps on Hotel link	Hotel webpage opens
3	User taps on Switch Hotels button	Sends out request to HR to go into self financed hotel
4	User taps on Person Icon in top right corner	Personal Settings will open
5	User taps on Question Mark symbol in lower right corner	Help feature appears

4.5.3 Functional Requirements

REQ-1: Transport information must be frequently updated (arrival times, driver info, car info)

REQ-2: For most recent information and to access hotel webpage, phone must have an internet connection

REQ-3: Travel Server must be up and running

4.6 HR

4.6.1 Description and Priority

HR is responsible for all background operations and updating the information in Crew Connect and is therefore of high priority.

4.6.2 Stimulus/Response Sequences

Sequence #	Stimulus	Response
1	User inputs vacation request	HR accepts or denies and sends out message
2	New month started	HR publishes schedule 3 months in advance
3	User taps on Switch Hotels button	HR accepts or denies hotel switch for Crew Member
4	User taps on Person Icon in top right corner	Personal Settings will open
5	User taps on Question Mark symbol in lower right corner	Help feature appears

4.6.3 Functional Requirements

REQ-1: In order to send out a request, user must be connected to the internet

REQ-2: HR must have access to all servers and data bases for input and editing of data

REQ-3: All servers and databases are up and running

4.7 Communication

4.7.1 Description and Priority

Communication is crucial for well-flowing flight operations and therefore the chat feature that lets the crew of each flight communicate directly with each other is of high priority.

4.7.2 Stimulus/Response Sequences

Sequence #	Stimulus	Response
1	User taps the Chat Menu or swipes left on the home page	Chat Menu opens up
2	User taps on specific flight chat	Group chat with all crew members that are scheduled for the flight is opened; Number of unread messages for opened chat resets to 0
3	Message is being sent by another user	User receives a notification and number of unread messages goes up for each chat by unread messages
4	User taps "Search for Flight Chat" button	Flight filter opens with additional search bar
5	User taps "Contacts" button	Contact book with all crew members open, regardless of flight, and option to directly contact crew members individually appears
6	User taps "Settings" button	Chat settings open
7	User taps "Chats" button (after being on Settings or Contacts page)	Chat Menu opens up
8	User taps on Person Icon in top right corner	Personal Settings will open
9	User taps on Question Mark symbol in lower right corner	Help feature appears

4.7.3 Functional Requirements

REQ-1: To see new chats, crew member must be connected to the internet

REQ-2: Chats must be opened 10 days before flight and crew members must be granted access

REQ-3: All chats that crew member is part of must be shown in chat menu

\

4.8 Alerts

4.8.1 Description and Priority

Alerts are notifications that are being sent on the Crew members' phones. They are usually of urgent matter or live chats such as weather danger, flight rescheduling, flight cancellations, flight delays, vacation and hotel change request approvals or denials, and more. Crucial alerts are of high priority whereas chat alerts are of low priority since the crew member can also manually check the chat function.

4.8.2 Stimulus/Response Sequences

Sequence #	Stimulus	Response
1	Weatherbug.com discovers dangerous weather conditions in one of WASUP airlines' flight routes	Weather alert pops up on Crew members' phones
2	Shuttle service sends out driver to pick up crew	Notification is send out to crew with information about driver, car, and pickup time
3	Adjustment in flight schedule (including delays and cancellations)	Alert is being sent out to crew
4	Any other emergencies happen	Alert to all Crew members is being sent out
5	After 5,10,15,... unread chats in one group chat	Crew member receives notification about unread chats

4.8.3 Functional Requirements

REQ-1: HR is in control of most alerts

REQ-2: Weatherbug server is connected to Crew connect and sends out alerts

REQ-3: Shuttle service is responsible to provide correct information for transport alerts

5. Other Nonfunctional Requirements

5.1 Performance Requirements

To reach maximum performance, network traffic should be fluent and without congestion, the device should be connected to a network with sufficient bandwidth, and the storage should not be exhausted.

To enhance performance it is recommended to clean your caches and be connected to networks with a big bandwidth or few connected devices.

5.2 Safety Requirements

For a safe use of Crew Connect remember this:

- Have enough storage capacity on your device to avoid loss of data
- Each Crew member is required to treat the device respectfully and prevent damages, a protection case is provided and asked to be used
- Overloading the device with other applications or data that needs to be stored can lead to limitations in the functionality of Crew Connect and is prohibited

5.3 Security Requirements

Remember these security requirements and terms:

- Use a strong password to protect your Crew Connect Account
- Password requirements:
 - At least 8 characters including:
 - At least one uppercase letter
 - At least one lowercase letter
 - At least one number
 - At least one special character
- Face-ID is allowed to skip the Password process
- Using the device for personal use is prohibited to ensure capacity for Crew Connect and security reasons to protect WASUP data
- In case of a security breach suspicion, contact Charles McDuffy, Rob Smith, or Bruce Hanley immediately

5.4 Software Quality Attributes

Quality Characteristic	Explanation
Adaptability	Important the Crew Connect can be adapted to different environments such as hardware and software
Availability	Goal to have Crew Connect available by June 23 since all communications with crew will be transitioned to Crew Connect Crew Connect should be accessible for Crew anywhere
Correctness	Crew Connect must perform the tasks as redefined in this SRS
Flexibility	Flexibility ensures that the application can be easily adapted to future changes such as changing devices or operating systems
Interoperability	Provides data unity which is crucial to manage Crew Connect Data must be exchanged uninterrupted between databases, servers, and operating systems
Maintainability	High maintainability is important to reduce maintenance costs and time and plays an important role in the total cost of Crew Connect
Portability	It is important that Crew Connect works on the phones as well as in the web when accessed through a laptop for example. Only android usage is necessary
Reliability	Crew Connect is to function under the predefined standards and conditions
Reusability	Crew Connect should be built in a way that lets its components get reused
Robustness	Crew Connect should be resistant to crashing and providing a good flow of the app
Testability	Test criteria must be appropriate, testing process should be easy, and Crew Connect must be tested for these criteria
Usability	Important that Crew Connect is easy to use for the crew

5.5 Business Rules

There are no administrative roles, Crew Connect is only a user tool. Users are the Crew, other airline employees can see Crew Connect but not use it. Furthermore, notifications are not personalized but rather every crew member receives the same notifications. Besides, the data is being inputted by the backend. There is a fax machine on each plane in the case that the communication over Crew Connect does not work. Other than that, Crew Connect is to be used for all operations and communications. In their off time, crew members do not need to worry about the app and notifications.

6. Other Requirements


Each user has an international data contract with 5GB per month which should be sufficient for the use of Crew Connect during the stay abroad. The first person to contact if there is an error within the application is the Director of Applications, Rob Smith. Regular maintenance is required and funding will be provided.

Appendix A: Glossary

Explanations of all terms are provided withing the SRS

Appendix B: Analysis Models

Product Functions Flow Diagram:



Appendix C: To Be Determined List

There are no To Be Determined references.