

Karyn Jordan

EDG500: Educational Research and Statistics: OA

SPSS Chapters 16 and 17, Week 12

→ NPar Tests

[DataSet1]

Chi-Square Test

Frequencies

	Candidate		
	Observed N	Expected N	Residual
Jane Smith	11	10.0	1.0
John Doe	9	10.0	-1.0
Total	20		

Test Statistics

Candidate	
Chi-Square	.200 ^a
df	1
Asymp. Sig.	.655

a. 0 cells (0.0%) have expected frequencies less than 5. The minimum expected cell frequency is 10.0.

Figure 16.8. Raw SPSS Statistics output for the data in Table 16.1.

Candidate Smith ($n = 11$) was favored over Candidate Doe ($n = 9$) in the survey. However, the difference was not statistically significant at the .05 level ($\chi^2 = .200, df = 1$). Thus, the election is too close to call. (page 173)

→ NPar Tests

[DataSet0]

Chi-Square Test

Frequencies

	UniformColor		
	Observed N	Expected N	Residual
Tan	5	6.7	-1.7
Blue	12	6.7	5.3
Brown	3	6.7	-3.7
Total	20		

Test Statistics

UniformColor	
Chi-Square	6.700 ^a
df	2
Asymp. Sig.	.035

a. 0 cells (0.0%) have expected frequencies less than 5. The minimum expected cell frequency is 6.7.

Figure 16.2. Color Preferences for School Uniforms for Data in Table 16.2

Uniform color blue ($n = 12$) was preferred over tan ($n = 5$) and brown ($n = 3$). The difference in uniform color is significant at the .05 level as it is less than or equal to .05 and greater than .01. ($\chi^2 = 6.700, df = 2$).

➔ Crosstabs

[DataSet1]

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Gender * Vote	24	100.0%	0	0.0%	24	100.0%

Gender * Vote Crosstabulation

Gender	Male	Count	Vote		Total
			Yes	No	
			8	4	12
		% within Gender	66.7%	33.3%	100.0%
Female		Count	5	7	12
		% within Gender	41.7%	58.3%	100.0%
Total		Count	13	11	24
		% within Gender	54.2%	45.8%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.510 ^a	1	.219		
Continuity Correction ^b	.671	1	.413		
Likelihood Ratio	1.527	1	.217		
Fisher's Exact Test				.414	.207
Linear-by-Linear Association	1.448	1	.229		
N of Valid Cases	24				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.00.
 b. Computed only for a 2x2 table

Figure 17.11. SPSS Statistics output for chi-square test of independence.

Males were more likely to vote "yes," while females were more likely to vote "no," as shown in Table 17.2. However, the relationship between gender and voting was not statistically significant at the .05 level ($\chi^2 = 1.510, df = 1$). Thus, gender and voting are independent of each other.

Crosstabs

[DataSet0]

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Experience * Approval	20	100.0%	0	0.0%	20	100.0%

Experience * Approval Crosstabulation

Experience	Experienced	Count	Approval		Total
			Approve	Disapprove	
			7	3	10
		% within Experience	70.0%	30.0%	100.0%
Inexperienced		Count	3	7	10
		% within Experience	30.0%	70.0%	100.0%
Total		Count	10	10	20
		% within Experience	50.0%	50.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.200 ^a	1	.074		
Continuity Correction ^b	1.800	1	.180		
Likelihood Ratio	3.291	1	.070		
Fisher's Exact Test				.179	.089
Linear-by-Linear Association	3.040	1	.081		
N of Valid Cases	20				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 5.00.
 b. Computed only for a 2x2 table

Figure 17.11. SPSS Statistics output for chi-square test of independence.

Experienced teachers were more likely to "approve," and inexperienced teachers were more likely to "disapprove," as shown in Table 17.3. However, the relationship between teacher experience and approval was not statistically significant at the .05 level ($\chi^2 = 3.200, df = 1$). Thus, teacher experience and approval are independent of each other.

